

REQUEST TO SUBMIT PROPOSAL FOR SUPPLY AND DELIVERY OF ICT EQUIPMENT FOR THE UTILIZATION OF BALIK PROBINYA, BAGONG PAG-ASA (BP2) PROGRAM AT APPROVED BUDGET FOR THE CONTRACT AMOUNTING TO SIX HUNDRED SEVENTY SIX THOUSAND FIVE HUNDRED SIXTY TWO PESOS AND SIXTY-FOUR CENTAVOS (PHP676,562.64) PURSUANT TO ALTERNATIVE METHOD OF PROCUREMENT SPECIFICALLY NEGOTIATED PROCUREMENT-SMALL VALUE PROCUREMENT UNDER SECTION 53.9 UNDER RA 9184 AND ITS REVISED IRR

The Department of Agriculture Regional Field Unit No. 5 (DA RFO 5), San Agustin, Pili, Camarines Sur is inviting interested suppliers to submit complete bid proposal for the ff:

Particulars		Unit Cost	ABC
SUPPLY AN	ID DELIVERY OF:		
1 unit	Portable Drone Fly More with	450,000.00/unit	₱450,000.00
	Accessories	,	,
	Specification: Camera: 20MP, 4/3 CMOS sensor, 24mm equiv. F2.8-11 Zoom: Hybrid: 1-4X digital zoom on main camera, up to 28X digital on telephoto Video transmission: OcuSync 3.0 (O3), 4 antennas, 15km, 1080p/60p Video Resolution: 5.1K/50p, DCI or UHD 4K/120p Video bit-rate: 200 Mbps (H.264) / 140 Mbps (H.265) Log Video: 10-bit D-Log, HDR video (10-bit) APAS version (Advanced Pilot Assistance System): APAS 5.0 Obstacle avoidance sensors: Forward, Backward, Downward, Upward, Left, and Right Flight time: 46 minutes Dimensions: 221x96x90 mm		
	Weight: 895g/899g Drone Monitor (2 units) Size: 6.1 inches Resolution: 2532 x 1170 pixels, 19.5:9 ratio, 457 PPI Technology: OLED; Refresh Rate: 120 Hz Screen-to-body: 87.24%; Peak brightness: 1200 cd/m2 (nit) Processor: Hexa-core, 64 bit, 5 nm; GPU: Yes; RAM: 6GB Internal Storage: 128 GB, not expandable Device type: Smartphone; OS: iOS (15.x) Capacity: 3095 mAh Type: Li-lon, Not user replaceable Charging: USB Power		





	Delivery, wireless charging, MagSafe wireless charging Max charge speed: Wired: 20.0W; Wireless: 15.0W Rear: Triple Camera Main Camera: 12 MP (OIS, PDAF) Specifications: Aperture size: F1.5; Focal length: 26 mm; Pixel size: 1.9µm Second camera: 12MP (Telephoto, OIS, PDAF) Specifications: Optical Zoom: 3.0x; Aperture size: F2.8; Focal Length: 77mm Third Camera: 12 MP (Ultrawide, Autofocus) Specifications: Aperture size: F1.8; Focal Length: 13mm Video recording: 3840x2160 (4K UHD) (60 fps), 1920x1080 (Full HD)(240 fps), 1280x720 (HD) (30fps) Features: OIS, HDR, Timelapse video, Continuous autofocus, Picture –taking during video recording, Video light Front: 12MP (Time-of-Flight (ToF), EIS, HDR, Slow-motion videos)		
1 unit	Projector and Projector Screen Power Cable: 3m; Computer Cable (VGA Cable): 1.8m USB Cable (Type A/B): 3m; Remote Control: Yes, with Alkaline AA Battery, Soft Carrying Case Bundled Software: CDROM, Projection Software; Password Protect Sticker; Warranty Sheet Projection Technology: RGB liquid crystal shutter projection system Brightness *2: White Light Output (Normal): 3,200lm Colour Light Output: (Normal/Eco): 3,200lm/1,900lm Connectivity: Network: Wireless LAN; In-built Analog Input: D-Sub 15 pin; 1(Blue) Composite; RCA x 1; Digital Input: HDMI; 1 (MHL) Audio Input: Stereo Mini Jack: 1 Others: USB Type A: 1 (for USB Memory, USB Document Camera, Firmware Update) USB Type B: 1 (for USB	75,000.00/unit	75,000.00







	Display, mouse, K/B/, Control,		
	Firmware Update) Contrast ratio: Auto Iris:		
	10,000:1 Wireless Specifications:		
	Supported Speed for Each		
	Mode: IEEE 802.11b: 11		
	Mbps, IEEE 802.11g: 54 Mbps, IEEE 802.11n: 130.0		
	Mbps		
	Wireless LAN Security: Quick		
	Mode: WPA2-PSK Advanced Mode: WPA2-PSK,		
	WPA/WPA2-PSK, WPA2-EAP		
	Supported EAP type: PEAP,		
	PEAP-TLS, EAP-Fast, LEAP Supported Connection Mode:		
	Infrastructure, Access Point		
	Screen Size (Projected		
	Distance): Standard Size: 60" screen 1.35-1.64m		
	Zoom: Wide: 30" – 300" (0.67-		
	6.86m) Zoom: Tele: 30" – 300" (0.81 –		
	8.28m)		
	Operating Temperature: 5°C-		
	40°C<41°F-104°F>(0 m/0 ft to 2,286m / 7,500ft) 5°C-		
	35°C<41°F-95°F>(over		
	2,286m / 7,500ft)(20%-80%		
	humidity, No condensation) Operating Altitude: 0m –		
	3,000m (0ft-9,843 ft) (over		
	1,500m/4,921ft: with high		
	altitude mode) Start-up Period: About 7.2		
	seconds, Warm-up Period: 30		
	seconds, Cool down Period: Instant Off		
	Internal Speaker(s): Sound		
	Output: Monaural: 1W x 1		
	Direct Power On/Off: Yes/Yes Dimension Excluding Feet		
	(WxHxD): 292mm x		
	44mmx213mm		
	Fan Noise (Normal/Eco): 39 dB/30dB		
	Wireless Specifications		
	(Miracast): Supported Speed		
	for Each mode: IEEE 802.11g (2.4GHz): 54Mbps; IEEE		
	802.11n (2.4 GHz): 130.0		
	Mbps; IEEE 802.11a (5GHz):54 Mbps; IEEE		
	802.11n (5GHz): 270.0 Mbps;		
	IEEE 802.11ac (5GHz): 780		
	Mbps Supported Connection Mode:		
	Wi-Fi Direct		
1 unit	<u>Laptop</u>	130,000.00/unit	130,000.00
	Color: space gray		
	Media engine: Hardware- accelerated H.264, HEVC,		
	ProRes, and ProRes RAW		
			







Regional Field Office No.5 San Agustin, Pili, Camarines Sur, 4418 http://bicol.da.gov.ph

> Video decode engine ProRes encode and decode engine

8-core CPU with 6
performance cores and 2
efficiency cores
14-core GPU and 16-core
Neural Engine
200GB/s memory bandwidth;
Liquid Retina and XDR
Display: 14.2-inch (diagonal)
Liquid Retina XDR display; 1
3024-by-1964 native resolution
at 254 pixels per inch

XDR (Extreme Dynamic Range) Up to 1,000 nits sustained (full-screen) brightness, 1,600 nits peak brightness; 1,000,000:1 contrast ratio; Color: 1 billion colors, Wide color (P3), True Tone technology; Refresh Rates: ProMotion technology for adaptive refresh rates up to 120 Hz; Fixed Refresh Rates: 47.95Hz, 48.00Hz, 50.00Hz, 59.94Hz, 60.00Hz; 16GB unified memory and Up to 17 hours TV app movie playback; up to 11 hours wireless web, 70-watt-hour lithium-polymer battery2; 96W USB-C Power Adapter; USB-C to magSafe 3 Cable, Fast-Charge capanle with 96W USB-C Power Adapter: Storage: 512GB SSD; Charging and Expansion: SDXC card slot, HDMI Port, 3.5mm headphone jack, MagSafe 3 port, Three Thunderbolt 4 (USB-C) ports with support for: Charging, Display Port, Thunderbolt 4 (up to 40 Gbps); Thunderbolt 4 digital video output, Native Display Port output over USB-C, VGA, HDMI, DVI, and Thunderbolt 2 output supported using adapters;

HDMI digital video output: Support for one display with up to 4K resolution at 60Hz; DVI output using HDMI to DVI Adapter; Backlit Magic Keyboard with: 78 (U.S) or 79 (ISO) keys including 12 fullheight function keys and arrow keys in an inverted-T arrangement; Touch ID, Ambient light sensor, Force Touch trackpad for precise







1898 h	ttp://bicol.da.gov.ph		
	cursor control and pressure- sensing capabilities; enables force clicks, accelerators, pressure-sensitive drawing and Multi-touch gestures; Wi-Fi, 802.11ax, Wi-Fi 6 Wireless networking; IEEE 802.011a/b/g/n/ac compatible; Bluetooth 5.0 wireless technology Camera: 1080p Face Time HD camera Advanced image signal processor with computational video Audio: High-fidelity six speaker sound system with force- cancelling woofers, Wide stereo sound, support spatial audio when playing music or video with Dolby Atmos on built-in speakers; Spatial audio with dynamic head tracking; Studio-quality three-mic array with high signal-to-noise ratio and directional beam forming; 3.5mm headphone jack with advanced support for high- impedance headphones Operating requirements: Line Voltage: 100V to 240V AC; Frequency: 50Hz to 60Hz; Operating temperature: 10° to 35°C; Storage temperature: 125° to 45°C; Relative Humidity: 0% to 90% noncondensing; Operating altitude: tested up to 3,000 meters; Maximum storage altitude: 4,500 meters; Maximum shipping altitude: 10, 500 meters Size and Weight: Height 1.55cm; Width: 31.26cm; Depth: 22.12cm; Weight: 1.6kg		
	One-year limited warranty		24.722.24
1 unit	Scan, Copy, Fax, Automatic 2- sided Colour Print with Network Connectivity; Processor Main: Cortex-A9 800MHz; Sub: ARM946 133MHz; Print Speed: Up to 24/25ppm Automatic 2-Sided Printing Poster Printing, Header-Footer Printing, Watermark Printing (Windows (Host- Based/PCLXL)) N-up Printing,	21,562.64/unit	21,562.64
	Secure Print (Windows (Host-		







Based/PCLXL)/Mac) Print Resolution 600 x 600 dpi, 2,400 dpi (600 x 2,400) quality Warm Up Time (From Sleep) Less than 24 sec; First print Out Time (Ready) Less than 14 sec (Mono/Colour) Dimensions (WxDxH) 410 x 475 x 414 mm Machine Weight: 23.5 kg Drum Unit (DR-263CL (C/M/Y/BK)) Approx. 18,000 Memory: 512MB Emulation PCL6, BR-Script3, PDF Version 1.7, XPS Version 1.0; Display 3.7" Colour LCD Touchscreen; OS Capability; Linux: CUPS, LPD/LPRng (x86/x64 environment); Utilities & Solutions BRAdmin Light^{\(^1\)}: BRAdmin Pro3¹; Web Based Management Security Features Setting Lock, Secure Function Lock Version 3.0# Energy Star Yes; Power Consumption (Printing/Deep Sleep) Approx. 430W/1.2 W; Power Source 220-240V; AC 50/60Hz; Noise Level LpAm = 47dB (A) PAPER HANDLING Paper Input Tray 250 sheets; Manual Feed Slot 1 sheet; Auto Document Feeder 50 sheets; Paper Output 150

PAPER HANDLING
Paper Input Tray 250 sheets;
Manual Feed Slot 1 sheet;
Auto Document Feeder 50
sheets; Paper Output 150
sheetd Face Down'; Media
Weights / Manual Feed Slot 60
to 163g/m2; Media Sizes /
Standard Tray A4, Letter, A5,
A5 (Long Edge), A6,
Executive, Legal, Folio,
Mexico Legal, India Legal

TOTAL PHP676.562.64

For utilization of Balik Probinsya, Bagong Pag-Asa (BP2) Program. The agency intends to apply the amount of Six Hundred Seventy-Six Thousand Five Hundred Sixty-Two Pesos and Sixty-Four Centavos (Php676,562.64) as the Approved Budget for the Contract.

As per approved Purchase Request and considering the nature of requisition being not more than One Million Pesos (Php1,000,000.00) and in order to fast-track the implementation of the program, this procurement is facilitated thru Negotiated Procurement-Small Value Procurement under Section 53.9 of RA 9184 and its Revised IRR.

As such, **3GX COMPUTER & IT SOLUTIONS**, Naga City, Camarines Sur; **DENVER'S COMPUTER SHOPPE, INC.**, Naga City, Camarines Sur; **HYPERTECH**







COMPUTERS, Naga City, Camarines Sur; and all interested bidders are hereby requested to submit the following documents:

- 1. Mayor's Permit
- 2. DTI Registration
- 3. PhilGEPS Registration
- 4. Annual Income Tax Return
- 5. Omnibus Sworn Statement
- 6. BIR Registration
- 7. Picture or Brochure

The bidders are required to pay Php500.00 for bid documents to the Cashier's Office, DA RFO-5, Pili, Camarines Sur. All submitted documents must be in duplicate, marked with index/ear tabs or side-end tabs to identify the page components, and addressed to the BAC Chairperson; otherwise, bids will be automatically rejected on the ground of non-compliance with the prescribed bid requirements.

Sealed Bid must be received by BAC Secretariat; DA RFO 5 not later than **10:00** in the morning of **03 December 2021** at 2nd Floor Adriano Hall, Admin. Building, DA RFO-V, Pili, Camarines Sur. Opening of proposal will be on the same date and time.

Let this Invitation be posted pursuant to RA 9184 and its IRR. For more information, please see or call BAC Secretariat, Legal Office, Tel. No. (054) 477-33-56.

29 November 2021, Pili, Camarines Sur.

RTD for Operations
BAC Chairman









