

REQUEST TO SUBMIT PROPOSAL FOR THE SUPPLY, DELIVERY AND INSTALLATION OF 1 UNIT SOLAR POWER IRRIGATION SYSTEM FOR IMPLEMENTATION OF NATIONAL ORGANIC AGRICULTURE PROGRAM (NOAP) 2022 WITH AN APPROVED BUDGET FOR THE CONTRACT AMOUNTING TO **EIGHT HUNDRED FIFTY THOUSAND PESOS** (P 850,000.00) PURSUANT TO ALTERNATIVE METHOD OF PROCUREMENT SPECIFICALLY NEGOTIATED PROCUREMENT-SMALL VALUE PROCUREMENT UNDER SECTION 53.9 UNDER RA 9184 AND ITS REVISED IRR

The Department of Agriculture Regional Field Office No. 5 (DA RFO 5), San Agustin, Pili, Camarines Sur is inviting interested suppliers to submit complete bid proposal for the ff:

PARTICULAR	QUANTITY	UNIT PRICE	TOTAL ABC
SOLAR POWER IRRIGATION SYSTEM - SUPPLY, DELIVERY AND INSTALLATION LOCATION: CAMARINES SUR	1 UNIT	850,000.00	P 850,000.00
Specifications:			
OTHER GENERAL REQUIREMENTS  Mobilization / Demobilization  SOLAR MOUNTING STRUCTURE, CONCRETE AND REINFORCEMENT EARTH WORKS			
Common Soil Excavation			
Structural BackFill/Backfilling			
Aggregate Sub Base Course (Gravel Fill)			
REINFORCE CONCRETE WORKS			
Concrete Class "A" w/ Forms (Pedestal)			
Concrete Class "A" w/out Forms (Pedestal Footing)			
Reinforcing Steel Bar			
METAL WORKS			
Vertical Structure			
-3" dia. G.I. Pipe S40 Post			
-10mm thk. Metal Plate			
-12"x20mm dia. Anchor Bolt			
Horizontal Structure			
-1/4"x2"x5" Channel Bar (C-Bar)			
-Pre-Fabricated PV Module Railings, 10mm x 2"x2"x20'			
-1 1/2" Dia. S40-G.I. Pipe (Strut, Cord and Web Member)			
- 2"x2"x1/4"x20' Angle Bar Cleat			
SUBMERSIBLE DEEP WELL PUMP  2" Diameter Outlet, 2.2KW (3.0HP), Single Phase 60Hz, AC/DC Submersible Pump  -Capacity of at least 85 cubic meter per 5 hours operation per day at the following condition:			
1. Pump Type : Submersible Pump			
2. Total Dynamic Head : 30.0m (minimum)			
3. Voltage : 230-415 Volt			
4. Frequency / n : 60 Hz / 3500 rpm			
5. Phase : Single Phase			
6. Pump /Impeller : AISI 304 Stainless			
7. Working Principle : Submersible SOLAR PV MODULES, FITTINGS AND ACCESSORIES			
-450Wp PV Solar Module, Poly-Crystalline			
1. Max Power: 450 Watt			
2. Open Circuit Voltage: 49.60V			
3. Short Circuit Current: 11.53A			
4. Optimum Operating Voltage: 41V			
5. Optimum Operating Current: 10.98A			
6. Temperature: -40°C to +90°C			
SOLAR INVERTER -4.0KW, 200V-450V DC Input, Single Phase-230V/415V-25Amp AC Output, Inverter			
Built-in Maximum Power Point Tracking (MPPT)			
2. AC/DC Compatibility			
Overvoltage and Undervoltage Protection			
4. Overload and Overcurrent Protection			
5. Enclosure Class: IP 66			
-Out Door Controller Box (300mm x 500mm x 600mm)			



DC-AC Line Protection - 6 Pair Terminal Block Connector - DC MCCB, 30A 2P - DC MCCB, 30A 2P - DC SPD, 500VDC 2P - AC MCCB, 30A 3P - CABLE WIRE and ACCESSORIES System Wiring Installation - 3.5mm² THIW (912 AWG) Wire - Royal Cord 3C #12 AWG + 1C #12 AWG - Royal Cord 3C #12 AWG + 1C #12 AWG - Royal Cord 2C, #12 AWG - 100 THIW (912 AWG) - ROyal Cord 2C, #12 AWG - 100 THIW (912 AWG) - 100	PV DISCONNECT, PV PROTECT and COMBINER DEVICE	
-DC MCCB, 30A 2P -DC SPD, 500VDC 2P -AC MCCB, 30A 3P -CABLE WIRE and ACCESSORIES System Wiring Installation -3.5mm TH-HW (#12 AWG) Wire -Royal Cord 3C #12 AWG + 1C #12 AWG -Royal Cord 2C, #12 AWG -Royal Cord 2C, #12 AWG -ROyal Cord 2C, #12 AWG -ROyal Cord 2D, #12 AWG -ROyal Cord 2C, #12 AWG -ROyal Cord 3C #12 AWG -ROYAL CORD -ROYAL	DC-AC Line Protection	
-DC MCCB, 30A 2P -DC SPD, 500VDC 2P -AC MCCB, 30A 3P CABLE WIRE and ACCESSORIES System Wiring Installation -3.5 mm² TiH-HW (#12 AWG) Wire -Royal Cord 3C, #12 AWG + 1C #12 AWG -Royal Cord 2C, #12 AWG -20mm Diameter PVC Pipe Conduit OUTLET WORKS PIPE OUTLET INSTALLATION Pump Outlet and Distribution Pipe Installation -6m x 2" Diameter S40 G.I. Pipe -50m x 1" Diameter S40 G.I. Pipe -50m x 1" Diameter SDR17 HDPE Pipe w/ accessories/fittings -2" Diameter G.I. Pipe 90" Standar Elbow ELEVATED TANK STRUCTURAL WORKS EARTH WORKS Common Soil Excavation Structural Back Fill/Backfilling Aggregate Sub Base Course (Gravel Fill) REINFORCE CONCRETE WORKS Concrete Class "A" w/ out Forms (Pedestal Pooling) Reinforcing Steel Bar WATER TANK AND FRAMING STRUCTURE 2,000 Liters Stainless Water Tank and Accessories Metal Framing Flatform and Support Structure BOREHOLE/ WELL DEVELOPMENT Bore Hole Drilling (4" Borehole at 30meter Minimun Deep) 4" Inside Diameter PVC Blue Pipe Borehole Chasing Installation ESTIMATED GOVERNMENT EXPENDITURE	-6 Pair Terminal Block Connector	
-DC SPD, 500VDC 2P -AC MCCB, 30A 3P  CABLE WIRE and ACCESORIES System Wiring Installation -3.5mm² TH-HW (#12 AWG) Wire -Royal Cord 3C ;#12 AWG + 10.#12 AWG -Royal Cord 2C ;#12 AWG + 10.#12 AWG -20mm Diameter PVC Pipe Conduit  OUTLET WORKS PIPE OUTLET INSTALLATION Pump Dutlet and Distribution Pipe Installation -6m X 2" Diameter SAU G.I. Pipe -50m X 1" Diameter SDR17 HDPE Pipe w/ accessories/fittings -2" Diameter SDR17 HDPE Pipe w/ accessories/fittings -2" Diameter G.I. Pipe 90" Standar Elbow ELEVATED TANK STRUCTURAL WORKS EARTH WORKS Common Soil Excavation Structural Back Fill/Back/filling Aggregate Sub Base Course (Gravel Fill) REINFORCE CONCRETE WORKS Concrete Class "A" w/out Forms (Pedestal Footing) Reinforcing Steel Bar WATER TANK AND FRAMING STRUCTURE 2,000 Liters Stainless Water Tank and Accessories Metal Framing Flatform and Support Structure BOREHOLE WELL DEVELOPMENT BOTH HORD BOTH BOTH BOTH BOTH BOTH BOTH BOTH BOTH	-DC MCCB, 15A 4P	
-AC MCCB, 30A 3P CABLE WIRE and ACCESSORIES System Wirrig Installation -3.5mm² THHW (#12 AWG) Wire -Royal Cord 3C #12 AWG + 1C #12 AWG -Royal Cord 2C, #12 AWG -20mm Diameter PVC Pipe Conduit OUTLET WORKS PIPE OUTLET INSTALLATION Pump Outlet and Distribution Pipe Installation -6m X 2" Diameter S40 G.I. Pipe -50m X 1" Diameter S0R17 HDPE Pipe w/ accessories/fittings -2" Diameter G.I. Pipe 90" Standar Elbow ELEVATED TANK STRUCTURAL WORKS EARTH WORKS Common Soil Excavation Structural Back Fill/Backfilling Aggregate Sub Base Course (Gravel Fill) REINFORCE CONCRETE WORKS Concrete Class "A" w/ Forms (Pedestal) Concrete Class "A" w/ Forms (Pedestal) Concrete Class "A" w/ Forms (Pedestal) Reinforcing Steel Bar WATER TANK AND FRAMING STRUCTURE 2,000 Liters Stainless Water Tank and Accessories Metal Framing Flatform and Support Structure BOREHOLE! WELL DEVELOPMENT Bore Hole Drilling (4" Borehole at 30meter Minimun Deep) 4" Inside Diameter PVC Blue Pipe Borehole Chasing Installation ESTIMATED GOVERNMENT EXPENDITURE	-DC MCCB, 30A 2P	
CABLE WIRE and ACCESSORIES System Wiring Installation -3.5mm² THHW (#12 AWG) Wire -Royal Cord 3C #12 AWG + 1 C #12 AWG -Royal Cord 2C, #12 AWG -20mm Diameter PVC Pipe Conduit OUTLET WORKS PIPE OUTLET INSTALLATION Pump Outlet and Distribution Pipe Installation -6m X 2" Diameter SDR17 HDPE Pipe w/ accessories/fittings -2" Diameter SDR17 HDPE Pipe w/ accessories/fittings -2" Diameter SJR1 Pipe 90' Standar Elbow ELEVATED TANK STRUCTURAL WORKS EARTH WORKS Common Soil Excavation Structural Back Fill/Backfilling Aggregate Sub Base Course (Gravel Fill) REINFORCE CONCRETE WORKS Concrete Class "A" w/ Forms (Pedestal) Concrete Class "A" w/ Forms (Pedestal Footing) Reinforcing Steel Bar WATER TANK AND FRAMING STRUCTURE 2,000 Liters Stainless Water Tank and Accessories Metal Framing Flatform and Support Structure BOREHOLE/ WELL DEVELOPMENT Bore Hole Drilling (4" Borehole at 30meter Minimun Deep) 4" Inside Diameter PVC Blue Pipe Borehole Chasing Installation ESTIMATED GOVERNMENT EXPENDITURE	-DC SPD, 500VDC 2P	
System Wiring Installation  3.5mm² THHW (#12 AWC) Wire  -Royal Cord 3C, #12 AWC -Royal Cord 2C, #12 AWC  -20mm Diameter PVC Pipe Conduit  OUTLET WORKS  PIPE OUTLET INSTALLATION  Pump Outlet and Distribution Pipe Installation -6m X 2** Diameter SAG G.I. Pipe -50m X 1** Diameter SDR17 HDPE Pipe w/ accessories/fittings -2** Diameter G.I. Pipe 90** Standar Elbow  ELEVATED TANK STRUCTURAL WORKS  EARTH WORKS  Common Soil Excavation  Structural Back Fill/Back/filling Aggregate Sub Base Course (Gravel Fill)  REINFORCE CONCRETE WORKS  Concrete Class "A" w/ Forms (Pedestal) Concrete Class "A" w/ wout Forms (Pedestal Footing) Reinforcing Steel Bar  WATER TANK AND FRAMING STRUCTURE 2,000 Liters Stainless Water Tank and Accessories Metal Framing Flatform and Support Structure  BOREHOLE/ WELL DEVELOPMENT Bore Hole Drilling (4** Borehole at 30meter Minimun Deep) 4** Inside Diameter PVC Blue Pipe Borehole Chasing Installation ESTIMATED GOVERNMENT EXPENDITURE	-AC MCCB, 30A 3P	
-3.5mm² THHW (#12 AWG) Wire -Royal Cord 3C #12 AWG + 1C #12 AWG -Royal Cord 3C #12 AWG -20mm Diameter PVC Pipe Conduit OUTLET WORKS PIPE OUTLET INSTALLATION Pump Outlet and Distribution Pipe Installation -6m X 2" Diameter S40 G.I. Pipe -50m X 1" Diameter SDR17 HDPE Pipe w/ accessories/fittings -2" Diameter G1. Pipe 90" Standar Elbow ELEVATED TANK STRUCTURAL WORKS EARTH WORKS Common Soil Excavation Structural Back Fill/Backfilling Aggregate Sub Base Course (Gravel Fill) REINFORCE CONCRETE WORKS Concrete Class "A" wi Forms (Pedestal) Concrete Class "A" wi Forms (Pedestal) Concrete Class "A" wout Forms (Pedestal Footing) Reinforcing Steel Bar WATER TANK AND FRAMING STRUCTURE 2,000 Liters Stainless Water Tank and Accessories Metal Framing Flatform and Support Structure BOREHOLE/ WELL DEVELOPMENT Bore Hole Drilling (4" Borehole at 30meter Minimun Deep) 4" Inside Diameter PVC Blue Pipe Borehole Chasing Installation ESTIMATED GOVERNMENT EXPENDITURE	CABLE WIRE and ACCESSORIES	
-Royal Cord 3C #12 AWG + 1C #12 AWG -Royal Cord 2C, #12 AWG -20mm Diameter PVC Pipe Conduit  OUTLET WORKS PIPE OUTLET INSTALLATION Pump Outlet and Distribution Pipe Installation -6m X 2" Diameter S40 G.I. Pipe -50m X 1" Diameter SDR17 HDPE Pipe w/ accessories/fittings -2" Diameter GJ. Pipe 90' Standar Elbow ELEVATED TANK STRUCTURAL WORKS EARTH WORKS Common Soil Excavation Structural Back Fill/Backfilling Aggregate Sub Base Course (Gravel Fill) REINFORCE CONCRETE WORKS Concrete Class "A" w/ Forms (Pedestal) Concrete Class "A" w/ Lorms (Pedestal) Reinforcing Steel Bar WATER TANK AND FRAMING STRUCTURE 2,000 Liters Stainless Water Tank and Accessories Metal Framing Flatform and Support Structure BOREHOLE/ WELL DEVELOPMENT Bore Hole Drilling (4" Borehole at 30meter Minimun Deep) 4" Inside Diameter PVC Blue Pipe Borehole Chasing Installation ESTIMATED GOVERNMENT EXPENDITURE	System Wiring Installation	
-Royal Cord 2C, #12 AWG -20mm Diameter PVC Pipe Conduit  OUTLET WORKS PIPE OUTLET INSTALLATION Pump Outlet and Distribution Pipe Installation -6m X2* Diameter S40 G.I. Pipe -50m X 1* Diameter SDR17 HDPE Pipe w/ accessories/fittings -2* Diameter G.I. Pipe 90* Standar Elbow ELEVATED TAMK STRUCTURAL WORKS EARTH WORKS Common Soil Excavation Structural Back Fill/Backfilling Aggregate Sub Base Course (Gravel Fill) REINFORCE CONCRETE WORKS Concrete Class "A" w/ Forms (Pedestal) Concrete Class "A" w/out Forms (Pedestal Footing) Reinforcing Steel Bar WATER TANK AND FRAMING STRUCTURE 2,000 Liters Stainless Water Tank and Accessories Metal Framing Flatform and Support Structure BOREHOLE/ WELL DEVELOPMENT Bore Hole Drilling (4" Borehole at 30meter Minimun Deep) 4" Inside Diameter PVC Blue Pipe Borehole Chasing Installation ESTIMATED GOVERNMENT EXPENDITURE	-3.5mm <sup>2</sup> THHW (#12 AWG) Wire	
-20mm Diameter PVC Pipe Conduit  OUTLET WORKS PIPE OUTLET INSTALLATION  Pump Outlet and Distribution Pipe Installation  -6m X 2" Diameter S40 G.I. Pipe  -50m X 1" Diameter SDR17 HDPE Pipe w/ accessories/fittings  -2" Diameter G.I. Pipe 90" Standar Elbow  ELEVATED TANK STRUCTURAL WORKS  EARTH WORKS  Common Soll Excavation  Structural Back Fill/Backfilling  Aggregate Sub Base Course (Gravel Fill)  REINFORCE CONCRETE WORKS  Concrete Class "A" w/ Forms (Pedestal)  Concrete Class "A" w/ Forms (Pedestal)  Concrete Class "A" w/ wout Forms (Pedestal Footing)  Reinforcing Steel Bar  WATER TANK AND FRAMING STRUCTURE  2,000 Liters Stainless Water Tank and Accessories  Metal Framing Flatform and Support Structure  BOREHOLE/ WELL DEVELOPMENT  Bore Hole Drilling (4" Borehole at 30meter Minimun Deep)  4" Inside Diameter PVC Blue Pipe Borehole Chasing Installation  ESTIMATED GOVERNMENT EXPENDITURE	-Royal Cord 3C #12 AWG + 1C #12 AWG	
OUTLET WORKS PIPE OUTLET INSTALLATION Pump Outlet and Distribution Pipe Installation -6m X 2" Diameter S40 G.I. Pipe -50m X 1" Diameter SDR17 HDPE Pipe w/ accessories/fittings -2" Diameter G.I. Pipe 90" Standar Eibow ELEVATED TANK STRUCTURAL WORKS EARTH WORKS Common Soil Excavation Structural Back Fill/Backfilling Aggregate Sub Base Course (Gravel Fill) REINFORCE CONCRETE WORKS Concrete Class "A" w/ Forms (Pedestal) Concrete Class "A" w/ Forms (Pedestal) Concrete Class "A" w/ wout Forms (Pedestal Fooling) Reinforcing Steel Bar WATER TANK AND FRAMING STRUCTURE 2,000 Liters Stainless Water Tank and Accessories Metal Framing Flatform and Support Structure BOREHOLE/ WELL DEVELOPMENT Bore Hole Drilling (4" Borehole at 30meter Minimun Deep) 4" Inside Diameter PVC Blue Pipe Borehole Chasing Installation ESTIMATED GOVERNMENT EXPENDITURE	-Royal Cord 2C, #12 AWG	
PIPE OUTLET INSTALLATION Pump Outlet and Distribution Pipe Installation -6m X 2" Diameter S40 G.I. Pipe -50m X 1" Diameter SDR17 HDPE Pipe w/ accessories/fittings -2" Diameter G.I. Pipe 90' Standar Elbow ELEVATED TANK STRUCTURAL WORKS EARTH WORKS Common Soil Excavation Structural Back Fill/Backfilling Aggregate Sub Base Course (Gravel Fill) REINFORCE CONCRETE WORKS Concrete Class "A" w/ Forms (Pedestal) Concrete Class "A" w/ Forms (Pedestal) Concrete Class "A" w/ wout Forms (Pedestal Footing) Reinforcing Steel Bar WATER TANK AND FRAMING STRUCTURE 2,000 Liters Stainless Water Tank and Accessories Metal Framing Flatform and Support Structure BOREHOLE / WELL DEVELOPMENT Bore Hole Drilling (4" Borehole at 30meter Minimun Deep) 4" Inside Diameter PVC Blue Pipe Borehole Chasing Installation ESTIMATED GOVERNMENT EXPENDITURE	-20mm Diameter PVC Pipe Conduit	
Pump Outlet and Distribution Pipe Installation -6m X 2" Diameter SA0 G.I. Pipe -50m X 1" Diameter SDR17 HDPE Pipe w/ accessories/fittings -2" Diameter G.I. Pipe 90' Standar Elbow ELEVATED TANK STRUCTURAL WORKS EARTH WORKS Common Soil Excavation Structural Back Fill/Backfilling Aggregate Sub Base Course (Gravel Fill) REINFORCE CONCRETE WORKS Concrete Class "A" w/ Forms (Pedestal) Concrete Class "A" w/out Forms (Pedestal) Concrete Class "A" w/out Forms (Pedestal Footing) Reinforcing Steel Bar WATER TANK AND FRAMING STRUCTURE 2,000 Liters Stainless Water Tank and Accessories Metal Framing Flatform and Support Structure BOREHOLE/ WELL DEVELOPMENT Bore Hole Drilling (4" Borehole at 30meter Minimun Deep) 4" Inside Diameter PVC Blue Pipe Borehole Chasing Installation ESTIMATED GOVERNMENT EXPENDITURE	OUTLET WORKS	
-6m X 2" Diameter S40 G.I. Pipe -50m X 1" Diameter SDR17 HDPE Pipe w/ accessories/fittings -2" Diameter G.I. Pipe 90" Standar Elbow  ELEVATED TANK STRUCTURAL WORKS  EARTH WORKS  Common Soil Excavation Structural Back Fill/Backfilling Aggregate Sub Base Course (Gravel Fill)  REINFORCE CONCRETE WORKS  Concrete Class "A" w/ Forms (Pedestal) Concrete Class "A" w/ Forms (Pedestal Footing) Reinforcing Steel Bar  WATER TANK AND FRAMING STRUCTURE 2,000 Liters Stainless Water Tank and Accessories Metal Framing Flatform and Support Structure BOREHOLE/ WELL DEVELOPMENT Bore Hole Drilling (4" Borehole at 30meter Minimun Deep) 4" Inside Diameter PVC Blue Pipe Borehole Chasing Installation ESTIMATED GOVERNMENT EXPENDITURE	PIPE OUTLET INSTALLATION	
-50m X 1" Diameter SDR17 HDPE Pipe w/ accessories/fittings -2" Diameter G.I. Pipe 90' Standar Elbow  ELEVATED TANK STRUCTURAL WORKS  EARTH WORKS  Common Soil Excavation  Structural Back Fill/Backfilling  Aggregate Sub Base Course (Gravel Fill)  REINFORCE CONCRETE WORKS  Concrete Class "A" w/ Forms (Pedestal)  Concrete Class "A" w/ Forms (Pedestal Footing)  Reinforcing Steel Bar  WATER TANK AND FRAMING STRUCTURE  2,000 Liters Stainless Water Tank and Accessories  Metal Framing Flatform and Support Structure  BOREHOLE/ WELL DEVELOPMENT  Bore Hole Drilling (4" Borehole at 30meter Minimun Deep)  4" Inside Diameter PVC Blue Pipe Borehole Chasing Installation  ESTIMATED GOVERNMENT EXPENDITURE	Pump Outlet and Distribution Pipe Installation	
-2" Diameter G.I. Pipe 90' Standar Elbow  ELEVATED TANK STRUCTURAL WORKS  EARTH WORKS  Common Soil Excavation  Structural Back Fill/Backfilling  Aggregate Sub Base Course (Gravel Fill)  REINFORCE CONCRETE WORKS  Concrete Class "A" w/ Forms (Pedestal)  Concrete Class "A" w/out Forms (Pedestal Footing)  Reinforcing Steel Bar  WATER TANK AND FRAMING STRUCTURE  2,000 Liters Stainless Water Tank and Accessories  Metal Framing Flatform and Support Structure  BOREHOLE/ WELL DEVELOPMENT  Bore Hole Drilling (4" Borehole at 30meter Minimun Deep)  4" Inside Diameter PVC Blue Pipe Borehole Chasing Installation  ESTIMATED GOVERNMENT EXPENDITURE	· ·	
ELEVATED TANK STRUCTURAL WORKS EARTH WORKS Common Soil Excavation Structural Back Fill/Backfilling Aggregate Sub Base Course (Gravel Fill) REINFORCE CONCRETE WORKS Concrete Class "A" w/ Forms (Pedestal) Concrete Class "A" w/out Forms (Pedestal Footing) Reinforcing Steel Bar WATER TANK AND FRAMING STRUCTURE 2,000 Liters Stainless Water Tank and Accessories Metal Framing Flatform and Support Structure BOREHOLE/ WELL DEVELOPMENT Bore Hole Drilling (4" Borehole at 30meter Minimun Deep) 4" Inside Diameter PVC Blue Pipe Borehole Chasing Installation ESTIMATED GOVERNMENT EXPENDITURE		
EARTH WORKS Common Soil Excavation Structural Back Fill/Backfilling Aggregate Sub Base Course (Gravel Fill) REINFORCE CONCRETE WORKS Concrete Class "A" w/ Forms (Pedestal) Concrete Class "A" w/out Forms (Pedestal Footing) Reinforcing Steel Bar WATER TANK AND FRAMING STRUCTURE 2,000 Liters Stainless Water Tank and Accessories Metal Framing Flatform and Support Structure BOREHOLE/ WELL DEVELOPMENT Bore Hole Drilling (4" Borehole at 30meter Minimun Deep) 4" Inside Diameter PVC Blue Pipe Borehole Chasing Installation ESTIMATED GOVERNMENT EXPENDITURE	-2" Diameter G.I. Pipe 90° Standar Elbow	
Common Soil Excavation Structural Back Fill/Backfilling Aggregate Sub Base Course (Gravel Fill) REINFORCE CONCRETE WORKS Concrete Class "A" w/ Forms (Pedestal) Concrete Class "A" w/out Forms (Pedestal Footing) Reinforcing Steel Bar WATER TANK AND FRAMING STRUCTURE 2,000 Liters Stainless Water Tank and Accessories Metal Framing Flatform and Support Structure BOREHOLE/ WELL DEVELOPMENT Bore Hole Drilling (4" Borehole at 30meter Minimun Deep) 4" Inside Diameter PVC Blue Pipe Borehole Chasing Installation ESTIMATED GOVERNMENT EXPENDITURE		
Structural Back Fill/Backfilling Aggregate Sub Base Course (Gravel Fill) REINFORCE CONCRETE WORKS Concrete Class "A" w/ Forms (Pedestal) Concrete Class "A" w/out Forms (Pedestal Footing) Reinforcing Steel Bar WATER TANK AND FRAMING STRUCTURE 2,000 Liters Stainless Water Tank and Accessories Metal Framing Flatform and Support Structure BOREHOLE/ WELL DEVELOPMENT Bore Hole Drilling (4" Borehole at 30meter Minimun Deep) 4" Inside Diameter PVC Blue Pipe Borehole Chasing Installation ESTIMATED GOVERNMENT EXPENDITURE		
Aggregate Sub Base Course (Gravel Fill)  REINFORCE CONCRETE WORKS  Concrete Class "A" w/ Forms (Pedestal)  Concrete Class "A" w/out Forms (Pedestal Footing)  Reinforcing Steel Bar  WATER TANK AND FRAMING STRUCTURE  2,000 Liters Stainless Water Tank and Accessories  Metal Framing Flatform and Support Structure  BOREHOLE/ WELL DEVELOPMENT  Bore Hole Drilling (4" Borehole at 30meter Minimun Deep)  4" Inside Diameter PVC Blue Pipe Borehole Chasing Installation  ESTIMATED GOVERNMENT EXPENDITURE		
REINFORCE CONCRETE WORKS  Concrete Class "A" w/ Forms (Pedestal)  Concrete Class "A" w/out Forms (Pedestal Footing)  Reinforcing Steel Bar  WATER TANK AND FRAMING STRUCTURE  2,000 Liters Stainless Water Tank and Accessories  Metal Framing Flatform and Support Structure  BOREHOLE/ WELL DEVELOPMENT  Bore Hole Drilling (4" Borehole at 30meter Minimun Deep)  4" Inside Diameter PVC Blue Pipe Borehole Chasing Installation  ESTIMATED GOVERNMENT EXPENDITURE	Ÿ	
Concrete Class "A" w/ Forms (Pedestal) Concrete Class "A" w/out Forms (Pedestal Footing) Reinforcing Steel Bar WATER TANK AND FRAMING STRUCTURE 2,000 Liters Stainless Water Tank and Accessories Metal Framing Flatform and Support Structure BOREHOLE/ WELL DEVELOPMENT Bore Hole Drilling (4" Borehole at 30meter Minimun Deep) 4" Inside Diameter PVC Blue Pipe Borehole Chasing Installation ESTIMATED GOVERNMENT EXPENDITURE		
Concrete Class "A" w/out Forms (Pedestal Footing) Reinforcing Steel Bar WATER TANK AND FRAMING STRUCTURE 2,000 Liters Stainless Water Tank and Accessories Metal Framing Flatform and Support Structure BOREHOLE/ WELL DEVELOPMENT Bore Hole Drilling (4" Borehole at 30meter Minimun Deep) 4" Inside Diameter PVC Blue Pipe Borehole Chasing Installation ESTIMATED GOVERNMENT EXPENDITURE		
Reinforcing Steel Bar  WATER TANK AND FRAMING STRUCTURE  2,000 Liters Stainless Water Tank and Accessories  Metal Framing Flatform and Support Structure  BOREHOLE/ WELL DEVELOPMENT  Bore Hole Drilling (4" Borehole at 30meter Minimun Deep)  4" Inside Diameter PVC Blue Pipe Borehole Chasing Installation  ESTIMATED GOVERNMENT EXPENDITURE		
WATER TANK AND FRAMING STRUCTURE  2,000 Liters Stainless Water Tank and Accessories  Metal Framing Flatform and Support Structure  BOREHOLE/ WELL DEVELOPMENT  Bore Hole Drilling (4" Borehole at 30meter Minimun Deep)  4" Inside Diameter PVC Blue Pipe Borehole Chasing Installation  ESTIMATED GOVERNMENT EXPENDITURE		
2,000 Liters Stainless Water Tank and Accessories  Metal Framing Flatform and Support Structure  BOREHOLE/ WELL DEVELOPMENT  Bore Hole Drilling (4" Borehole at 30meter Minimun Deep)  4" Inside Diameter PVC Blue Pipe Borehole Chasing Installation  ESTIMATED GOVERNMENT EXPENDITURE	- I	
Metal Framing Flatform and Support Structure  BOREHOLE/ WELL DEVELOPMENT  Bore Hole Drilling (4" Borehole at 30meter Minimun Deep)  4" Inside Diameter PVC Blue Pipe Borehole Chasing Installation  ESTIMATED GOVERNMENT EXPENDITURE		
BOREHOLE/ WELL DEVELOPMENT Bore Hole Drilling (4" Borehole at 30meter Minimun Deep) 4" Inside Diameter PVC Blue Pipe Borehole Chasing Installation ESTIMATED GOVERNMENT EXPENDITURE	,	
Bore Hole Drilling (4" Borehole at 30meter Minimun Deep) 4" Inside Diameter PVC Blue Pipe Borehole Chasing Installation ESTIMATED GOVERNMENT EXPENDITURE		
4" Inside Diameter PVC Blue Pipe Borehole Chasing Installation ESTIMATED GOVERNMENT EXPENDITURE		
ESTIMATED GOVERNMENT EXPENDITURE	·	
	· · · · · · · · · · · · · · · · · · ·	
Engg and Administrative Cost		
	Engig and Administrative Cost	

FOR IMPLEMENTATION OF NATIONAL AGRICULTURE PROGRAM(NOAP) FOR 2022. The agency intends to apply the amount of **EIGHT HUNDRED FIFTY THOUSAND PESOS (P 850,000.00)** as the Approved Budget for the Contract.

As per approved Purchase Request and considering the nature of requisition being not more than One Million Pesos (Php 1,000,000.00) and in order to fast-track the implementation of the program, this procurement is facilitated thru Negotiated Procurement-Small Value Procurement under Section 53.9 of RA 9184 and its Revised IRR.

As such: **REB – GREENTECH SYSTEM ENTERPRISES**, Calabanga, C.S.; **GENTROMECH**, Tandang Sora, Q. C.; and **R. U. FOUNDRY**, Brgy. Pahanocoy, Bacolod City. And all interest contractor/bidders are hereby requested to submit the following documents:

- 1. Mayor's Permit
- 2. DTI/SEC/CDA Registration
- 3. PhilGEPS Registration
- 4. Annual Income Tax Return
- 5. Omnibus Sworn Statement (revised)
- 6. BIR Registration
- 7. Bill of Quantities/Materials
- 8. Bid Forms



## OTHER POST-QUALIFICATION REQUIREMENTS

- 8. Bidders are required to submit a Manufacturer's Certification that they are Authorized distributor and Installer or Certification from local distributor as authorized dealer.
- 9. Duly Notarized Certification of Availability and location of stocks
- 10. List of Service Center (w/service contract) within Bicol Region
- 11. Certificate with minimum of 4 years in the Solar Powered Pump business Industry
- 12. AMTEC Tested (Results for Pump and Solar Panel)

The bidders are required to pay Php 500.00 for bid documents to the Cashier's Office, DA RFO-5, Pili, Camarines Sur. All submitted documents must be in duplicate and marked with index/ear tabs or side-end tabs to identify the page components, otherwise, bids will be automatically rejected on the ground of non-compliance with the prescribed bid requirements

Sealed Bid must be received by BAC Secretariat, DA RFO 5 not later than 1:30 in the afternoon of June 13, 2022 at 3<sup>rd</sup> Floor, Training Hall, Operations Building, DA RFO-V, Pili, Camarines Sur. Opening of proposal will be on the same date and time. Let this Invitation be posted pursuant to RA 9184 and its IRR. For more information please email at bacrfo5@gmail.com. DA-BAC Secretariat Office.

3 June 2022, Pili, Camarines Sur.

LUZ R. MARCELINO
RTD for Operations
Chairperson, Bids and Awards Committee



## **Omnibus Sworn Statement (Revised)**

[shall be submitted with the Bid]

RE	PUBLIC OF THE PHILIPPINES )
CIT	TY/MUNICIPALITY OF ) S.S.
	AFFIDAVIT
	[Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after ving been duly sworn in accordance with law, do hereby depose and state that:
1.	[Select one, delete the other:]
	[If a sole proprietorship:] I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];
	[If a partnership, corporation, cooperative, or joint venture:] I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];
2.	[Select one, delete the other:]
	[If a sole proprietorship:] As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;
	[If a partnership, corporation, cooperative, or joint venture:] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)];
3.	[Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;

5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;

4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;

6. [Select one, delete the rest:]

A food-secure Philippines

[If a sole proprietorship:] The owner or sole proprietor is not related to the Head of the Proporting Kin Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC

Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a partnership or cooperative:] None of the officers and members of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a corporation or joint venture:] None of the officers, directors, and controlling stockholders of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

- 7. [Name of Bidder] complies with existing labor laws and standards; and
- 8. [Name of Bidder] is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
  - a. Carefully examining all of the Bidding Documents;
  - b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
  - c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
  - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the [Name of the Project].
- 9. [Name of Bidder] did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
- 10. In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.

IN WITNESS WHEREOF, I have hereunto set my hand this \_\_ day of \_\_\_, 20\_\_ at \_\_\_\_\_\_, Philippines.

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]

[Insert signatory's legal capacity]

Affiant

## [Jurat]

[Format shall be based on the latest Rules on Notarial Practice]



## BID FORM (GOODS)

DEPARTMENT OF AGRICULTURE Regional Field Unit No. 5 San Agustin, Pili, Camarines Sur

The Bids and Awards Committee

Date of Bidding

Gentlemen/ Ladies:		
undersigned offer to	supply/ deliver the good	ments, the receipts of which is hereby duly acknowledge we the ds requisitioned in Conformity with the said bid documents for the
( P	)	
Accompanyi items is specified qua		· Bid Offer containing the details of the requisition and our offered
	te, if our Bid is duly accordule of Requirements.	epted, to deliver the goods in accordance with the delivery schedule
		Bid validity period as set by the procuring entity but not exceeding in the date of the bids opening.
		and executed, this bid, together with your acceptance thereof thru cuments, shall be binding upon us.
We understa	and that you are not bour	nd to accept the lowest of any Bid that you may receive.
We certify the and the Bidding docu		ne eligibility requirements as specified under RA 9184 and its IRR
Dated this _	day of	2020.
		(Name and Signature of Bidder or Authorized Representative)

(Address and Telephone No.)

	FOR GOODS OFFERED FROM WITHIN THE PHILIPPINES									
Name o	THE SUPPLY, DELIVERY AND INSTALLATION OF 1 UNIT SOLAR POWER IRRIGATION SYSTEM FOR  IMPLEMENTATION OF NATIONAL ORGANIC AGRICULTURE PROGRAM (NOAP) 2022 :ABC – P 850,000.00									
	of Bidder/Authorized entative:									
1	2	3	4		5	6	7	8	9	10
ITEMS	DESCRIPTION	COUNTRY 0F ORIGIN	QUANTITY	UNIT	UNIT PRICE EXW per ITEMS	TRANSPORTATION  AND INSURANCE AND ALL OTHER COST INCIDENTAL TO DELIVERY, PER ITEM	SALES AND OTHER TAXES PAYABLE IF CONTRACT IS AWARDED, PER ITEM	COST OF IMCIDENTAL SERVICES IF APLICABLE, PER ITEM	TOTAL PRICE PER UNIT (col 5+6+7+8)	TOTAL PRICE,  DELIVETRED FINAL  DESTINATION (col 9) x (col 4)
	SOLAR POWER IRRIGATION SYSTEM SUPPLY, DELIVERY AND INSTALLATION TOTAL		1	UNIT						
	(Signature) Duly authorized to sign Bid for and on behalf of	1			(in the capacity	v of)	1			



Masaganang ANI Mataas na KITA