

Department of Agriculture Regional Field Office No. 5

San Agustin, Pili, Camarines Sur

REQUEST TO SUBMIT PROPOSAL FOR THE SUPPLY AND DELIVERY OF ICT EQUIPMENTS FOR USE IN THE DA-RFU 5, PMED AND FOD-DRR UNDER MITHI PROGRAM 2022 WITH AN APPROVED BUDGET FOR THE CONTRACT AMOUNTING TO SEVEN HUNDRED FORTY-NINE THOUSAND TWO HUNDRED FORTY-EIGHT PESOS (P 749,248.00) PURSUANT TO ALTERNATIVE METHOD OF PROCUREMENT SPECIFICALLY NEGOTIATED PROCUREMENT-SMALL VALUE THE PROCUREMENT UNDER SECTION 53.9 UNDER RA 9184 AND ITS REVISED IRR.

The Department of Agriculture Regional Field Office No. 5 (DA RFO 5), San Agustin, Pili, Camarines Sur is inviting interested suppliers to submit complete bid proposal for the ff:

PARTICULAR	QTY.	UNIT	UNIT COST	TOTAL ABC
Command center smart screen panel set	1	set	51,199.00	51,199.00
Specifications		501	01,100.00	
Panel Size : 50inches x4unit				
Screen ratio: 16:9				
Screen resolution: 1920 (H) × 1080 (V)				
View angle: 178°; Brightness: 250cd/m2				
Contrast ratio: 1900/3/23 8:01:00				
Response time: 4ms; Speaker power: 10W×2				
Input voltage: AC: 100~240V 50/60Hz				
Backlight parameters: 85V, 360ma*2				
Operating env: RH ≤80%				
Operating system: Tizen/android				
Network cable port (RJ45): one set				
Composite video (CVBS) port: one set				
Computer audio input (PC AUDIO) port: one set				
High-definition video input (HDMI) port: one set				
Analog signal input (RF) port: one set				
Audio output (EARPHONE OUT) port: one set				
Multimedia (USB.2.0) port: one set				
Operating system: Tizen/android				
With LED STAND (ONE SET), REMOTE CONTROL*4x, USER MANUAL*4x WARRANTY CARD*4x and SCREW Set and Wall bracket set	a			
ICT Information gathering equipment kobo	2	set	52,900.00	105,800.00
Specifications				
CPU: EightCore-qualcomm 888+5g (5 nm)				
Motherboard/Chipset: qualcomm SM8350				
GPU: Xclipse 920/Adreno 660				
Display Type: AMOLED, 1B colors, 144Hz, HDR10+				
Display Size: 172.212mm, 119.5 cm2				
Resolution: 1080 x 2448 pixels (~395 ppi density)				
Display protection: corning gorilla glass Victus				
Dimensions: 172.8 x 77.3 x 9.9 mm, Weight: 8.4oz				
Casing build: full aluminum IP68 water and dust resistant				
Operating system: one android 12				
Network technology: cdma/ hspa/ 5g/ Ite nano				
RAM: 18GB lpddr5/ ROM: 512GB UFS 3.1 Navigation: GPS (L1/L5), Glonass (L1), Galileo (E1/E5a), BeiDo), QZSS and				
NaviC				
Included in the box: Ejector pin, AeroActive Cooler 5, USB power adapter (6 Watt), Aero case & USB-C to USB-C cable	j-			
Power source: 6,000 mAh high-cap battery, supports Quick Charge 5.0				
Network support: 5G*+5G or 4G dual-SIM/dual-standby support				



Camera: Main- sony IMX686 64 Mp image sensor - 1/1.73" large sensor size				
0.8 µm pixel size. F1.8 aperture and front-24 MP. 27mm	,			
Video recording: 8K(7680 x 4320), UHD (3840 x 2160) and still photo				
Peripherals: Cooling fan @ RGB hard case Filament and resin smart printer multi dimensional	1	set	50,900.00	50,900.00
Specifications				
Technology: FDM				
Frame dimensions: 490 x 455 x 625 mm				
Build volume: 220 x 220 x 270 mm				
Feeder system: Direct				
Print head: Single nozzle				
Nozzle size: 0.4 mm				
Max. hot end temperature: 300 °C				
Max. heated bed temperature: 110 °C				
Print bed material: Spring steel sheet				
Frame: Aluminum, Display: LCD Screen				
Bed leveling: Automatic				
Connectivity: SD card, USB-C				
With Print recovery and Filament sensor				
Filament: 1.75mm PLA, ABS, TPU				
Max. Print Speed: 200mm/s				
Max. Layer Resolution: 0.1mm, Print Precision: +/-0.1mm				
Weight: 12.6 kg				
Package included: 1x power adapter, warranty card				
1x Color PINK 1KG Filament PLA+/PLA Filament 1.75mm				
1x Color GRAY 1KG Filament PLA+/PLA Filament 1.75mm				
1x Color GREEN 1KG Filament PLA+/PLA Filament 1.75mm				
1x Color BROWN 1KG Filament PLA+/PLA Filament 1.75mm				
Resin multi-dimentional				
Technology: LCD				
Type: Resin				
Assembly: Fully assembled				
Build Volume: 130 x 82 x 160 mm				
Layer Height: 10 microns				
XY Resolution: 50 microns (2560 x 1620 pixels)				
Z-axis positioning accuracy: 0.01 mm				
Bed-Leveling: Manual				
Display: 5-inch color touchscreen				
Third-Party Materials: Yes				
Materials: 405 nm UV resin				
Recommended Slicer: Creality Box				
Operating system: Windows / macOS X / Linux				
File types: STL, Connectivity: Wi-Fi, USB				
Frame dimensions: 230 x 230 x 415 mm				
Weight: 7.1 kg, Weight (packed): 8.8 kg				
Boxed size: 295 x 295 x 545 mm				
Weight (packed): 8.8 kg				
Color White Resin LCD UV 405nm PLA Pro-1kg. 1x				
Color Black Resin LCD UV 405nm PLA Pro-1kg. 1x				
Color Beige Resin LCD UV 405nm PLA Pro-1kg. 1x				
Geospatial raster processing equipment for drr	1	unit	170,000.00	170,000.00
Specifications				,



Processor: 12th Generation Intel Core i7 (14-Core/20-Thread, 24MB L3 Cacl up to 4.7GHz Max Turbo Frequency)	he,			
Operating system: Windows 11 Home, 64bit English				
Display: 17.3" FHD (1920 x 1080) 360Hz 1ms with ComfortView Plus, NVIDI G-SYNC and Advanced Optimus	A			
Technology: advanced ufolienware cryo-tech				
Memory: 16GB, DDR5, 4800 MHz, Dual-channel				
Hard drive: 1TB, M.2, PCIe NVMe, SSD				
Color: Lunar Light				
Keystrokes: ufolienware series thin keyboard				
Form factor: portable mobility Ports and slots: Type-C Thunderbolt4 / USB 3.2 Gen Port, with Power Delive (5V/3A)	ry			
Type-A USB 3.2 Gen 1 Port, with Powershare				
RJ-45 Killer Ethernet E3100 2.5G Port				
Type-C USB 3.2 Gen 2 Port, Power Delivery(5V/3A)				
HDMI 2.1 Output Port, Power/DC-in Port				
Type-A USB 3.2 Gen 1 Port, with Powershare				
MicroSD Card Slot, Mini Display Port 1.4				
Accesories: Wireless Mouse, ufolienware 7.1, vi Backpack				
Power: 6-cell Lithium Ion (86 WHr) Battery and Battery charger				
Maximum weight: 2.69 kgs (5.93lbs)				
Mission planning equipment professional	1	unit	51,100.00	51,100.00
Specifications				
, Dimensions: 280.6 x 214.9 x 5.9 mm				
Weight: 641 g (Wi-Fi), 643 g (LTE) (1.41 lb) x2				
Build: Glass front, aluminum back, aluminum frame				
Display Type: IPS LCD, 120Hz, 600 nits (typ)				
Display Size: 11.0-12.9 inches, 515.3 cm2 ~85.4%				
Resolution: 2048 x 2732 pixels, 4:3 ratio (~265 ppi density)				
Protection: Scratch-resistant glass, oleophobic coating				
Wide color gamut True-tone				
Operating system : ipados 13.4-15.5				
Chipset: ample A12Z Bionic				
CPU: Octa-core (4x2.5 GHz Vortex + 4x1.6 GHz Tempest)				
GPU: apple GPU (8-core graphics)				
Internal: 128GB 6GB RAM				
RGB Sensor: Triple 12 MP, f/1.8, (wide), 1/3", 1.22µm, dual pixel PDAF,10 MP, f/2.4, 11mm (ultrawide), TOF 3D LiDAR scanner (depth)				
Sensor RGB: Single 7 MP, f/2.2, Stereo speakers (4 speakers)				
WLAN: Wi-Fi 802.11 a/b/g/n/ac/6, dual-band, hotspot				
Bluetooth: 5.0, A2DP, LE, EDR				
GPS: yes, with A-GPS, GLONASS, GALILEO, QZSS				
USB Type-C 3.1, magnetic connector				
Sensors: Face ID, accelerometer, gyro, proximity, barometer				
Type: Li-Po 9720 mAh, non-removable (36.71 Wh)				
Charging: Reverse charging & Fast charging 18W				
Emboss ENGRAVING with: DA5 FOD-DRRM				
lct simulation drone set				
	1	unit	51,090.00	51,090.00
Specifications				
	1		1	



Mini training UAV - Fly More Combo, Remote Controller, 3 x Intelligent Flight Battery, 3 x Pair of Extra Propellers, USB Type-C Cable, Gimbal Protector, Micro-USB RC Cable, USB Type-C RC Cable, Pair of Extra Control Sticks, 18 x Spare Screw, Screwdriver, Propeller				
Transmitter screen- eight core (5nm), Motherboard/Chipset:: AMOLED, 1B colors, 144Hz, HDR10+, Size: 172.212mm, 119.5 cm2, RAM: 8-12GB lpddr5 ROM: 128-256GB UFS 3.1, Navigation: GPS (L1/L5), Glonass (L1), Galileo (E1/E5a), BeiDo), QZSS and NavIC, Included in the box: Ejector pin, USB power adapter (65-Watt), Aero case & USB-C to USB-C cable, Power source 6,000 mAh high-cap battery, supports Quick Charge 5.0, Network support: 5Gor 4G dual-SIM/dual-standby support				
Portable powerhouse-one 12 volt accessory outlet for powering DC appliance				
Three USB power ports for charging/operating cell phones, MPA players, and tablet PCs, LED area light - selectable (strong light, weak light, flashing light) AC recharging Adapter				
DC recharging adapter(fused) /Two Universal AC outlets				
Dimensions: 37 x 41.5 x 30.5 (LxWxH)				
Weight: 10.5KGS				
Gimbal and RGB sensor set	1	unit	80,000.00	80,000.00
Working Static current: 0.2 A			00,000.00	,
Working Frequency: 2.400 GHz to 2.4835 GHz				
Transmission Power: ≤ 8 dBm				
Connections: 1/4" Mounting Hole, 3/8" Mounting Hole, sensor Cont	rol			
Port, Accessory Port, USB-C Port, RSA Port	01			
Battery: RB2-2450mAh-7.2V, Type: 18650 LiPo				
Rotation speed Pan axis control: 180°/s , Tilt axis control: 180°/s, Roll axis control: 180°/s				
Accesories:				
Rgb sensor 1x - GP2 processor, unreal 5.3K60, 4K120 video resolution, 23 megapixel photos, Advanced HyperSmooth 4.0 video stabilization, waterproof to 33ft + built tough, automatic upload footage to the cloud, timeWarp 3.0, 8X Slo-Mo)			
Threehundred and sixty degrees RGB sensor 2x unit- Sensor: CMOS 1/2.3", capture type: threehundred and sixty degrees, 4K60/50, 2.7K120/100 & 1080p240/200, 12Mp HDR, HyperSmooth Stabilization, Waterproof to 33' without a Housing, Stitching resolution: 5.7K video, Battery: 1,630mah one x2 compatible, USB- Type, accessories: 64GB microsdcard & Utility hard case	с			
microsd card 128gb 3x				
Ground station ICT telemetry equipment set	1	set	59,000.00	59,000.00
Specifications				
Dimensions: 164.2 x 76.1 x 8.1 mm (6.46 x 3.00 x 0.32 in)				
Weight: 205 g (7.23 oz)				
Build: Glass front Gorilla Glass 5, glass back, plastic frame				
SIM: Hybrid Dual SIM IP53, dust and splash resistant				
Type: AMOLED, 120Hz, 700 nits, 1200 nits				
Size: 6.67 inches, 107.4 cm2				
Resolution: 1080 x 2400 pixels, 20:9 ratio				
OS: Android 11, MIUI 13, GPU: Adreno 619				
Chipset: Qualcomm SM6375 Snapdragon 695 5G (6 nm)				



CPU: Octa-core 2x2.2 GHz Kryo 660 Gold & Silver				
WLAN: Wi-Fi 802.11 a/b/g/n/ac, dual-band, Wi-Fi Direct, hotspot				
Bluetooth: 5.1, A2DP, LE				
GPS: Yes, with A-GPS, GLONASS, BDS, GALILEO				
Accesories:				
Micro sdcard 128GB - 2x				
GNSS Wearables				
-Lens Material: chemically strengthened glass				
-Quick Release bands: (20 mm, Industry standard)				
-Strap material: siliconeWeight: 37 g				
-Physical size: 42 x 42 x 11.6 mm				
-Fits wrists with a circumference of 126-203 mm				
-Color Display size: 1.04" (26.3 mm) diameter				
-Display resolution: 208 x 208 pixels				
-Display type: transflective memory-in-pixel (MIP)				
-Battery life: smart- Mode: Up to 2 weeks				
-GPS mode: Up to 20 hours - Water rating: 5 ATM				
-Memory/History: 200 hours of activity data				
Portable uav tent - 1x				
Dimensions: 2meters x 3 meters				
Waterproof, with case				
UAV field leather boots - 3x				
Cut - High, durable for UAV tedious task in the field				
Waterproof, caterpillar tooling, men's cut, color brown to light brown				
eu 45, 42 and 46 sizes				
Binoculars - 2x				
12x50, IDP adjustment, fixed focus, foldable with lanyard				
Folding Chair - 2x				
HDPE Plastic, 158kg weight capacity				
Fold-in-half-Table 6ft - 1x				
HDPE Plastic, 3.9cm tabletop thickness				
90kg centerload; 212kg evenly distributed load				
Data server rack cabin	1	unit	E0 4E0 00	50,159.00
Specifications			50,159.00	
Dimensions: 79.00"H x 24.00"W x 42.00"D (40"D Usable)				
Rack Spaces: 42 RMU, 19" EIA 310-D Compliant				
Stock Colors: Black or white				
Weight Capacity: 2000 lbs. on levelers or bolted to floor, 1800 lbs.				
UL Listed: UL60950-1 Standard for IT & Communications Equipment, Cabine Enclosures and Rack Systems	t			
Compliance: RoHS compliant With cooling system 1x, uninterrupted power supply 1200VA 1x and aio rasberry pie 1x				
Rapid aerial monitoring & assesment mini drone	1	set	80,000.00	80,000.00
Specifications				
48MP, 1/1.3" CMOS sensor				



24mm (equiv.) lens with 82.1° FOV and a fixed F1.7 aperture		
4K/60p video: Up to 4X digital zoom		
H.264 and H.265 recording at 150 Mbps		
D-Cinelike and Normal video profiles		
Raw and JPEG image capture, APAS and ActiveTrack 4.0		
OcuSync 3.0 (O3) 1080p/30p image transmission 12 km range		
Three-way obstacle avoidance front, back, bottom		
MasterShots: cinematic capture mode		
47-minute flight time w/ Intelligent aeril battery x3		
Under 250g at take it off with standard battery		
Transmitter:RC-N1 Remote Controller with screen Bitrate Tx: video bitrate 18Mbps delivered at an ultra-low latency 120ms		
With MicroSD Card 64GB UHS X10		
Peripherals: 3,380maH, 11.4v battery for mvcpro platinum 2x		
TOTAL AMOUNT:		<u>P 749, 248.00</u>

For use **SUPPLY AND DELIVERY OF ICT EQUIPMENTS FOR USE IN THE DA-RFU 5**, **PMED AND FOD-DRR UNDER MITHI PROGRAM 2022**. The agency intends to apply the amount of **SEVEN HUNDRED FORTY-NINE THOUSAND TWO HUNDRED FORTY-EIGHT PESOS** (P 749,248.00). **PARTIAL BID IS NOT ALLOWED.**

As per approved Purchase Request and considering the nature of requisition being not more than One Million Pesos (Php1,000,000.00) and in order to fast-track the implementation of the program, this procurement is facilitated thru Negotiated Procurement-Small Value Procurement under Section 53.9 of RA 9184 and its Revised IRR.

As such ; 3GX COMPUTER & IT SOLUTIONS TECH.., Naga City ; DENVER COMPUTER, Naga City and UPGRADE CENTRAL, Naga City and all interested bidders are hereby requested to submit the following documents:

- 1. Mayors Permit
- 2. DTI Registration
- 3. PhilGEPS Registration
- 4. Annual Income Tax Return
- 5. Omnibus Sworn Statement
- 6. BIR Registration
- 7. Picture/Brochure

The bidders are required to pay Php500.00 for bid documents to the Cashier's Office, DA RFO-5, Pili, Camarines Sur. All submitted documents must be in duplicate and marked with index/ear tabs or side-end tabs to identify the page components, otherwise, bids will be automatically rejected on the ground of non-compliance with the prescribed bid requirements



Sealed Bid must be received by BAC Secretariat, DA RFO 5 not later than 10:00Am of 23 September 2022 at 3rd Floor, Sta. Catalina Hall, Operations Building, DA RFO-V, Pili, Camarines Sur. Opening of proposal will be on the same date and time. Let this Invitation be posted pursuant to RA 9184 and its IRR. For more information please email at **bacrfo5@gmail.com**. DA-BAC Secretariat Office.

15 September 2022, Pili, Camarines Sur.

Engr. TEODORO C. ELEDA ENGINEER IV BAC, Vice-Chairman



[shall be submitted with the Bid]

REPUBLIC OF THE PHILIPPINES) CITY/MUNICIPALITY OF _____) S.S.

AFFIDAVIT

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

1. [Select one, delete the other:]

[*If a sole proprietorship:*] I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

[If a partnership, corporation, cooperative, or joint venture:] I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. [Select one, delete the other:]

[If a sole proprietorship:] As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

[If a partnership, corporation, cooperative, or joint venture:] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)];

- 3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, <u>by itself or by relation, membership,</u> <u>association, affiliation, or controlling interest with another blacklisted person or entity as</u> <u>defined and provided for in the Uniform Guidelines on Blacklisting;</u>
- 4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
- 5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;
- 6. [Select one, delete the rest:][If a sole proprietorship:] The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the



Technical Working Group, and the BAC

Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a partnership or cooperative:] None of the officers and members of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a corporation or joint venture:] None of the officers, directors, and controlling stockholders of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

- 7. [Name of Bidder] complies with existing labor laws and standards; and
- 8. [*Name of Bidder*] is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
 - a. Carefully examining all of the Bidding Documents;
 - b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
 - c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
 - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the [Name of the Project].
- 9. [Name of Bidder] did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
- 10. In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.

IN WITNESS WHEREOF, I have hereunto set my hand this ____ day of ____, 20___ at ______, Philippines.

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE] [Insert signatory's legal capacity]

Affiant

<u>[Jurat]</u>

[Format shall be based on the latest Rules on Notarial Practice]



BID FORM (GOODS)

DEPARTMENT OF AGRICULTURE Regional Field Unit No. 5 San Agustin, Pili, Camarines Sur

The Bids and Awards Committee

Gentlemen/ Ladies:

Having examined the bidding documents, the receipts of which is hereby duly acknowledge we the undersigned offer to supply/ deliver the goods requisitioned in Conformity with the said bid documents for the total amount of ______. (P _____)

Accompanying this Bid Form is our Bid Offer containing the details of the requisition and our offered items is specified quantity and unit price.

We undertake, if our Bid is duly accepted, to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements.

We agree to abide by our Bid for the Bid validity period as set by the procuring entity but not exceeding one hundred twenty (120) calendar days from the date of the bids opening.

Until a formal contract is prepared and executed, this bid, together with your acceptance thereof thru Notice of Award, subject to all other Bid documents, shall be binding upon us.

We understand that you are not bound to accept the lowest of any Bid that you may receive.

We certify that we complied with the eligibility requirements as specified under RA 9184 and its IRR and the Bidding documents.

Dated this _____ day of _____ 2022.

(Name and Signature of Bidder or Authorized Representative)

Date of Bidding

(Address and Telephone No.)

For Goods Offered From Within the Philippines

Name of Project: SUPPLY AND DELIVERY OF ICT EQUIPMENTS FOR USE IN THE DA-RFU 5, PMED AND FOD-DRR UNDER MITHI PROGRAM 2022 (abc-P749,248.00)

Date of Bidding: SEPT. 23, 2022; 10:00aM at Sta. Catalina Hall, Operations Building, DA-RFU 5


1	2	3	4	5	6	7	8	9	10
ITEM	DESCRIPTION	COUNTR Y OF ORIGIN	QUANTITY	Unit price EXW per item	Transportation and Insurance and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable , per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4)
set	Command center smart screen panel set		1						
set	ICT Information gathering equipment kobo		2						
set	Filament and resin smart printer multi dimensional		1						
unit	Geospatial raster processing equipment for drr		1						
unit	Mission planning equipment professional		1						
unit	lct simulation drone set		1						
unit	Gimbal and RGB sensor set		1						
set	Ground station ICT telemetry equipment set		1						
unit	Data server rack cabin		1						
set	Rapid aerial monitoring and assesment mini drone		1						
	GRAND TOTAL								

(Signature)

(in the capacity of)



Republic of the Philippines **DEPARTMENT OF AGRICULTURE** Regional Office No. 5 San Agustin, Pili, Camarines Sur, 4418 http://bicol.da.gov.ph



with prosperous farmers and fisherfolk

