

#### **BIDS AND AWARDS COMMITTEE**

#### **BID BULLETIN No. 1**

(Supply and Delivery of Various Supplies and Equipment for utilization of Balik Probinsya Program 2 to the Province of Camarines Sur)

November 28, 2022

This Bid Bulletin is issued to clarify, modify or amend items in the Bidding Documents. Accordingly, this shall form an integral part of the said Documents.

Particulars		Clarifications	/Additional Specifications	
ITB Clause No. 2 Specifications:	and Technical	ITB Clause No. 2 and Technical Specifications:		
Description	Specifications	Description	Specifications	
LOT 3 -ICT EQUIPMENT	➤ 2 UNITS - WI-FI ALL-IN-ONE INK TANK PRINTER WITH ADF  * Print, scan, copy, fax and connect with ease  * Compact integrated tank design  * High yield ink bottles  * Spill-free, error-free refilling  * Print, scan, copy, fax with ADF  * Wi-Fi, Wi-Fi Direct  * Borderless printing up to 4R  * Printer Function Type: Label printer,Office Printer,Photo Printer	LOT 3 - COMMUNIC ATIONS EQUIPMENT	➤ 1 UNIT - SINGLE FOCUS LENS EF50MM F1.8 STM FULL SIZE COMPATIBLE EF5018STM * Filter size: 49mm * Max aperture: f/1.8 * With STM motor  ➤ 1 UNIT - RF 24-105 F4-7.1 STM HOOD LENS 67MM BAYONET EOS RP R5 R6 MIRRORLESS CAMERA * RF 24-105 F4- 7.1 STM Hood lens  ➤ 2 UNITS - ULTRACOMPACT 2.4GHZ DUAL- CHANNEL WIRELESS MICROPHONE SYSTEM WITH LAVALIER * compact, lightweight, and	
	* Plug Type: Universal		lightweight, and easy-to-use 2-	



#### Department of Agriculture Regional Field Office No. 5

San Agustin, Pili, Camarines Sur

*	Mono/color:
	Mono & Color

- \* USB Support: yes
- \* Warranty
  Type:
  International
  Manufacturer
  Warranty
- \* Warranty
  Period: 2 Years
- ➤ 3 UNITS UPS BVX 1200VA, 230V, AVR, UNIVERSAL SOCKETS UNINTERRUPTIB LE POWER SUPPLY (UPS)
- ➤ 1 UNIT POWER STATION 800W PRO PR1000X
  - 800W PRO Power & recharge lights, laptops, tablets, phones & USB gadgets. Silent & zero emissions rechargeable lead-acid battery. Main wall plug or solar panel charging. Builtin LCD display (output watts, AC/DC ON/OFF indicator(s) & charging time). Various power ports (USB, 220V AC & 12V DC). Short circuit, over current, over voltage, undervoltage,

- person wireless microphone system for DSLR, mirrorless and video cameras, or mobile devices that delivers detailed, broadcast-quality sound.
- has belt clip on the receiver that acts as a camera-shoe mount for easy attachment, Includes two output cables: TRS for cameras and TRRS for smartphones or tablets. The clipon transmitter has a great sounding builtin mic and it's small and light enough to clip to shirts and clothing, or you can use the included SR-M1 professional lavalier microphone
- \* It provides two wireless transmitters and two lavalier mics, so you can put mics on two separate people with only a single ultracompact receiver on your camera.

► 1 UNIT - EF-S 10-



overload &	18MM F/4.5-5.6 IS
over heat	STM LENS
protection.	<ul><li>* Camera Lens</li></ul>
Vehicle jump	Type Wide
starter	Angle
capabilities.	* Mininum
For 120W Solar	Aperture 29f/
Panel ( Not	* Camera Brand
Included)	Compatibility
> 8 UNITS - ALL-IN-	Canon
ONE DESKTOP	
Specifications:	
•	Aperture 4.5f/
* Processor:	* Warranty
Core-i5	Duration 3 Years
10210u	* Lens Model EFS
Processor	➤ 2 UNITS -
* Operating	WIRELESS BONE
System:	CONDUCTION
Windows 10	HEADPHONES
* Display: 21.5",	* HEADPHONE
16:9,	FEATURES:
NanoEdge, Full	Noise
HD	Cancellation /
* 1920x1080/,	Reduction,Bluet
LED-Backlight,	ooth /
IPS, 178	Wireless,Sound
* Touch Screen:	Quality
Non-touch	* Bluetooth YES
* Chipset:	
Integrated	* MODEL:
~	OPENRUN PRO
diapines.	* Warranty Type:
MX110 with	Local Supplier
2GB GDDR	Warranty
VRAM	* Warranty Period
* Memory: 8 gb	2 years
SO-DIMM	➤ 3 UNITS - 600W
DDR4 at	PORTABLE
2400MHz	TROLLEY SPEAKER
* Storage: 512	WITH USB/SD, FM
GB PCIe SSD	RADIO, BT & 2
M.2	WIRELESS MIC
* Wireless Data	* Portable Trolley
Network:	Speaker Party
802.11 ac,	Machine
Bluetooth V4.1	* Maximum
or 802.11	Power: 600W
b/g/n,	* Bluetooth
Bluetooth V4.0	
* LAN:	* USB/SD
· LIMI	Playback
	Page <b>3</b> of <b>2</b>



Т	T	-,	
	10/100/1000/		* FM Radio
	Gigabits Mbps		* High Quality
*	Camera: 1 M		Lead Acid 12Ah
	Pixel		Battery
*	Speaker: 2x3 W		* Line In / Line
*	Built-in Mic:		Out
	Digital Array		* 2 Wired Mic
	Micc		Input
*	Power Supply :		* 2 Guitar Input
	65 W Power		* Mic Priority
	Adapter		* 2 Wireless Mic
*	Dimensions :		(180 Channels)
	48.9 x 38.7 x		* 12V DC Input
	$5.1 \sim 16.4 \text{ cm}$		_
	(WxHxD)		* TWS (True
*	Color: White		Wireless Stereo)
*	Accessories:		* Product
	Keyboard +		Dimension:
	Mouse		37(L) x 40(W) x
			90(H)cm
	UNITS -		> 1 UNIT - EOS R6
	GEOMAPPING		DSLR CAMERA
	DEVICE		* Camera Body
*	Display: 8.3		only
	inches		* 20MP Full-
	2266x1488,		Frame CMOS
	326 pixels per		Sensor
	inch (ppi), 500		* DIGIC X Image
	nits brightness		Processor
*	Processor: A15		* 4K60p and FHD
	Bionic chip		120p 10-Bit
	with 64-bit		Internal Video
	architecture		* Sensor-Shift 5-
*	Main		Axis Image
	Camera: 12MP		Stabilization
	Wide camera,		* 12 fps Mech.
	f/1.8 aperture,		Shutter, 20 fps E.
	4k up to 60fps		Shutter
*	Selfie		* Dual Pixel CMOS
	Camera: 12MP		AF II with 1053
	Ultra Wide		Points
	front camera,		* 0.5" 3.69m -Dot
	122° field of		OLED EVF
	view, f/2.4		* 3" 1.62m-Dot
	aperture,		Vari-Angle
	1080p HD		Touchscreen
	video up to		LCD
	60fps		
*	Network: 802.1		* Subject Tracking
	1ax WiFi 6;		with Deep
1			Learning



, Cama	arines Sur			
	simultaneous		*	Dual SD UHS-II
	dual band			Memory Card
	(2.4GHz and			Slots
	5GHz); HT80		> 1	UNIT – RF-SI8-
	with MIMO			50MM F/3.5-6.3
*	Bluetooth 5.0			STM LENS
	technology		*	Focal Length: 18
*	Battery: Built-			to 150mm
	in 19.3-watt-			(35mm
	hour			Equivalent Focal
	rechargeable			Length: 29 to
	lithium-			240mm)
	polymer		*	Maximum
	battery, Up to			Aperture: f/3.5
	10 hours of			to 6.3
	surfing the		*	Minimum
	web on Wi-Fi			Aperture: f/40
	or watching			Lens
	video		*	Mount Canon RF
*	Dimensions: 19			Lens
	5.4 mm x 134.8		*	Format
	mm x 6.3 mm			Coverage: APS-C
*	iOS 15, 64 GB		*	Angle of View:
> 2	UNITS -			74" 20' to 10"
G	EOTAGGING			25'
D	EVICE		*	Minimum Focus
*	features a 6.78-			Distance: 6.7" /
	inch FHD+			17 cm
	AMOLED		*	Maximum
	display with a			Magnification:
	144Hz refresh			0.44x
	rate, 64MP +		*	Optical Design:
	13MP + 5MP			17 Elements in
	triple rear			13 Groups
	cameras, and a		*	Diaphragm
	single 24MP			Blades: 7,
	punch-hole			Rounded
	selfie camera.		*	Focus Type :
*	Qualcomm			Autofocus
	Snapdragon		*	Image
	888 chipset		·	Stabilization:
	with 12GB of			Yes
	RAM, 256 GB		*	Filter Size: 55
	Android 11 OS,		•	mm (Front)
	and ROG UI		*	Dimensions (Ø x
	software.		-1-	L): 2.7 x 5" / 69
	There's also an			x 126.7 mm
	under-display		*	Weight: 10.9 oz
	fingerprint		-1-	/ 310 g
		1.		/ J10 g



San Agustin, Pi	ili, Camarines Sur	
	scanner, pressure- sensitive gaming triggers, 5G connectivity, Wi-Fi 6E, NFC, dual USB Type- C ports, Hi-Res audio, 6000mAh battery powers the device with support for 65W fast charging technology  1 UNIT - PROJECTOR XGA 3LCD 3800 LUMENS PROJECTOR 12000 LAMP HOURS XGA RESOLUTION Type: XGA Brightness: 3800 ANSI Lumens Normal Lamp Life Hours: 6,000 hrs Fconomic Lamp Life Hours: 12,000 hrs  Contrast Ratio: 16,000:1 Function Type: Basic Projector Gross weight: 3.5 kg Net weight: 2.5 kg Net weight: 2.5 kg  Net weight: 2.5 kg  With Projector Screen  Value of the contract of	* Inclusions:  - Lens Cap E- 55 & Lens Dust Cap RF  - Lens Hood EW-60F  - Lens Case LP1016  - SD Card 512 GB 170MB/S for DSLR



Colour	
Brightness at	
3,600lm	
* WXGA	
resolution	
* High contrast	
ratio of	
15,000:1	
* Horizontal	
keystone slider	
* 10,000 hours	
lamp life in	
eco-mode	
* with Projector	
Screen	
> 1 UNIT - MINI 2	
FLY MORE	
COMBO	
* Takeoff	
* Takeon Weight: <	
249 g	
* Dimensions	
* Folded:	
138×81×58	
mm	
(L×W×H)	
* Unfolded:	
159×203×56	
mm	
(L×W×H)	
* Unfolded	
(with	
propellers):	
245×289×56	
mm	
(L×W×H)	
* Diagonal	
Distance:	
213 mm	
* Camera	
Sensor:	
1/2.3" CMOS	
Effective	
Pixels: 12	
MP	
Lens	
FOV: 83°	
35 mm	
format	



	equivalent:	
	24 mm	
	Aperture:	
	f/2.8	
	Focus range:	
	1 m to ∞	
	ISO	
	Video:	
	100-3200	
	(Auto)	
	100-3200	
	(Manual)	
	Photos:	
	100-3200	
	(Auto)	
	100-3200	
	(Manual)	
	QuickShot	
	Modes	
	Dronie, helix,	
	rocket,	
	circle,	
	boomerang	
	Remote	
	Controller &	
	Video	
	Transmissio	
	n	
	Operating	
	Frequency	
	2.400-	
	2.4835 GHz,	
	5.725-5.850	
	GHz	
*	Battery	
	Capacity:	
	5200 mAh	
*	Voltage	
	1200 mA 3.6	
	V (Android)	
	700 mA 3.6	
	V (iOS)	
	Supported	
	Mobile	
	Device Size	
	180×86×10	
	mm (HeightyWid	
	(Height×Wid	
	th×Thicknes	



Agustin, Pili, Cama	rines Sur	
*	s) Supported USB Port Types LightningMic ro USB (Type-B)	
*	USB-C Video Transmissio n System OcuSync 2.0	
*	Live View Quality	
*	Remote Controller: 720p/30fps	
*	Max Bitrate: 8 Mbps	
*	Latency (depending on environment al conditions and mobile device): About 200 ms	
*	Charger Input 100-240 V, 50/60 Hz, 0.5 A Output 12V 1.5 A / 9V 2A / 5V 3A Rated Power: 18 W	
*	Intelligent Flight Battery Battery Capacity: 2250 mAh Voltage: 7.7 V Charging Voltage	



#### Department of Agriculture Regional Field Office No. 5

GB)

San Agus	tin, Pili, Camarines Sur	
	Limit: 8.8 V	
	Battery Type	
	LiPo 2s	
	* with UAV	
	Controller	
	Screen	
	► 6 UNITS -	
	LAPTOP (15.6	
	INCH, 8GB)	
	* 15.6 Inch FHD	
	laptop, Core	
	i7-1065G7 1.3	
	GHz, 8GB RAM,	
	256GB SSD,	
	English	
	Keyboard,	
	Windows 10	
	Home	
	9TL53PA	
	➤ 4 UNITS -	
	LAPTOP (13	
	INCH)	
	* Laptop 8-Core	
	CPU and	
	8-Core GPU	
	512GB SSD	
	Storage <sup>1</sup> 8-core	
	CPU, 8-core	
	GPU, and 16-	
	core Neural	
	Engine 8GB	
	unified	
	memory	
	512GB SSD	
	storage 13-	
	inch Retina	
	display with	
	True Tone	
	Magic Keyboard	
	Touch Bar and	
	Touch ID Force	
	Touch	
	trackpad Two	
	Thunderbolt /	
	USB 4 ports	
	> 1 UNIT - LAPTOP	
	(15.6 INCH, 16	
1 1	, , , , , , , , , , , , , , , , , , , ,	



#### Department of Agriculture Regional Field Office No. 5

San Agustin, Pili, Camarines Sur

*	Laptop   Core
	i7-11800H (8
	cores)   16GB
	RAM   RTX
	3060

- \* Core i7-11800H # of Cores 8 · # of Threads 16 · Max Turbo Frequency 4.60 GHz
- \* GeForce RTX 3060 6GB
- \* Windows 10 Home
- \* 15.6" FHD (1920x1080), 144Hz, IPS-Level
- \* 16GB DDR4 RAM
- \* 512GB NVMe PCIe SSD

LOT 4 -
<b>COMMUNIC</b>
<b>ATIONS</b>
<b>EQUIPMENT</b>

- ➤ 1 UNIT SINGLE FOCUS LENS EF50MM F1.8 STM FULL SIZE COMPATIBLE EF5018STM
  - \* Filter size: 49mm
  - \* Max aperture: f/1.8
  - \* With STM motor
- ➤ 1 UNIT RF 24-105 F4-7.1 STM HOOD LENS 67MM BAYONET EOS RP R5 R6 MIRRORLESS CAMERA
  - \* RF 24-105 F4-7.1 STM Hood lens
- > 2 UNITS -

#### LOT 4 -ICT EQUIPMENT

- ➤ 2 UNITS WI-FI ALL-IN-ONE INK TANK PRINTER WITH ADF
  - \* Print, scan, copy, fax and connect with ease
  - \* Compact integrated tank design
  - \* High yield ink bottles
  - \* Spill-free, errorfree refilling
  - \* Print, scan, copy, fax with ADF
  - \* Wi-Fi, Wi-Fi Direct
  - \* Borderless printing up to 4R
  - \* Printer Function Type: Label printer,Office



#### Department of Agriculture Regional Field Office No. 5

San Agustin, Pili, Camarines Sur

ULTRACOMPACT
2.4GHZ DUAL-
CHANNEL
WIRELESS
MICROPHONE
SYSTEM WITH
LAVALIER

- compact, lightweight, and easy-touse 2-person wireless microphone system for DSLR, mirrorless and video cameras. or mobile devices that delivers detailed. broadcastquality sound.
- has belt clip on the receiver that acts as a camera-shoe mount for easy attachment, Includes two output cables: TRS for cameras and TRRS for smartphones or tablets. The clip-on transmitter has a great sounding builtin mic and it's small and light enough to clip to shirts and clothing, or you can use the included SR-M1 professional

lavalier

Printer,Photo Printer

- \* Plug Type: Universal
- \* Mono/color: Mono & Color
- \* USB Support: ves
- \* Warranty Type: International Manufacturer Warranty
- \* Warranty Period: 2 Years
- ➤ 3 UNITS UPS BVX 1200VA, 230V, AVR, UNIVERSAL SOCKETS UNINTERRUPTIBL E POWER SUPPLY (UPS)
- ➤ 1 UNIT POWER STATION 800W PRO PR1000X
  - **800W PRO** Power & recharge lights, laptops, tablets, phones & USB gadgets. Silent & zero emissions rechargeable lead-acid battery. Main wall plug or solar panel charging. Builtin LCD display (output watts, AC/DC ON/OFF indicator(s) & charging time). Various power ports (USB, 220V AC & 12V DC). Short circuit, over current, over voltage, under-voltage,



П . ,	
microphone	overload & over
* It provides two	heat protection.
wireless	Vehicle jump
transmitters	starter
and two	capabilities. For
lavalier mics,	120W Solar
so you can put	Panel ( Not
mics on two	Included)
	> 8 UNITS - ALL-IN-
separate	
people with	ONE DESKTOP
only a single	Specifications:
ultracompact	* Processor: Core-
receiver on	i5 10210u
your camera.	Processor
➤ 1 UNIT - EF-S 10-	* Operating
18MM F/4.5-5.6	System:
IS STM LENS	Windows 10
* Camera Lens	* Display: 21.5",
Type Wide	16:9, NanoEdge,
Angle	Full HD
* Mininum	
	* 1920x1080/,
Aperture 29f/	LED-Backlight,
* Camera Brand	IPS, 178
Compatibility	* Touch Screen:
Canon	Non-touch
* Maximum	* Chipset:
Aperture 4.5f/	Integrated
* Warranty	* Graphics:
Duration 3	MX110 with 2GB
Years	GDDR VRAM
* Lens Model EFS	* Memory: 8 gb
	1   1
> 2 UNITS -	SO-DIMM DDR4
WIRELESS BONE	at 2400MHz
CONDUCTION	* Storage: 512 GB
HEADPHONES	PCIe SSD M.2
* HEADPHONE	* Wireless Data
FEATURES:	Network: 802.11
Noise	ac, Bluetooth
Cancellation /	V4.1 or 802.11
Reduction,Blue	b/g/n, Bluetooth
tooth /	V4.0
Wireless,Sound	* LAN:
Quality	
71 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	10/100/1000/G
	igabits Mbps
* MODEL:	* Camera: 1 M
OPENRUN PRO	Pixel
* Warranty	* Speaker: 2x3 W
Type: Local	* Built-in Mic:
Supplier	Digital Array



	Warranty	Micc
	<ul><li>* Warranty</li></ul>	* Power Supply:
	Period 2 years	65 W Power
	> 3 UNITS - 600W	Adapter
	PORTABLE	* Dimensions :
	TROLLEY	48.9 x 38.7 x 5.1
	SPEAKER WITH	~ 16.4 cm
	USB/SD, FM	(WxHxD)
	•	,
	RADIO, BT & 2	* Color: White
	WIRELESS MIC	* Accessories:
	* Portable	Keyboard +
	Trolley	Mouse
	Speaker Party	> 2 UNITS -
	Machine	GEOMAPPING
	* Maximum	DEVICE
	Power: 600W	* Display: 8.3
	* Bluetooth	inches
	* USB/SD	2266x1488, 326
	Playback	pixels per inch
	* FM Radio	(ppi), 500 nits
	* High Quality	brightness
		* Processor: A15
	Lead Acid	
	12Ah Battery	Bionic chip with 64-bit
	* Line In / Line	
	Out	architecture
	* 2 Wired Mic	* Main
	Input	Camera: 12MP
	* 2 Guitar Input	Wide camera,
	* Mic Priority	f/1.8 aperture,
	* 2 Wireless Mic	4k up to 60fps
	(180 Channels)	* Selfie
	* 12V DC Input	Camera: 12MP
	* TWS (True	Ultra Wide front
	Wireless	camera, 122°
	Stereo)	field of view,
	* Product	f/2.4 aperture,
	Dimension:	1080p HD video
	37(L) x 40(W)	up to 60fps
	x 90(H)cm	* Network: 802.11
	> 1 UNIT - EOS R6	ax WiFi 6;
	DSLR CAMERA	simultaneous
		dual band
	* Camera Body	(2.4GHz and
	only	5GHz); HT80
	* 20MP Full-	with MIMO
	Frame CMOS	* Bluetooth 5.0
	Sensor	technology
	* DIGIC X Image	* Battery: Built-in
	Processor	19.3-watt-hour
	* 4K60p and	17.5-Watt-Houl
		Dago 14 of




FHD 120p 10-	rechargeable
Bit Internal	lithium-polymer
Video	battery, Up to 10
* Sensor-Shift 5-	hours of surfing
Axis Image	the web on
Stabilization	Wi-Fi or
* 12 fps Mech.	watching video
Shutter, 20 fps	* Dimensions: 195
E. Shutter	.4 mm x 134.8
* Dual Pixel	mm x 6.3 mm
CMOS AF II	100 10) 01 02
with 1053	> 2 UNITS -
Points	GEOTAGGING
* 0.5" 3.69m –	DEVICE
Dot OLED EVF	* features a 6.78-
* 3" 1.62m-Dot	inch FHD+
Vari-Angle	AMOLED display
Touchscreen	with a 144Hz
LCD	refresh rate,
* Subject	64MP + 13MP +
Tracking with	5MP triple rear
Deep Learning	cameras, and a
* Dual SD UHS-II	single 24MP
Memory Card	punch-hole
Slots	selfie camera.
➤ 1 UNIT – RF-SI8-	* Qualcomm
150MM F/3.5-6.3	Snapdragon 888
IS STM LENS	chipset with
* Focal Length:	12GB of RAM,
18 to 150mm	256 GB Android
(35mm	11 OS, and ROG
	UI software.
Equivalent	There's also an
Focal Length:	under-display
29 to 240mm)	fingerprint
* Maximum	scanner,
Aperture: f/3.5	pressure-
to 6.3	
* Minimum	sensitive gaming
Aperture: f/40	triggers, 5G
Lens	connectivity, Wi-
* Mount Canon	Fi 6E, NFC, dual
RF Lens	USB Type-C
* Format	ports, Hi-Res
Coverage: APS-	audio, 6000mAh
С	battery powers
* Angle of View:	the device with
74" 20' to 10"	support for 65W
25'	fast charging
* Minimum	technology
 Pililium	<u> </u>




#### Department of Agriculture Regional Field Office No. 5


Focus Distance: 6.7" / 17 cm  * Maximum Magnification: 0.44x  * Optical Design: 17 Elements in 13 Groups  * Diaphragm Blades: 7, Rounded  * Focus Type: Autofocus  * Image Stabilization: Yes  * Filter Size: 55 mm (Front)  * Dimensions (Ø x L): 2.7 x 5" / 69 x 126.7 mm  * Weight: 10.9 oz / 310 g  * Inclusions:  - Lens Cap E- 55 & Lens Dust Cap RF  - Lens Hood EW-60F  - Lens Case LP1016  - SD Card 512 GB 170MB/S for DSLR	➤ 1 UNIT - PROJECTOR XGA 3LCD 3800 LUMENS PROJECTOR 12000 LAMP HOURS XGA RESOLUTION  * Type: XGA  * Brightness: 3800 ANSI Lumens  * Normal Lamp Life Hours: 6,000 hrs  * Economic Lamp Life Hours: 12,000 hrs  * Contrast Ratio: 16,000:1  * Function Type: Basic Projector  * Gross weight: 3.5 kg  * Net weight: 2.5 kg  * with Projector Screen  ➤ 4 UNITS - LCD PROJECTOR  * White and Colour Brightness at 3,600lm  * WXGA resolution  * High contrast ratio of 15,000:1  * Horizontal keystone slider  * 10,000 hours lamp life in ecomode  * with Projector Screen  ➤ 1 UNIT - MINI 2 FLY MORE COMBO  * Takeoff Weight: < 249 g  * Dimensions  * Folded:




		138×81×58 mm
		(L×W×H)
	*	Unfolded:
		159×203×56
		mm (L×W×H)
	*	Unfolded (with
		propellers):
		245×289×56
		mm (L×W×H)
	*	Diagonal
		Distance: 213
		mm
	*	Camera
		Sensor: 1/2.3"
		CMOS
		Effective Pixels:
		12 MP
		Lens
		FOV: 83°
		35 mm format
		equivalent: 24
		mm
		Aperture: f/2.8
		Focus range: 1
		m to ∞
		ISO
	*	Video:
		100-3200
		(Auto) 100-3200
		(Manual)
	*	Photos:
		100-3200
		(Auto)
		100-3200
		(Manual)
	*	QuickShot
		Modes
		Dronie, helix,
		rocket, circle,
		boomerang
	*	Remote
		Controller &
		Video
		Transmission
	*	Operating
		Frequency
		2.400-2.4835
		GHz, 5.725-



		E 050 GH
		5.850 GHz
	*	Battery
		Capacity: 5200
		mAh
	*	Voltage
		1200 mA 3.6 V
		(Android)
		700 mA 3.6 V
		(iOS)
	*	Supported
	·	Mobile Device
		Size
		180×86×10 mm
		(Height×Width
		×Thickness)
	*	Supported USB
		Port Types
		LightningMicro
		USB (Type-B)
		USB-C
	*	Video
		Transmission
		System
		OcuSync 2.0
	*	Live View
		Quality
	*	Remote
		Controller:
		720p/30fps
	*	Max Bitrate: 8
	·	Mbps
	*	-
	<b>ጥ</b>	Latency
		(depending on environmental
		conditions and
		mobile device):
		About 200 ms
	*	Charger
		Input
		100-240 V,
		50/60 Hz, 0.5 A
		Output
		12V 1.5 A / 9V
		2A / 5V 3A
		Rated Power:
		18 W
	*	Intelligent
		Flight Battery
		Battery



Capacity: 2250
mAh
Voltage: 7.7 V
Charging
Voltage Limit:
8.8 V
Battery Type
LiPo 2s
* with UAV
Controller
Screen
➤ 6 UNITS - LAPTOP
(15.6 INCH, 8GB)
* 15.6 Inch FHD
laptop, Core i7-
1065G7 1.3 GHz
8GB RAM,
256GB SSD,
English
Keyboard,
Windows 10
Home
9TL53PA
➤ 4 UNITS - LAPTOP
(13 INCH)
* Laptop 8-Core
CPU and 8-Core
GPU 512GB SSD
Storage <sup>1</sup> 8-core
CPU, 8-core GPU
and 16-core
Neural Engine
8GB unified
memory 512GB
SSD storage 13-
inch Retina
display with
True Tone Magi
Keyboard Touch
Bar and Touch
ID Force Touch
trackpad Two
Thunderbolt /
USB 4 ports
> 1 UNIT - LAPTOP
(15.6 INCH, 16 GB)
* Laptop   Core i7-
11800H (8
L COLEST LOGD



		RAM   RTX 3060
	*	Core i7-11800H
		# of Cores 8 · #
		of Threads 16 ·
		Max Turbo
		Frequency 4.60
		GHz
	*	GeForce RTX
		3060 6GB
	*	Windows 10
		Home
	*	15.6" FHD
		(1920x1080),
		144Hz, IPS-
		Level
	*	16GB DDR4
		RAM
	*	512GB NVMe
		PCIe SSD
<u> </u>		·

The Secretariat is hereby directed to inform all prospective bidders for the concerned projects and post a copy of the same in PhilGeps, designated Bid Bulletin Board and in the agency website.

For guidance and information of all concerned.

LORENZO L. ALVINA

Chief, ILD BAC Chairperson