

BIDS AND AWARDS COMMITTEE

BID BULLETIN No. 1

- 1. Supply & delivery of Animal feeds and Drugs and Biologics for implementation under the FY SAAD Livestock and Poultry Program (*Per lot basis*)
- 2. Supply & delivery of Office Supplies and ICT Supplies for use of SAAD RPMSO and PPMSO Offices for FY 2023 (*Per lot basis*)

June 02, 2023

This Bid Bulletin is issued to clarify, modify or amend items in the Bidding Documents. Accordingly, this shall form an integral part of the said documents:

1. Supply & delivery of Animal feeds and Drugs and Biologics for implementation under the FY SAAD Livestock and Poultry Program (*Per lot basis*)


Particulars	Clarifications/Additional Specifications				
LOT 1 - Animal Feeds	LOT 1				
Delivery of the Goods: July to December	Location	1 st Delivery (First week of August)	2 nd Delivery (Within September)		
Location: Masbate Breeding Station, Masbate– 210 bags	Masbate Breeding Station, Masbate	105 bags	105 bags		
Catanduanes Hilly Upland Dev Station, Catanduanes– 354 bags	Catanduanes Hilly Upland Dev Station, Catanduanes	177 bags	177 bags		
Sorsogon Reg'l Dairy Prod and Technology Center, Sorsogon – 210 bags	Sorsogon Reg'l Dairy Prod and Technology Center, Sorsogon	105 bags	105 bags		
LOT 2 - Drugs and Biologics	LOT 2 - Drugs an	d Biologics			
Under Vitamins 5) 30 Bottles Butaphosphan + cyanocobalamin Injectable phosphorus solution (Robutant) 100 ml	Under Vitamins 5) 30 Bottles Buta Injectable phospho				




2. Supply & delivery of Office Supplies and ICT Supplies for use of SAAD RPMSO and PPMSO Offices for FY 2023 (*Per lot basis*)

Particulars		Clarifications/Additional Specifications			
Techni	cal Specifications for LOT 2	Technical Specifications for LOT 2		pecifications for LOT 2	
5 p	cs Portable Router, 5g cs Wifi Range Extender			Portable Router, 5g Sim Card Router Mobile Wifi Router	
	cs Antenna Powerbeam Gen2 cs Mimo Hybrid Antenna 5g Ready			Hotspot Mifi 6CA Up to 2.33Gbps Cat19 4G LTE 4X4 MIMO	
20 po 12 po 42 bo 11 bo 11 bo	cs Webcam for Conference cs SDCard 256Gb Class 10 3u cs Sata SSD 2.5 ots Epson Ink 003, Black ots Epson Ink 003, Cyan ots Epson Ink 003, Magenta	6	pcs	SPECS: Support 5G, speed up to D/L 2.33Gbps, U/L 650Mbps Wi-Fi 802.11a/b/g/n/ac, 2.4G/5G Dual Band Concurrently, data rates up to 1200Mbps (300Mbps+867Mbps) 32 Wi-Fi users/band (up to Max. 64	
45 bo 11 bo 10 bo 42 bo 10 bo	ots Epson Ink 003, Yellow ots Ink, Epson 001, Black ots Ink, Epson 001, Cyan ots Ink, Epson 001, Yellow ots Ink, Epson 001, Magenta ots Epson Ink T661, Black ots Epson Ink T662, Cyan ots Epson Ink T663, Magenta			Wi-Fi users) 1 Gigabit LAN/WAN Port, 1 Gigabit LAN Port (RJ45) 1 SIM card slot (Nano-SIM) 2 External LTE antenna ports (TS-9) Support VPN Client (PPTP, L2TP) and VPN Pass-through Customer management via Web UI or	
42 bo	ots Epson Ink T664, Yellow ots Canon GI-790, Black 135ml ots Canon GI-790, Cyan 70ml ots Canon GI-790, Magenta 70ml	5	pcs	Wifi Range Extender -AC1200 Mesh Wi-Fi Extender 2.4 GHz (300 Mbps) and 5 GHz (867 Mbps) dual-band	
42 bo 10 bo 10 bo 11 bo 5 po 8 un	ots Canon GI-790, Yellow 70ml ots HP GT51XL, Black ots HP GT52, Cyan ots HP GT52, Magenta ots HP GT52, Yellow cs Desk Station NAS nits 1TB External Hard drive HDD 4x3.5 6TB 6Gb/s 256Mb cache NAS drive			SPECS: - 2.4 GHz (300 Mbps) and 5 GHz (867 Mbps) dual-band Eliminate weak signal areas with whole home WiFi coverage Adaptive Path Selection High Speed Mode AP Mode	
				Technical Specifications - Eliminate weak signal areas with whole home WiFi coverage 2.4 GHz (300 Mbps) and 5 GHz (867 Mbps) dual-band	

		WiFi connection ensures more stable wireless experience. Creates a Mesh network by connecting to a OneMesh router for seamless wholehome coverage. Adaptive Path Selection? connects to the fastest connection path to the router automatically and runs at top-speed. High Speed Mode? maximizes speed by using one WiFi band as dedicated backhaul, ideal for HD streaming and gaming. AP Mode? create a new Wi-Fi access point to enhance your wired network with Wi-Fi capability. Smart signal indicator helps to find the best location for optimal Wi-Fi coverage by showing the signal strength. Push the WPS button to easily connect to the router and you can uniformly manage from the Tether app
		or Web UI. Works with any Wi-Fi router or
		wireless access point
3	pcs	Antenna Powerbeam Gen2 SPECS:
		Highly Efficient Antenna
		Beam Performance
		Custom airMAX ac Processor
		Dedicated Wi-Fi Radio for
		Management
		• up to 450+ Mbps
		Throughput
		 Proprietary InnerFeed Technology
		Innovative Snap and Lock
		Assembly



3	pcs	Mimo Hybrid Antenna 5g Ready SPECS:
		-5G Antenna Grid Antenna 1700- 2700MHz 2G 3G 4G 5G LTE Outdoor Grid Antenna 2X24dBi External Antenna With N Female Connector parabolic antenna 60dbi 5g 2X30dBi LMR240 Shielded Coax Cables (Optional with 2 x 20m cables)
		-VARIANTS: 10 Meters Cable (default bundle), 15 Meters Cable, 20 Meters Cable, 30 Meters Cable
		-Ultra MIMO Parabolic Grid is a dual polarity antenna with 2x24dbi gain.
		-MIMO antenna. Meaning no need to setup 2 non-MIMO antennas toyour network's maximum speeds of 42Mbps.
		-Range up to 26 kms with proper set up and clear path to tower.
		-This Antenna is compatible with your modem device from Huawei, ZTE, and GreenPacket that has an external antenna port.
		-Antenna type: Parabolic Grid, Outdoor
3	pcs	Webcam for Conference TECHNICAL SPECIFICATIONS: CAMERA -Full HD 1080p video calling (up to 1920 x 1080 pixels); 720p HD video calling (up to 1280 x 720 pixels) with supported clients
		 Field of View: Diagonal: 78° Horizontal: 70.42° Vertical: 43.3° 1.2x HD zoom



- -228 mm extender stem for elevation / eye-level camera angle
- -Rightlight 2 Technology for clarity in various lighting environments, even low light

-Camera LED for active streaming

indication
SPEAKER PHONE:
-Integrated full duplex
speakerphone with echo and noise
cancellation
Controls for call answer/end,
volume, mute, and camera
movement

Microphone (Tx)


- Omnidirectional microphone with 2.4 m diameter range
- Frequency response: 200Hz 8KHz

CABLES / POWER

- AC Power adapter
- Power cable (2.4 m)
- USB cable (2.4 m)

MOUNT

- Designed for tabletop use
- COMPATIBILITY AND CERTIFICATIONS
- Plug-and-play USB connectivity
- Certified for Skype for Business and ready for Teams
- Zoom Certified
- Fuze Certified
- Compatible with Google Meet
- Cisco Jabber® and WebEX Compatible
- Compatible with BlueJeans,
 BroadSoft, GoToMeeting, Vidyo,
 and other video conferencing,
 recording, and broadcasting
 applications that support USB
 cameras



		SYSTEM REQUIREMENTS
		- Windows® 7, 8.1, or 10
		- macOS X 10.7 or higher
20	pcs	SDCard 256Gb Class 10 3u SPECS:
		- 256GB Storage Capacity
		- UHS-I / V30 / U3 / Class 10
		- Max Read Speed: 170 MB/s
		- Max Write Speed: 90 MB/s
		- Records Full HD, 3D, and 4K
		Video
		- Built-In Write-Protect
		Switch
		- Shockproof, Temperature
		Extremes, Waterproof, X-
		Ray Proof
12	pcs	Sata SSD 2.5
		-128GB/Exclusive Cache
		optimization Technology
		-3x faster than typical hard drive
		-Up to 520/480 MB/s sequential
		read/write;
		-Up to 98,000/78,000 IOPS random
	_	read/write
42	bots	Ink (Black) for Epson L3250
11	bots	Ink (Cyan) for Epson L3250
11	bots	Ink (Magenta) for Epson L3250
11	bots	Ink (Yellow) for Epson L3250
45	bots	Ink (Black) for Epson L4260
11	bots	Ink (Cyan) for Epson L4260
10	bots	Ink (Magenta) for Epson L4260
10	bots	Ink (Yellow) for Epson L4260
42	bots	Ink (Black) for Epson L360
10	bots	Ink (Cyan) for Epson L360
10	bots	Ink (Magenta) for Epson L360
10	bots	Ink (Yellow) for Epson L360
42	bots	Ink (Black) for Canon G3010
10	bots	Ink (Cyan) for Canon G3010
10	bots	Ink (Magenta) for Canon G3010
10	bots	Ink (Yellow) for Canon G3010
42	bots	Ink (Black) for HP Ink Tank 315
10	bots	Ink (Cyan) for HP Ink Tank 315
10	bots	Ink (Magenta) for HP Ink Tank 315
11	bots	Ink (Yellow) for HP Ink Tank 315
5	pcs	Desk Station NAS



		- CPU: Celeron 2-core 2.0 GHz, burst up to 2.9 GHz - Hardware encryption engine: Yes (AES-NI) - Memory: 2 GB DDR4 onboard (expandable up to 6 GB)3 - Compatible drive type: 4 x 3.5" or 2.5" SATA HDD/SSD (drives not included) /2 x M.2 2280 NVMe SSD (drives not included) - Hot swappable drive: Yes - External port: 2 x USB 3.0 port - Size (HxWxD): 166 x 199 x 223 mm - Weight: 2.18 kg - LAN: 2 x Gigabit (RJ-45) - Wake on LAN/WAN: Yes - Scheduled power on/off: Yes - System fan: 2 (92 x 92 x 25 mm) - AC input power voltage: 100 V to 240 V AC - Power frequency: 50/60 Hz, single phase - Operating temperature: 0°C to 40°C (32°F to 104°F) - Storage temperature: -20°C to 60°C (-5°F to 140°F) - Relative humidity: 5% to 95% RH
		`
		60°C (-5°F to 140°F)
		- I I
		- Maximum operating altitude:
		5,000 m (16,400 ft)
8	units	1TB External Hard drive
8	pcs	HDD 4x3.5 6TB 6Gb/s 256Mb cache
	PCS	NAS drive

The Secretariat is hereby directed to inform all prospective bidders for the concerned project and post a copy of the same in the designated Bid Bulletin Board, PhilGEPS and in the agency website.

(signed) **LORENZO L. ALVINA**Chief, ILD

Chairperson, Bids and Awards Committee