

# **DEPARTMENT OF AGRICULTURE**

Regional Field Office No. 5  
San Agustin, Pili, Camarines Sur 4418



## **Supply, Delivery, Installation and Testing of Machineries for operationalization of Rice Processing Center III for implementation under Rice Program 2023**

**29-GOODS-RICE-2023**

**ABC: ₱ 22,000,000.00**

**Sixth Edition**

**August 25, 2023**

# Table of Contents

<b>Glossary of Acronyms, Terms, and Abbreviations .....</b>	<b>3</b>
<b>Section I. Invitation to Bid.....</b>	<b>6</b>
<b>Section II. Instructions to Bidders.....</b>	<b>13</b>
1. Scope of Bid .....	15
2. Funding Information.....	15
3. Bidding Requirements .....	15
4. Corrupt, Fraudulent, Collusive, and Coercive Practices .....	15
5. Eligible Bidders.....	15
6. Origin of Goods .....	16
7. Subcontracts .....	16
8. Pre-Bid Conference .....	16
9. Clarification and Amendment of Bidding Documents .....	16
10. Documents comprising the Bid: Eligibility and Technical Components .....	16
11. Documents comprising the Bid: Financial Component .....	17
12. Bid Prices .....	17
13. Bid and Payment Currencies .....	18
14. Bid Security .....	18
15. Sealing and Marking of Bids .....	18
16. Deadline for Submission of Bids .....	19
17. Opening and Preliminary Examination of Bids .....	19
18. Domestic Preference .....	19
19. Detailed Evaluation and Comparison of Bids .....	19
20. Post-Qualification .....	20
21. Signing of the Contract .....	20
<b>Section III. Bid Data Sheet .....</b>	<b>21</b>
<b>Section IV. General Conditions of Contract.....</b>	<b>28</b>
1. Scope of Contract .....	29
2. Advance Payment and Terms of Payment .....	29
3. Performance Security .....	29
4. Inspection and Tests .....	29
5. Warranty .....	30
6. Liability of the Supplier .....	30
<b>Section V. Special Conditions of Contract .....</b>	<b>31</b>
<b>Section VI. Schedule of Requirements .....</b>	<b>34</b>
<b>Section VII. Technical Specifications .....</b>	<b>39</b>
<b>Section VIII. Checklist of Technical and Financial Documents .....</b>	<b>45</b>

# *Glossary of Acronyms, Terms, and Abbreviations*

**ABC** – Approved Budget for the Contract.

**BAC** – Bids and Awards Committee.

**Bid** – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

**Bidder** – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

**Bidding Documents** – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

**BIR** – Bureau of Internal Revenue.

**BSP** – Bangko Sentral ng Pilipinas.

**Consulting Services** – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

**CDA** - Cooperative Development Authority.

**Contract** – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

**CIF** – Cost Insurance and Freight.

**CIP** – Carriage and Insurance Paid.

**CPI** – Consumer Price Index.

**DDP** – Refers to the quoted price of the Goods, which means “delivered duty paid.”

**DTI** – Department of Trade and Industry.

**EXW** – Ex works.

**FCA** – “Free Carrier” shipping point.

**FOB** – “Free on Board” shipping point.

**Foreign-funded Procurement or Foreign-Assisted Project**–Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

**Framework Agreement** – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as “Call-Offs,” are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

**GFI** – Government Financial Institution.

**GOCC** –Government-owned and/or –controlled corporation.

**Goods** – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term “related” or “analogous services” shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

**GOP** – Government of the Philippines.

**GPPB** – Government Procurement Policy Board.

**INCOTERMS** – International Commercial Terms.

**Infrastructure Projects** – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national

buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

**LGUs** – Local Government Units.

**NFCC** – Net Financial Contracting Capacity.

**NGA** – National Government Agency.

**PhilGEPS** - Philippine Government Electronic Procurement System.

**Procurement Project** – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

**PSA** – Philippine Statistics Authority.

**SEC** – Securities and Exchange Commission.

**SLCC** – Single Largest Completed Contract.

**Supplier** – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

**UN** – United Nations.

***Section I. Invitation to Bid***



## INVITATION TO BID

### SUPPLY, DELIVERY, INSTALLATION AND TESTING OF MACHINERIES FOR OPERATIONALIZATION OF RICE PROCESSING CENTER III FOR IMPLEMENTATION UNDER RICE PROGRAM 2023

- The *Department of Agriculture Regional Field Office No. 5 (DA RFO 5)*, through the General Appropriations Act (GAA) for CY 2023- RICE intends to apply the sum of *Twenty-Two Million Pesos (Php22,000,000.00)* being the total ABC to payments under the contract for **ITB No. 29-GOODS-RICE-2023**.

Bids received in excess of the ABC shall be automatically rejected at bid opening.

- The *Department of Agriculture Regional Field Office No. 5* now invites bids for the following:

Description	Total Cost	Place of Delivery	Delivery of the Goods
<p><b>Supply, Delivery, Installation and Testing of Machineries for operationalization of Rice Processing Center III</b></p> <ul style="list-style-type: none"> <li>*Components designed to work together as linked system</li> <li>* Must meet minimum dimension to fit building design</li> <li>* Must coordinate with building contractor on required mechanical layout</li> <li>* With 8 hours theoretical training and 8 hours hands on training on system operation and maintenance provided to two (2) FCA operators and two (2) DA technicians</li> <li>* With operators manual</li> <li>* Performance testing at full load must be undertaken at the expense of the supplier</li> <li>*Must have a service center within the region conforming with PAES 192:2016 on AFTERSALES services</li> <li>* With G.I or Steel Plate DA Logo</li> <li>* With one(1) set assorted tools for maintenance</li> </ul> <p><b>Delivery Duration: 120 days after warehouse construction</b></p> <p><b>A. Multi-Pass Rice Mill (1 SET)</b></p> <p><b>Specifications:</b>            Type: Multi-pass type            Power source: Single Phase, 220 Volts AC</p>	<p><b>22,000,000.00</b></p>	<p>Bula, Camarines Sur</p>	<p>120 days after warehouse construction</p>

<p>System Capacity: 2-3 ton/hr input capacity</p> <p>Hulling efficiency: 90%, minimum</p> <p>Milling recovery index: 0.95, minimum</p> <p>Head rice index: 0.90, minimum</p> <p>Milling degree: Well-milled</p> <p>Number of paddy per kg milled rice: 15</p> <p>Noise level: 92 dB (A), maximum</p> <p><b>Consists of the following:</b></p> <p><b>* Automated Rice huller</b></p> <p>With max. dimension 600x700x750mm</p> <p>Powered by 10Hp electric motor max.</p> <p>With adjustable rubber roller clearance and easy replacement</p> <p><b>* Automated Aspirator</b></p> <p>With max. dimension of 1200x1100x1350mm</p> <p>Powered by 5Hp electric motor max.</p> <p>With chaff sorter</p> <p><b>* Automated paddy separator</b></p> <p>With max. dimension of 2200x2000x2000mm</p> <p>Powered by 1Hp electric motor max.</p> <p>With 99% min. paddy and brown rice separation</p> <p>Suitable for different rice types/varieties</p> <p>With provision for easy internal operation observation</p> <p><b>* Automated de-stoner</b></p> <p>Powered by 2Hp electric motor max.</p> <p>With max. dimension of 1250x1300x1300mm</p> <p>With 99% destoning capability</p> <p>With air circulating system capable of 99.9% dust removal</p> <p><b>* Automated rice whitener</b></p> <p>With max. dimension of 1050x1100x1600mm</p> <p>With blower</p> <p>With stainless outlet</p> <p>Vertical type</p> <p><b>Accessories</b></p> <p>One(1) set bagging bin, 8-10 tons capacity, complete with conveyor attached to rice mill</p> <p>One(1) set conveyor system attached from two (2) dryer tempering bins to bagging bin with discharge port and control</p> <p>With Brewer's Rice Sifter</p>			
--	--	--	--



<p>With weighing assembly, direct bagging assembly, and bag closer</p> <p>With bran and dust suction</p> <p>With cyclone, tanks, pipes, and fittings made of high quality galvanized iron</p> <p>With access for repair and maintenance</p> <p>With rice hull bin</p> <p>With husk exhaust duct</p> <p>With moisture meter, portable, capacitance type, for rice</p> <p>With weighing scale, Platform type, 1 ton capacity</p> <p><b>*With NAMDAC Certificate of Accreditation</b></p> <p><b>*With PTO Certification</b></p> <p><b>*Authority to use the Certificate of Conformity (CC) and Certificate of Dealership (Engine Only)</b></p> <p><b>B. Recirculating Mechanical Dryer (Batch - Type)</b></p> <p><b>(2 SETS )</b></p> <p><b>Specifications:</b></p> <p>Design: Vertical Bin Type</p> <p>System of Operation: Batch Type</p> <p>Max. dimension of 3500x2300x7250mm</p> <p><b>Power requirement/type:</b> 20.20kW min. load of series of electric motors to run furnace, dryer chamber and tempering bin, single phase induction type motor, 220 V</p> <p><b>Bin Capacity :</b> 6 tons capacity, minimum each</p> <p><b>Make:</b> Stainless S304 body, drying chamber</p> <p><b>Furnace: interchangeable biomass and diesel</b></p> <p>1. Bio-mass Fed, indirect fired, dry type</p> <p>Heat Exchanger: Stainless or rust resistant Fire Tubes</p> <p>Heating efficiency (Indirect fired biomass)=55%</p> <p>2. Diesel Fed Furnace, direct fired, dry type</p> <p>Heating efficiency (direct fired petrol)=95%</p> <p><b>Drying Rate (% per hour):</b></p> <p>Diesel: 1.0 minimum</p> <p>Biomass: 1.5 minimum</p> <p><b>Moisture Gradient (%):</b></p> <p>Diesel: 1.5 maximum</p> <p>Biomass: 1.0 maximum</p> <p><b>Product Quality (Diesel)</b></p>			
---	--	--	--

<p>Cracked Grain/Kernel, maximum (% increase): 1.5 Head Rice (% decrease): 2, maximum</p> <p><b>Product Quality (Biomass)</b></p> <p>Cracked Grain/Kernel, maximum (% increase): 1.7 Head Rice (% decrease): 4.7, maximum</p> <p>Hulled/Damaged Grain (% increase): 1, maximum</p> <p><b>Blower flow rate: 0.05 cmm/kg</b></p> <p><b>Static pressure:</b> 25 mmH2O</p> <p><b>Noise Level:</b> 92 dB (A), maximum</p> <p>* Dried grain shall have no burn, discoloration or traces of unburned fuel or other damage</p> <p><b>Accessories</b></p> <ul style="list-style-type: none"> <li>Provided with dust collection system</li> <li>With built-in thermometer and pressure gauge</li> <li>With emergency stop button/switch</li> <li>With drying air and grain temperature display</li> <li>With built-in moisture meter</li> <li>With manual Unloading Head</li> <li>With viewing window for every module</li> <li>With centralized panel for switches/control of grain and drying temperature, pressure voltage, and current</li> <li>Bagging bin with minimum capacity appropriate to the system</li> <li>With weighing scale (Digital)</li> <li>Provision of ladder for repair and maintenance</li> </ul> <p>With Amtec Test Report</p> <p>Performance of the dryer must conform with PAES standards for Rice Dryer</p> <p>With reflectorized DA Logo</p> <p>Performance testing at full load must be undertaken at the expense of the supplier</p> <p>Must have a service center within the region conforming with PAES 192:2016</p> <p>Delivery Duration: 120 days after warehouse construction</p> <p><b>*With NAMDAC Certificate of Accreditation</b></p> <p><b>*With PTO Certification</b></p> <p><b>C. Tempering Bin (2 SETS)</b></p> <p><b>Specifications:</b></p>			
---	--	--	--

<p>Design: Vertical Bin Type</p> <p><b>Bin Capacity</b> : 6 tons capacity, minimum each</p> <p><b>Make:</b> Galvanized Iron</p> <p>Connected to recirculating dryer and rice mill by conveyor</p> <p>Min. dimension of 3500x2300x7250mm</p> <p>With installed fan activated by temp. and moisture sensor</p> <p>With manual Unloading Head</p> <p><b>D. Bagging Bin (1 SET)</b></p> <p><b>Specifications:</b></p> <p>Design: Vertical Bin Type</p> <p><b>Bin Capacity</b> : 10 tons capacity, minimum</p> <p><b>Make:</b> Galvanized Iron</p> <p>Connected to rice mill by conveyor</p> <p>Min. dimension of 3500x2300x7250mm</p> <p>With installed fan activated by temp. and moisture sensor</p> <p>With manual Unloading Head</p> <p><b>E. Generator Set (1 SET)</b></p> <p>With capacity of 150KVA or sufficient to run entire system at 70% KVA</p> <p>Silent Type</p> <p>Cooling System: Water cooled</p> <p>Starting Method: Electric</p> <p>Voltage: 127/220V/380/440V</p> <p>Frequency: 60 hZ</p> <p>Type and number of Wires: Brushless/4 wires</p> <p>Power Factor: 0.8 Lagging</p> <p>Max. dimension of 3000x1100x1700mm</p> <p>With Transfer Switch</p> <p>With Set electrical accessories and fittings</p>			
--	--	--	--

Bidders should have completed, within **Two (2) years** from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).

3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary “*pass/fail*” criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.

Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.

4. Prospective Bidders may obtain further information from **DA RFO 5, BAC Secretariat Office, San Agustin, Pili, Camarines Sur** and inspect the Bidding Documents at the address given below during **Mondays – Fridays, 8:00 AM to 5:00 PM except for Holidays, Saturdays and Sundays**.
5. A complete set of Bidding Documents may be acquired by interested Bidders on **August 25 – September 18, 2023 (1:00 PM)** from the given address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of **Twenty-Five Thousand Pesos (₱25,000.00)**.  
The Procuring Entity shall allow the bidder to present its proof of payment for the fees.
6. The **DA RFO 5** will hold a Pre-Bid Conference on **September 4, 2023; 1:30PM** at 3<sup>rd</sup> Flr. Training Hall, Operations Bldg., DA RFO-5, San Agustin, Pili, Camarines Sur, which shall be open to prospective bidders.
7. Bids must be duly received by the BAC Secretariat through manual submission at the office address indicated below, on or before **September 18, 2023; 1:00 PM**. Late bids shall not be accepted.
8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.
9. Bid opening shall be on **September 18, 2023; 1:30 PM** onwards at the given address below 3<sup>rd</sup> Flr. Training Hall, Operations Bldg., DA RFO-5, San Agustin, Pili, Camarines Sur. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.
10. In case of a tie Bid, the BAC will conduct the Guidelines on the Use of Non-Discretionary/Non-Discriminatory Selection criteria as Tie-Breaking Method thru DRAW LOTS in case of two or more Bidders have been post-qualified determined as the bidder having the lowest calculated and Responsive Bidder (LCRB) (GPPB Circular No. 06-2005).
11. The **DA RFO 5** reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
12. For further information, please refer to:

BAC Secretariat Office  
**Department of Agriculture, Regional Field Office No. 5**  
San Agustin, Pili, Camarines Sur 4418

Email Address: [bacrfo5@gmail.com](mailto:bacrfo5@gmail.com)

For downloading of Bidding Documents: [www.dabicol.gov.ph](http://www.dabicol.gov.ph)

*August 22, 2023*, San Agustin, Pili, Camarines Sur

**LORENZO L. ALVINA**  
Chief, Integrated Laboratory Division  
BAC Chairperson

## ***Section II. Instructions to Bidders***

## 1. Scope of Bid

The Procuring Entity, *Department of Agriculture Regional Field Office No. 5* wishes to receive Bids for the *Supply, Delivery, Installation and Testing of Machineries for operationalization of Rice Processing Center III for implementation under Rice Program 2023* with identification number *29-GOODS-RICE-2023*.

The Procurement Project (referred to herein as “Project”) is composed of *One (1) lot*, the details of which are described in Section VII (Technical Specifications).

## 2. Funding Information

2.1. The GOP through the source of funding as indicated below **General Appropriations Act (GAA) for CY 2023- RSBSA** in the amount of **TWENTY-TWO MILLION PESOS (Php 22,000,000.00)**.

- a. The source of funding is NGA, the General Appropriations Act or Special Appropriations.

## 3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

## 4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex “I” of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

## 5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.

- 5.2. Foreign ownership limited to those allowed under the rules may participate in this Project. (B)
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least **Fifty percent (50%) of the ABC in the amount of ₱11,000,000.00**
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

## **6. Origin of Goods**

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

## **7. Subcontracts**

The Procuring Entity has prescribed that Subcontracting is not allowed.

## **8. Pre-Bid Conference**

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address at **DA RFO 5, San Agustin, Pili, Camarines Sur** and/or through videoconferencing/webcasting} as indicated in paragraph 6 of the **IB**.

## **9. Clarification and Amendment of Bidding Documents**

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

## **10. Documents comprising the Bid: Eligibility and Technical Components**

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within **TWO (2) YEARS** prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must



be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

## **11. Documents comprising the Bid: Financial Component**

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

## **12. Bid Prices**

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
  - a. For Goods offered from within the Procuring Entity's country:
    - i. The price of the Goods quoted EXW (ex-works, ex-factory, ex-warehouse, ex-showroom, or off-the-shelf, as applicable);
    - ii. The cost of all customs duties and sales and other taxes already paid or payable;
    - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
    - iv. The price of other (incidental) services, if any, listed in e.
  - b. For Goods offered from abroad:
    - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers

registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.

- ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications)**.

### 13. Bid and Payment Currencies

13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.

13.2. Payment of the contract price shall be made in:

- a. Philippine Pesos.

### 14. Bid Security

14.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.


14.2. The Bid and bid security shall be valid until **January 16, 2024 (120 days)**. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

### 15. Sealing and Marking of Bids

**Each Bidder shall submit one (1) Original copy of the first and second component of its Bid. The Procuring entity is requesting an additional three (3) hard copies of the bid.** However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

#### Sealed Original, Copy 1, Copy 2 & 3 in one (1) Single Envelope



All copies shall be marked Certified True Copy & signed by the bidder or its duly authorized representative.

**Additional instructions:** All copies must be marked with index/ear tabs or side-end tabs to identify the page components and shall be properly addressed to the **BAC Chairperson**.

## **16. Deadline for Submission of Bids**

16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

## **17. Opening and Preliminary Examination of Bids**

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

## **18. Domestic Preference**

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

## **19. Detailed Evaluation and Comparison of Bids**

19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.

19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.

19.3. The descriptions of the lots or items shall be indicated in **Section VII (Technical Specifications)**, although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the

2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.

19.4. The Project shall be awarded as **One Project having several items that shall be awarded as one contract.**

19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

## **20. Post-Qualification**

20.2. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

## **21. Signing of the Contract**

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

## ***Section III. Bid Data Sheet***

# Bid Data Sheet

ITB Clause						
5.3	For this purpose, contracts similar to the Project shall be: <ul style="list-style-type: none"> <li><b>a. Agricultural Equipment related to the items being procured</b></li> <li>b. Completed within <i>Two (2) years</i> prior to the deadline for the submission and receipt of bids.</li> </ul>					
7.1	No further instruction					
12	The price of the Goods shall be quoted DDP DA RFO 5, SAN AGUSTIN, PILI, CAMARINES SUR or the applicable International Commercial Terms (INCOTERMS) for this Project.					
14.1	The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts: <ul style="list-style-type: none"> <li>a. The amount of not less than <b>₱440,000.00</b>, if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or</li> <li>b. The amount of not less than <b>₱1,100,000.00</b>, if bid security is in Surety Bond.</li> </ul>					
19.3	Partial bid is NOT allowed. <table border="1" style="width: 100%; border-collapse: collapse; margin-top: 10px;"> <thead> <tr> <th style="text-align: center;">Description</th> <th style="text-align: center;">Total Cost</th> </tr> </thead> <tbody> <tr> <td style="padding: 5px;"> <b>Supply, Delivery, Installation and Testing of Machineries for operationalization of Rice Processing Center III</b>   <ul style="list-style-type: none"> <li>*Components designed to work together as linked system</li> <li>* Must meet minimum dimension to fit building design</li> <li>* Must coordinate with building contractor on required mechanical layout</li> <li>* With 8 hours theoretical training and 8 hours hands on training on system operation and maintenance provided to two (2) FCA operators and two (2) DA technicians</li> <li>* With operators manual</li> <li>* Performance testing at full load must be undertaken at the expense of the supplier</li> <li>*Must have a service center within the region conforming with PAES 192:2016 on AFTERSALES services</li> <li>* With G.I or Steel Plate DA Logo</li> <li>* With one(1) set assorted tools for maintenance</li> </ul> <b>Delivery Duration: 120 days after warehouse construction</b> </td> <td style="text-align: center; vertical-align: top; padding: 5px;"><b>22,000,000.00</b></td> </tr> </tbody> </table>		Description	Total Cost	<b>Supply, Delivery, Installation and Testing of Machineries for operationalization of Rice Processing Center III</b>  <ul style="list-style-type: none"> <li>*Components designed to work together as linked system</li> <li>* Must meet minimum dimension to fit building design</li> <li>* Must coordinate with building contractor on required mechanical layout</li> <li>* With 8 hours theoretical training and 8 hours hands on training on system operation and maintenance provided to two (2) FCA operators and two (2) DA technicians</li> <li>* With operators manual</li> <li>* Performance testing at full load must be undertaken at the expense of the supplier</li> <li>*Must have a service center within the region conforming with PAES 192:2016 on AFTERSALES services</li> <li>* With G.I or Steel Plate DA Logo</li> <li>* With one(1) set assorted tools for maintenance</li> </ul> <b>Delivery Duration: 120 days after warehouse construction</b>	<b>22,000,000.00</b>
Description	Total Cost					
<b>Supply, Delivery, Installation and Testing of Machineries for operationalization of Rice Processing Center III</b>  <ul style="list-style-type: none"> <li>*Components designed to work together as linked system</li> <li>* Must meet minimum dimension to fit building design</li> <li>* Must coordinate with building contractor on required mechanical layout</li> <li>* With 8 hours theoretical training and 8 hours hands on training on system operation and maintenance provided to two (2) FCA operators and two (2) DA technicians</li> <li>* With operators manual</li> <li>* Performance testing at full load must be undertaken at the expense of the supplier</li> <li>*Must have a service center within the region conforming with PAES 192:2016 on AFTERSALES services</li> <li>* With G.I or Steel Plate DA Logo</li> <li>* With one(1) set assorted tools for maintenance</li> </ul> <b>Delivery Duration: 120 days after warehouse construction</b>	<b>22,000,000.00</b>					

## **A. Multi-Pass Rice Mill (1 SET)**

### **Specifications:**

Type: Multi-pass type

Power source: Single Phase, 220 Volts AC

System Capacity: 2-3 ton/hr input capacity

Hulling efficiency: 90%, minimum

Milling recovery index: 0.95, minimum

Head rice index: 0.90, minimum

Milling degree: Well-milled

Number of paddy per kg milled rice: 15

Noise level: 92 dB (A), maximum

### **Consists of the following:**

#### **\* Automated Rice huller**

With max. dimension 600x700x750mm

Powered by 10Hp electric motor max.

With adjustable rubber roller clearance and easy replacement

#### **\* Automated Aspirator**

With max. dimension of 1200x1100x1350mm

Powered by 5Hp electric motor max.

With chaff sorter

#### **\* Automated paddy separator**

With max. dimension of 2200x2000x2000mm

Powered by 1Hp electric motor max.

With 99% min. paddy and brown rice separation

Suitable for different rice types/varieties

With provision for easy internal operation observation

#### **\* Automated de-stoner**

Powered by 2Hp electric motor max.

With max. dimension of 1250x1300x1300mm

With 99% destoning capability

With air circulating system capable of 99.9% dust removal

#### **\* Automated rice whitener**

With max. dimension of 1050x1100x1600mm

With blower

With stainless outlet

Vertical type

### **Accessories**

One(1) set bagging bin, 8-10 tons capacity, complete with conveyor attached to rice mill

	<p>One(1) set conveyor system attached from two (2) dryer tempering bins to bagging bin with discharge port and control</p> <p>With Brewer's Rice Sifter</p> <p>With weighing assembly, direct bagging assembly, and bag closer</p> <p>With bran and dust suction</p> <p>With cyclone, tanks, pipes, and fittings made of high quality galvanized iron</p> <p>With access for repair and maintenance</p> <p>With rice hull bin</p> <p>With husk exhaust duct</p> <p>With moisture meter, portable, capacitance type, for rice</p> <p>With weighing scale, Platform type, 1 ton capacity</p> <p><b>*With NAMDAC Certificate of Accreditation</b></p> <p><b>*With PTO Certification</b></p> <p><b>*Authority to use the Certificate of Conformity (CC) and Certificate of Dealership (Engine Only)</b></p> <p><b>B. Recirculating Mechanical Dryer (Batch - Type)</b></p> <p><b>(2 SETS )</b></p> <p><b>Specifications:</b></p> <p>Design: Vertical Bin Type</p> <p>System of Operation: Batch Type</p> <p>Max. dimension of 3500x2300x7250mm</p> <p><b>Power requirement/type:</b> 20.20kW min. load of series of electric motors to run furnace, dryer chamber and tempering bin, single phase induction type motor, 220 V</p> <p><b>Bin Capacity :</b> 6 tons capacity, minimum each</p> <p><b>Make:</b> Stainless S304 body, drying chamber</p> <p><b>Furnace: interchangeable biomass and diesel</b></p> <p>1. Bio-mass Fed, indirect fired, dry type</p> <p style="padding-left: 40px;">Heat Exchanger: Stainless or rust resistant Fire Tubes</p> <p style="padding-left: 40px;">Heating efficiency (Indirect fired biomass)=55%</p> <p>2. Diesel Fed Furnace, direct fired, dry type</p> <p style="padding-left: 40px;">Heating efficiency (direct fired petrol)=95%</p> <p><b>Drying Rate (% per hour):</b></p> <p style="padding-left: 40px;">Diesel: 1.0 minimum</p> <p style="padding-left: 40px;">Biomass: 1.5 minimum</p> <p><b>Moisture Gradient (%):</b></p> <p style="padding-left: 40px;">Diesel: 1.5 maximum</p> <p style="padding-left: 40px;">Biomass: 1.0 maximum</p>	
--	---	--



**Product Quality (Diesel)**

Cracked Grain/Kernel, maximum (% increase): 1.5  
Head Rice (% decrease): 2, maximum

**Product Quality (Biomass)**

Cracked Grain/Kernel, maximum (% increase): 1.7  
Head Rice (% decrease): 4.7, maximum  
Hulled/Damaged Grain (% increase): 1, maximum

**Blower flow rate: 0.05 cmm/kg**

**Static pressure: 25 mmH2O**

**Noise Level: 92 dB (A), maximum**

\* Dried grain shall have no burn, discoloration or traces of unburned fuel or other damage

**Accessories**

- Provided with dust collection system
- With built-in thermometer and pressure gauge
- With emergency stop button/switch
- With drying air and grain temperature display
- With built-in moisture meter
- With manual Unloading Head
- With viewing window for every module
- With centralized panel for switches/control of grain and drying temperature, pressure voltage, and current
- Bagging bin with minimum capacity appropriate to the system
- With weighing scale (Digital)
- Provision of ladder for repair and maintenance
- With Amtec Test Report
- Performance of the dryer must conform with PAES standards for Rice Dryer
- With reflectorized DA Logo
- Performance testing at full load must be undertaken at the expense of the supplier
- Must have a service center within the region conforming with PAES 192:2016
- Delivery Duration: 120 days after warehouse construction

**\*With NAMDAC Certificate of Accreditation**

**\*With PTO Certification**

**C. Tempering Bin (2 SETS)**

**Specifications:**

	<p>Design: Vertical Bin Type</p> <p><b>Bin Capacity</b> : 6 tons capacity, minimum each</p> <p><b>Make:</b> Galvanized Iron</p> <p>Connected to recirculating dryer and rice mill by conveyor</p> <p>Min. dimension of 3500x2300x7250mm</p> <p>With installed fan activated by temp. and moisture sensor</p> <p>With manual Unloading Head</p> <p><b>D. Bagging Bin (1 SET)</b></p> <p><b>Specifications:</b></p> <p>Design: Vertical Bin Type</p> <p><b>Bin Capacity</b> : 10 tons capacity, minimum</p> <p><b>Make:</b> Galvanized Iron</p> <p>Connected to rice mill by conveyor</p> <p>Min. dimension of 3500x2300x7250mm</p> <p>With installed fan activated by temp. and moisture sensor</p> <p>With manual Unloading Head</p> <p><b>E. Generator Set (1 SET)</b></p> <p>With capacity of 150KVA or sufficient to run entire system at 70% KVA</p> <p>Silent Type</p> <p>Cooling System: Water cooled</p> <p>Starting Method: Electric</p> <p>Voltage: 127/220V/380/440V</p> <p>Frequency: 60 hZ</p> <p>Type and number of Wires: Brushless/4 wires</p> <p>Power Factor: 0.8 Lagging</p> <p>Max. dimension of 3000x1100x1700mm</p> <p>With Transfer Switch</p> <p>With Set electrical accessories and fittings</p>	
20.2	<p>The bidder shall submit:</p> <ol style="list-style-type: none"> <li>a. NAMDAC Certificate of Accreditation</li> <li>b. Service Center within the Region Conforming with PAES 192-2016 on AFTERSALES services</li> <li>c. AMTEC Test Report</li> <li>d. Permit to Operate Certification</li> <li>e. Authority to use the Certificate of Conformity (CC) and Certificate of Dealership (Engine Only)</li> <li>f. Certificate of Availability of Stocks</li> <li>g. Certificate of Authority to Supply and to Bid from the Source</li> <li>h. Picture/Brochure of the Product Being Offered</li> </ol>	

	<ul style="list-style-type: none"> <li>i. BIR Registration</li> <li>j. Latest Income Tax Return</li> <li>k. Latest VAT Payment</li> <li>l. Performance Evaluation Report of Single Largest Completed Contract (SLCC) duly signed by the end-user with the approval of the Director or RTD for government contract and with the approval of the highest ranking official for private contract</li> <li>m. Attachment of SLCC [Notice of Award, Contract or PO, Notice to Proceed and Inspection and Acceptance (COA Form) (<b>if government</b>), <b>For Private Contract: Contract/PO and Delivery Receipt with Proof of Acceptance</b>]</li> <li>n. Other requirements peculiar to the procurement project under consideration</li> </ul>
21.2	<i>No further instruction</i>

## ***Section IV. General Conditions of Contract***

## 1. **Scope of Contract**

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC)**.

## 2. **Advance Payment and Terms of Payment**

2.1. Advance payment of the contract amount is provided under Annex “D” of the revised 2016 IRR of RA No. 9184.

2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

## 3. **Performance Security**

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

## 4. **Inspection and Tests**

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the **SCC**, **Section IV (Technical Specifications)** shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

## **5. Warranty**

- 6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

## **6. Liability of the Supplier**

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

## *Section V. Special Conditions of Contract*

## Special Conditions of Contract

GCC Clause	
1	<p><b>Delivery and Documents –</b></p> <p>For purposes of the Contract, “EXW,” “FOB,” “FCA,” “CIF,” “CIP,” “DDP” and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:</p> <p>[For Goods supplied from within the Philippines, state:] “The delivery terms applicable to this Contract are delivered to <b>Department of Agriculture RFO 5, San Agustin, Pili, Camarines Sur</b>. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination.”</p> <p>Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).</p> <p>For purposes of this Clause the Procuring Entity’s Representative at the Project Site is <b>Ms. Cris Borja, Property Officer</b></p> <p><b>Transportation –</b></p> <p>Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.</p> <p>Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.</p>
	<p>Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.</p>



	<p>The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.</p>
	<p><b>Intellectual Property Rights –</b></p>
	<p>The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.</p>
2.2	<p>The terms of payment shall be in <b>full payment</b> after completion of the delivery duly inspected by the inspector and by Focal Person or its representative.</p>
4	<p>The inspections that will be conducted are based on the minimum specifications required as indicated in the Technical Specifications.</p>

## *Section VI. Schedule of Requirements*

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number	Description	Quantity	Total	Delivered, Weeks/ Months
	<p><b>Supply, Delivery, Installation and Testing of Machineries for operationalization of Rice Processing Center III</b></p> <p>*Components designed to work together as linked system            * Must meet minimum dimension to fit building design            * Must coordinate with building contractor on required mechanical layout            * With 8 hours theoretical training and 8 hours hands on training on system operation and maintenance provided to two (2) FCA operators and two (2) DA technicians            * With operators manual            * Performance testing at full load must be undertaken at the expense of the supplier            *Must have a service center within the region conforming with PAES 192:2016 on AFTERSALES services            * With G.I or Steel Plate DA Logo            * With one(1) set assorted tools for maintenance</p> <p><b>Delivery Duration: 120 days after warehouse construction</b></p> <p><b>A. Multi-Pass Rice Mill (1 SET)</b></p> <p><b>Specifications:</b>            Type: Multi-pass type            Power source: Single Phase, 220 Volts AC            System Capacity: 2-3 ton/hr input capacity</p> <p>Hulling efficiency: 90%, minimum            Milling recovery index: 0.95, minimum            Head rice index: 0.90, minimum            Milling degree: Well-milled            Number of paddy per kg milled rice: 15            Noise level: 92 dB (A), maximum</p> <p><b>Consists of the following:</b>            * <b>Automated Rice huller</b>            With max. dimension 600x700x750mm</p>	1 lot	₱22,000,000.00	120 days after warehouse construction

	<p>Powered by 10Hp electric motor max. With adjustable rubber roller clearance and easy replacement</p> <p><b>* Automated Aspirator</b></p> <p>With max. dimension of 1200x1100x1350mm Powered by 5Hp electric motor max. With chaff sorter</p> <p><b>* Automated paddy separator</b></p> <p>With max. dimension of 2200x2000x2000mm Powered by 1Hp electric motor max. With 99% min. paddy and brown rice separation Suitable for different rice types/varieties With provision for easy internal operation observation</p> <p><b>* Automated de-stoner</b></p> <p>Powered by 2Hp electric motor max. With max. dimension of 1250x1300x1300mm With 99% destoning capability With air circulating system capable of 99.9% dust removal</p> <p><b>* Automated rice whitener</b></p> <p>With max. dimension of 1050x1100x1600mm With blower With stainless outlet Vertical type</p> <p><b>Accessories</b></p> <p>One(1) set bagging bin, 8-10 tons capacity, complete with conveyor attached to rice mill One(1) set conveyor system attached from two (2) dryer tempering bins to bagging bin with discharge port and control</p> <p>With Brewer's Rice Sifter With weighing assembly, direct bagging assembly, and bag closer With bran and dust suction With cyclone, tanks, pipes, and fittings made of high quality galvanized iron With access for repair and maintenance With rice hull bin With husk exhaust duct With moisture meter, portable, capacitance type, for rice With weighing scale, Platform type, 1 ton capacity</p> <p><b>*With NAMDAC Certificate of Accreditation</b></p>			
--	--	--	--	--

**\*With PTO Certification**

**\*Authority to use the Certificate of Conformity (CC) and Certificate of Dealership (Engine Only)**

**B. Recirculating Mechanical Dryer (Batch - Type)**

**(2 SETS )**

**Specifications:**

Design: Vertical Bin Type

System of Operation: Batch Type

Max. dimension of 3500x2300x7250mm

**Power requirement/type:** 20.20kW min. load of series of electric motors to run furnace, dryer chamber and tempering bin, single phase induction type motor, 220 V

**Bin Capacity :** 6 tons capacity, minimum each

**Make:** Stainless S304 body, drying chamber

**Furnace: interchangeable biomass and diesel**

1. Bio-mass Fed, indirect fired, dry type

Heat Exchanger: Stainless or rust resistant Fire Tubes

Heating efficiency (Indirect fired biomass)=55%

2. Diesel Fed Furnace, direct fired, dry type

Heating efficiency (direct fired petrol)=95%

**Drying Rate (% per hour):**

Diesel: 1.0 minimum

Biomass: 1.5 minimum

**Moisture Gradient (%):**

Diesel: 1.5 maximum

Biomass: 1.0 maximum

**Product Quality (Diesel)**

Cracked Grain/Kernel, maximum (% increase): 1.5

Head Rice (% decrease): 2, maximum

**Product Quality (Biomass)**

Cracked Grain/Kernel, maximum (% increase): 1.7

Head Rice (% decrease): 4.7, maximum

Hulled/Damaged Grain (% increase): 1, maximum

**Blower flow rate: 0.05 cmm/kg**

**Static pressure:** 25 mmH2O

**Noise Level:** 92 dB (A), maximum

\* Dried grain shall have no burn, discoloration or traces of

unburned fuel or other damage

**Accessories**

<p>Provided with dust collection system</p> <p>With built-in thermometer and pressure gauge</p> <p>With emergency stop button/switch</p> <p>With drying air and grain temperature display</p> <p>With built-in moisture meter</p> <p>With manual Unloading Head</p> <p>With viewing window for every module</p> <p>With centralized panel for switches/control of grain and drying temperature, pressure voltage, and current</p> <p>Bagging bin with minimum capacity appropriate to the system</p> <p>With weighing scale (Digital)</p> <p>Provision of ladder for repair and maintenance</p> <p>With Amtec Test Report</p> <p>Performance of the dryer must conform with PAES standards for Rice Dryer</p> <p>With reflectorized DA Logo</p> <p>Performance testing at full load must be undertaken at the expense of the supplier</p> <p>Must have a service center within the region conforming with PAES 192:2016</p> <p>Delivery Duration: 120 days after warehouse construction</p> <p><b>*With NAMDAC Certificate of Accreditation</b></p> <p><b>*With PTO Certification</b></p>			
<p><b>C. Tempering Bin (2 SETS)</b></p> <p><b>Specifications:</b></p> <p>Design: Vertical Bin Type</p> <p><b>Bin Capacity</b> : 6 tons capacity, minimum each</p> <p><b>Make:</b> Galvanized Iron</p> <p>Connected to recirculating dryer and rice mill by conveyor</p> <p>Min. dimension of 3500x2300x7250mm</p> <p>With installed fan activated by temp. and moisture sensor</p> <p>With manual Unloading Head</p> <p><b>D. Bagging Bin (1 SET)</b></p> <p><b>Specifications:</b></p> <p>Design: Vertical Bin Type</p> <p><b>Bin Capacity</b> : 10 tons capacity, minimum</p> <p><b>Make:</b> Galvanized Iron</p>			

<p>Connected to rice mill by conveyor</p> <p>Min. dimension of 3500x2300x7250mm</p> <p>With installed fan activated by temp. and moisture sensor</p> <p>With manual Unloading Head</p> <p><b>E. Generator Set (1 SET)</b></p> <p>With capacity of 150KVA or sufficient to run entire system at 70% KVA</p> <p>Silent Type</p> <p>Cooling System: Water cooled</p> <p>Starting Method: Electric</p> <p>Voltage: 127/220V/380/440V</p> <p>Frequency: 60 hZ</p> <p>Type and number of Wires: Brushless/4 wires</p> <p>Power Factor: 0.8 Lagging</p> <p>Max. dimension of 3000x1100x1700mm</p> <p>With Transfer Switch</p> <p>With Set electrical accessories and fittings</p>			
--	--	--	--

**DELIVERY SITE:**

Bula, Camarines Sur

I hereby commit to comply and deliver all the above requirements in accordance with above stated schedule.

Signature over Printed Name of Authorized Representative

\_\_\_\_\_

Date: \_\_\_\_\_

## ***Section VII. Technical Specifications***

# Technical Specifications

ITEM	Specifications	Statement of Compliance
		<p><i>[Bidders must state here either “Comply” or “Not Comply” against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of “Comply” or “Not Comply” must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer’s un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder’s statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]</i></p>
	<p><b>Supply, Delivery, Installation and Testing of Machineries for operationalization of Rice Processing Center III</b></p> <ul style="list-style-type: none"> <li>*Components designed to work together as linked system</li> <li>* Must meet minimum dimension to fit building design</li> <li>* Must coordinate with building contractor on required mechanical layout</li> </ul>	



- \* With 8 hours theoretical training and 8 hours hands on training on system operation and maintenance provided to two (2) FCA operators and two (2) DA technicians
- \* With operators manual
- \* Performance testing at full load must be undertaken at the expense of the supplier
- \*Must have a service center within the region conforming with PAES 192:2016 on AFTERSALES services
- \* With G.I or Steel Plate DA Logo
- \* With one(1) set assorted tools for maintenance

**Delivery Duration: 120 days after warehouse construction**

#### **A. Multi-Pass Rice Mill (1 SET)**

##### **Specifications:**

Type: Multi-pass type

Power source: Single Phase, 220 Volts AC

System Capacity: 2-3 ton/hr input capacity

Hulling efficiency: 90%, minimum

Milling recovery index: 0.95, minimum

Head rice index: 0.90, minimum

Milling degree: Well-milled

Number of paddy per kg milled rice: 15

Noise level: 92 dB (A), maximum

##### **Consists of the following:**

##### **\* Automated Rice huller**

With max. dimension 600x700x750mm

Powered by 10Hp electric motor max.

With adjustable rubber roller clearance and easy replacement

##### **\* Automated Aspirator**

With max. dimension of 1200x1100x1350mm

Powered by 5Hp electric motor max.

With chaff sorter

##### **\* Automated paddy separator**

With max. dimension of 2200x2000x2000mm

Powered by 1Hp electric motor max.

With 99% min. paddy and brown rice separation

Suitable for different rice types/varieties

With provision for easy internal operation observation

##### **\* Automated de-stoner**

Powered by 2Hp electric motor max.

With max. dimension of 1250x1300x1300mm

With 99% destoning capability

With air circulating system capable of 99.9% dust removal

**\* Automated rice whitener**

With max. dimension of 1050x1100x1600mm

With blower

With stainless outlet

Vertical type

**Accessories**

One(1) set bagging bin, 8-10 tons capacity, complete with conveyor attached to rice mill

One(1) set conveyor system attached from two (2) dryer tempering bins to bagging bin with discharge port and control

With Brewer's Rice Sifter

With weighing assembly, direct bagging assembly, and bag closer

With bran and dust suction

With cyclone, tanks, pipes, and fittings made of high quality galvanized iron

With access for repair and maintenance

With rice hull bin

With husk exhaust duct

With moisture meter, portable, capacitance type, for rice

With weighing scale, Platform type, 1 ton capacity

**\*With NAMDAC Certificate of Accreditation**

**\*With PTO Certification**

**\*Authority to use the Certificate of Conformity (CC) and Certificate of Dealership (Engine Only)**

**B. Recirculating Mechanical Dryer (Batch - Type)**

**(2 SETS )**

**Specifications:**

Design: Vertical Bin Type

System of Operation: Batch Type

Max. dimension of 3500x2300x7250mm

**Power requirement/type:** 20.20kW min. load of series of electric motors to run furnace, dryer chamber and tempering bin, single phase induction type motor, 220 V

**Bin Capacity :** 6 tons capacity, minimum each

**Make:** Stainless S304 body, drying chamber

**Furnace: interchangeable biomass and diesel**

1. Bio-mass Fed, indirect fired, dry type

Heat Exchanger: Stainless or rust resistant Fire Tubes

Heating efficiency (Indirect fired biomass)=55%

2. Diesel Fed Furnace, direct fired, dry type

Heating efficiency (direct fired petrol)=95%

**Drying Rate (% per hour):**

Diesel: 1.0 minimum

Biomass: 1.5 minimum

**Moisture Gradient (%):**

Diesel: 1.5 maximum

Biomass: 1.0 maximum

**Product Quality (Diesel)**

Cracked Grain/Kernel, maximum (% increase): 1.5

Head Rice (% decrease): 2, maximum

**Product Quality (Biomass)**

Cracked Grain/Kernel, maximum (% increase): 1.7

Head Rice (% decrease): 4.7, maximum

Hulled/Damaged Grain (% increase): 1, maximum

**Blower flow rate: 0.05 cmm/kg**

**Static pressure:** 25 mmH2O

**Noise Level:** 92 dB (A), maximum

\* Dried grain shall have no burn, discoloration or traces of unburned fuel or other damage

**Accessories**

Provided with dust collection system

With built-in thermometer and pressure gauge

With emergency stop button/switch

With drying air and grain temperature display

With built-in moisture meter

With manual Unloading Head

With viewing window for every module

With centralized panel for switches/control of grain and drying temperature, pressure voltage, and current

Bagging bin with minimum capacity appropriate to the system

With weighing scale (Digital)

Provision of ladder for repair and maintenance

With Amtec Test Report

Performance of the dryer must conform with PAES standards for Rice Dryer

With reflectorized DA Logo

Performance testing at full load must be undertaken at the expense of the supplier

Must have a service center within the region conforming with PAES 192:2016

Delivery Duration: 120 days after warehouse construction

**\*With NAMDAC Certificate of Accreditation**

**\*With PTO Certification**

### **C. Tempering Bin (2 SETS)**

#### **Specifications:**

Design: Vertical Bin Type

**Bin Capacity** : 6 tons capacity, minimum each

**Make:** Galvanized Iron

Connected to recirculating dryer and rice mill by conveyor

Min. dimension of 3500x2300x7250mm

With installed fan activated by temp. and moisture sensor

With manual Unloading Head

### **D. Bagging Bin (1 SET)**

#### **Specifications:**

Design: Vertical Bin Type

**Bin Capacity** : 10 tons capacity, minimum

**Make:** Galvanized Iron

Connected to rice mill by conveyor

Min. dimension of 3500x2300x7250mm

With installed fan activated by temp. and moisture sensor

With manual Unloading Head

### **E. Generator Set (1 SET)**

With capacity of 150KVA or sufficient to run entire system at 70% KVA

Silent Type

Cooling System: Water cooled

Starting Method: Electric

Voltage: 127/220V/380/440V

Frequency: 60 hZ

Type and number of Wires: Brushless/4 wires

Power Factor: 0.8 Lagging

Max. dimension of 3000x1100x1700mm

With Transfer Switch

With Set electrical accessories and fittings

- a. NAMDAC Certificate of Accreditation
- b. Service Center within the Region Conforming with PAES 192-2016 on AFTERSALES services
- c. AMTEC Test Report

- d. Permit to Operate Certification
- e. Authority to use the Certificate of Conformity (CC) and Certificate of Dealership (Engine Only)
- f. Certificate of Availability of Stocks
- g. Certificate of Authority to Supply and to Bid from the Source
- h. Picture/Brochure of the Product Being Offered

**\*Bidder/s may attach the above mentioned documents but not be a ground for disqualification during the bid opening.**

I hereby commit to comply and deliver all the above requirements in accordance with above technical specifications.

Signature over Printed Name of Authorized Representative

\_\_\_\_\_


Date: \_\_\_\_\_

***Section VIII. Checklist of Technical and  
Financial Documents***

# Checklist of Technical and Financial Documents

**Each Bidder shall submit one (1) Original copy of the first and second component of its Bid. The Procuring entity is requesting an additional three (3) hard copies of the bid.**

**Sealed Original, Copy 1, Copy 2& 3 in one (1) Single Envelope**



All copies shall be marked Certified True Copy & signed by the bidder or its duly authorized representative.

**Additional instructions:** All copies must be marked with index/ear tabs or side-end tabs to identify the page components and shall be properly addressed to the **BAC Chairperson**.

## I. TECHNICAL COMPONENT ENVELOPE

### *Class "A" Documents*

#### Legal Documents

- (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) in accordance with Section 8.5.2 of the IRR;

#### Technical Documents

- (f) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; **and**
- (g) Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents; **and**
- (h) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission;
  - or**
  - Original copy of Notarized Bid Securing Declaration; **and**
- (i) Conformity with the Technical Specifications, which may include production/delivery schedule, manpower requirements, and/or after-sales/parts, if applicable; **and**
- (j) Original duly signed Omnibus Sworn Statement (OSS); **and** if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of

Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

Financial Documents

- (k) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC);  
**or**  
A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

***Class "B" Documents***

- (l) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence;  
**or**  
duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

Other documentary requirements under RA No. 9184 (as applicable)

- (m) *[For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos]* Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
- (n) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

**25 FINANCIAL COMPONENT ENVELOPE**

- (a) Original of duly signed and accomplished Financial Bid Form; **and**
- (b) Original of duly signed and accomplished Price Schedule(s).



## ***Section IX. BIDDING FORMS***

**BID FORM**

Date : \_\_\_\_\_  
Project Identification No. : \_\_\_\_\_

To: *[name and address of Procuring Entity]*

Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers *[insert numbers]*, the receipt of which is hereby duly acknowledged, we, the undersigned, offer to *[supply/deliver/perform]* *[description of the Goods]* in conformity with the said PBDs for the sum of *[total Bid amount in words and figures]* or the total calculated bid price, as evaluated and corrected for computational errors, and other bid modifications in accordance with the Price Schedules attached herewith and made part of this Bid. The total bid price includes the cost of all taxes, such as, but not limited to: *[specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties]*, which are itemized herein or in the Price Schedules,

If our Bid is accepted, we undertake:

- a. to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements of the Philippine Bidding Documents (PBDs);
- b. to provide a performance security in the form, amounts, and within the times prescribed in the PBDs;
- c. to abide by the Bid Validity Period specified in the PBDs and it shall remain binding upon us at any time before the expiration of that period.

*[Insert this paragraph if Foreign-Assisted Project with the Development Partner:*

Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below:

Name and address of agent	Amount	Purpose of Commission or gratuity
_____	_____	_____
_____	_____	_____
_____	_____	_____

(if none, state "None" ) ]

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements pursuant to the PBDs.

The undersigned is authorized to submit the bid on behalf of *[name of the bidder]* as evidenced by the attached *[state the written authority]*.

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

Name: \_\_\_\_\_

Legal capacity: \_\_\_\_\_

Signature: \_\_\_\_\_

Duly authorized to sign the Bid for and behalf of: \_\_\_\_\_

Date: \_\_\_\_\_

*GPPB Resolution No. 16-2020, dated 16 September 2020*

**Price Schedule for Goods Offered from Abroad**  
*[shall be submitted with the Bid if bidder is offering goods from Abroad]*

---

**For Goods Offered from Abroad**

Name of Bidder \_\_\_\_\_ Project ID No. \_\_\_\_\_ Page \_\_\_ of \_\_\_

1	2	3	4	5	6	7	8	9
Item	Description	Country of origin	Quantity	Unit price CIF port of entry (specify port) or CIP named place  (specify border point or place of destination)	Total CIF or CIP price per item  (col. 4 x 5)	Unit Price Delivered Duty Unpaid (DDU)	Unit price Delivered Duty Paid (DDP)	Total Price delivered DDP (col 4 x 8)

Name: \_\_\_\_\_

Legal Capacity: \_\_\_\_\_

Signature: \_\_\_\_\_

Duly authorized to sign the Bid for and behalf of: \_\_\_\_\_

**Price Schedule for Goods Offered from Within the Philippines**  
*[shall be submitted with the Bid if bidder is offering goods from within the Philippines]*

---

**For Goods Offered from Within the Philippines**

Name of Bidder \_\_\_\_\_ Project ID No. \_\_\_\_\_ Page \_\_\_ of \_\_\_

1	2	3	4	5	6	7	8	9	10
Item No.	Description	Country of Origin	Quantity	Unit Price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and Other taxes payable if contract is awarded per item	Cost of Incidental Services, if applicable, per item	Total Price per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4)

Name: \_\_\_\_\_

Legal Capacity: \_\_\_\_\_

Signature: \_\_\_\_\_

Duly authorized to sign the Bid for and behalf of: \_\_\_\_\_

*GPPB Resolution No. 16-2020, dated 16 September 2020*

**Bid Securing Declaration Form**  
*[shall be submitted with the Bid if bidder opts to provide this form of bid security]*

---

REPUBLIC OF THE PHILIPPINES)  
CITY OF \_\_\_\_\_) S.S.

**BID SECURING DECLARATION**  
**Project Identification No.: *[Insert number]***

To: *[Insert name and address of the Procuring Entity]*

I/We, the undersigned, declare that:

1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration.
2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
  - a. Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
  - b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and
  - c. I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this \_\_\_\_ day of *[month]* *[year]* at *[place of execution]*.

*[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]*  
*[Insert signatory's legal capacity]*  
Affiant

**[Jurat]**  
*[Format shall be based on the latest Rules on Notarial Practice]*

**Contract Agreement Form for the Procurement of Goods (Revised)**  
***[Not required to be submitted with the Bid, but it shall be submitted within ten***  
***(10) days after receiving the Notice of Award]***

---

**CONTRACT AGREEMENT**

THIS AGREEMENT made the \_\_\_\_\_ day of \_\_\_\_\_ 20\_\_\_\_ between [name of PROCURING ENTITY] of the Philippines (hereinafter called “the Entity”) of the one part and [name of Supplier] of [city and country of Supplier] (hereinafter called “the Supplier”) of the other part;

WHEREAS, the Entity invited Bids for certain goods and ancillary services, particularly [brief description of goods and services] and has accepted a Bid by the Supplier for the supply of those goods and services in the sum of [*contract price in words and figures in specified currency*] (hereinafter called “the Contract Price”).

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to.
2. The following documents as required by the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184 shall be deemed to form and be read and construed as integral part of this Agreement, *viz.*:
  - i. Philippine Bidding Documents (PBDs);
    - i. Schedule of Requirements;
    - ii. Technical Specifications;
    - iii. General and Special Conditions of Contract; and
    - iv. Supplemental or Bid Bulletins, if any
  - ii. Winning bidder’s bid, including the Eligibility requirements, Technical and Financial Proposals, and all other documents or statements submitted;  
  
Bid form, including all the documents/statements contained in the Bidder’s bidding envelopes, as annexes, and all other documents submitted (e.g., Bidder’s response to request for clarifications on the bid), including corrections to the bid, if any, resulting from the Procuring Entity’s bid evaluation;
  - iii. Performance Security;
  - iv. Notice of Award of Contract; and the Bidder’s conforme thereto; and
  - v. Other contract documents that may be required by existing laws and/or the Procuring Entity concerned in the PBDs. **Winning bidder agrees that additional contract documents or information prescribed by the GPPB that are subsequently required for submission after the contract execution, such as the Notice to Proceed, Variation Orders, and Warranty Security, shall likewise form part of the Contract.**
3. In consideration for the sum of [*total contract price in words and figures*] or such other sums as may be ascertained, [*Named of the bidder*] agrees to [*state the object of the contract*] in accordance with his/her/its Bid.

4. The *[Name of the procuring entity]* agrees to pay the above-mentioned sum in accordance with the terms of the Bidding.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with the laws of the Republic of the Philippines on the day and year first above written.

*[Insert Name and Signature]*

*[Insert Name and Signature]*

*[Insert Signatory's Legal Capacity]*

*[Insert Signatory's Legal Capacity]*

for:

for:

*[Insert Procuring Entity]*

*[Insert Name of Supplier]*

**Acknowledgment**

*[Format shall be based on the latest Rules on Notarial Practice]*



**Omnibus Sworn Statement (Revised)**  
*[shall be submitted with the Bid]*

---

REPUBLIC OF THE PHILIPPINES )  
CITY/MUNICIPALITY OF \_\_\_\_\_ ) S.S.

**AFFIDAVIT**

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

1. *[Select one, delete the other:]*

*[If a sole proprietorship:]* I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

*[If a partnership, corporation, cooperative, or joint venture:]* I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. *[Select one, delete the other:]*

*[If a sole proprietorship:]* As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

*[If a partnership, corporation, cooperative, or joint venture:]* I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable)];

3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, **by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;**

4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;

5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;

6. *[Select one, delete the rest:]*

*[If a sole proprietorship:]* The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical

Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

*[If a partnership or cooperative:]* None of the officers and members of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

*[If a corporation or joint venture:]* None of the officers, directors, and controlling stockholders of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

7. *[Name of Bidder]* complies with existing labor laws and standards; and
8. *[Name of Bidder]* is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
  - a. Carefully examining all of the Bidding Documents;
  - b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
  - c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
  - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the *[Name of the Project]*.
9. *[Name of Bidder]* did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
10. **In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.**

**IN WITNESS WHEREOF**, I have hereunto set my hand this \_\_\_ day of \_\_\_, 20\_\_ at \_\_\_\_\_, Philippines.

*[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]*

*[Insert signatory's legal capacity]*

Affiant

**[Jurat]**

*[Format shall be based on the latest Rules on Notarial Practice]*

GPPB Resolution No. 16-2020, dated 16 September 2020

**Performance Securing Declaration (Revised)**

***[if used as an alternative performance security but it is not required to be submitted with the Bid, as it shall be submitted within ten (10) days after receiving the Notice of Award]***

REPUBLIC OF THE PHILIPPINES)  
CITY OF \_\_\_\_\_ ) S.S.

**PERFORMANCE SECURING DECLARATION**

Invitation to Bid: [Insert Reference Number indicated in the Bidding Documents]

To: [Insert name and address of the Procuring Entity]

I/We, the undersigned, declare that:

1. I/We understand that, according to your conditions, to guarantee the faithful performance by the supplier/distributor/manufacturer/contractor/consultant of its obligations under the Contract, I/we shall submit a Performance Securing Declaration within a maximum period of ten (10) calendar days from the receipt of the Notice of Award prior to the signing of the Contract.
2. I/We accept that: I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of one (1) year for the first offense, or two (2) years **for the second offense**, upon receipt of your Blacklisting Order if I/We have violated my/our obligations under the Contract;
3. I/We understand that this Performance Securing Declaration shall cease to be valid upon:
  - a. issuance by the Procuring Entity of the Certificate of Final Acceptance, subject to the following conditions:
    - i. Procuring Entity has no claims filed against the contract awardee;
    - ii. It has no claims for labor and materials filed against the contractor; and
    - iii. Other terms of the contract; or
  - b. replacement by the winning bidder of the submitted PSD with a performance security in any of the prescribed forms under Section 39.2 of the 2016 revised IRR of RA No. 9184 as required by the end-user.

**IN WITNESS WHEREOF**, I/We have hereunto set my/our hand/s this \_\_\_\_ day of [month] [year] at [place of execution].

*[Insert NAME OF BIDDER OR ITS  
AUTHORIZED REPRESENTATIVE]  
[Insert signatory's legal capacity]  
Affiant*

**[Jurat]**

*[Format shall be based on the latest Rules on Notarial Practice]*

*GPPB Resolution No. 16-2020, dated 16 September 2020*

