# **DEPARTMENT OF AGRICULTURE**

Regional Field Office No. 5 San Agustin, Pili, Camarines Sur 4418



Supply, delivery and Installation of Two (2) units Feed Processing Facility for the Implementation of OAP 2024

05-GOODS-OAP- 2024

ABC - Php 2,130,000.00

Sixth Edition
December 4, 2023

# **Table of Contents**

Glossa	ary of Acronyms, Terms, and Abbreviations	3
Sectio	on I. Invitation to Bid	6
Sectio	on II. Instructions to Bidders	12
1.	Scope of Bid	
2.	Funding Information	14
3.	Bidding Requirements	
4.	Corrupt, Fraudulent, Collusive, and Coercive Practices	14
5.	Eligible Bidders	14
6.	Origin of Goods	15
7.	Subcontracts	15
8.	Pre-Bid Conference	15
9.	Clarification and Amendment of Bidding Documents	15
10.	Documents comprising the Bid: Eligibility and Technical Components	15
11.	Documents comprising the Bid: Financial Component	16
12.	Bid Prices	16
13.	Bid and Payment Currencies	17
14.	Bid Security	17
15.	Sealing and Marking of Bids	17
16.	Deadline for Submission of Bids	18
17.	Opening and Preliminary Examination of Bids	18
18.	Domestic Preference	18
19.	Detailed Evaluation and Comparison of Bids	18
20.	Post-Qualification	19
21.	Signing of the Contract	19
Sectio	n III. Bid Data Sheet	20
Sectio	on IV. General Conditions of Contract	23
1.	Scope of Contract	24
2.	Advance Payment and Terms of Payment	24
3.	Performance Security	24
4.	Inspection and Tests	24
5.	Warranty	25
6.	Liability of the Supplier	25
Sectio	on V. Special Conditions of Contract	26
Sectio	on VI. Schedule of Requirements	29
	on VII. Technical Specifications	
	on VIII. Checklist of Technical and Financial Documents	

# Glossary of Acronyms, Terms, and Abbreviations

**ABC** –Approved Budget for the Contract.

**BAC** – Bids and Awards Committee.

**Bid** – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

**Bidder** – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

**Bidding Documents** – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

**BIR** – Bureau of Internal Revenue.

**BSP** – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

**CDA** - Cooperative Development Authority.

**Contract** – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

**CIF** – Cost Insurance and Freight.

**CIP** – Carriage and Insurance Paid.

**CPI** – Consumer Price Index.

**DDP** – Refers to the quoted price of the Goods, which means "delivered duty paid."

**DTI** – Department of Trade and Industry.

 $\mathbf{EXW} - \mathbf{Ex}$  works.

**FCA** – "Free Carrier" shipping point.

**FOB** – "Free on Board" shipping point.

**Foreign-funded Procurement or Foreign-Assisted Project**—Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

**Framework Agreement** – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

**GFI** – Government Financial Institution.

**GOCC** –Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

**GOP** – Government of the Philippines.

**GPPB** – Government Procurement Policy Board.

**INCOTERMS** – International Commercial Terms.

**Infrastructure Projects** – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national

buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

**NFCC** – Net Financial Contracting Capacity.

**NGA** – National Government Agency.

**PhilGEPS -** Philippine Government Electronic Procurement System.

**Procurement Project** – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

**PSA** – Philippine Statistics Authority.

**SEC** – Securities and Exchange Commission.

**SLCC** – Single Largest Completed Contract.

**Supplier** – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

**UN** – United Nations.

# Section I. Invitation to Bid





# Republic of the Philippines REGIONAL FIELD OFFICE NO. 5

San Agustin, Pili, Camarines Sur

## **INVITATION TO BID**

Supply, delivery and Installation of Two (2) units Feed Processing Facility for the Implementation of OAP 2024

1. The Department of Agriculture Regional Field Office No. 5 (DA RFO 5), through the National Expenditure Program (NEP) for FY 2024-Organic Agriculture Program intends to apply the sum of Two Million One Hundred Thirty Pesos (Php2,130,000.00) being the total ABC to payments under the contract for ITB No. 05-GOODS-OAP-2024, as follows:

Description	ABC (Php) (inclusive of VAT)	Funding Source
Supply, delivery and Installation of Two (2) units Feed Processing Facility in Masbate and Cam. Sur	2,130,000.00	NEP OAP 2024
TOTAL	Php2,130,000.00	

Bids received in excess of the ABC shall be automatically rejected at bid opening. **Partial bid is NOT allowed.** 

2. The *Department of Agriculture Regional Field Office No. 5* now invites bids for the following:

Description	Location of Project	Specifications	Unit Price	Delivery of the Goods
Supply, delivery and		Feed Processing Facility		
Installation of Two (2)	1 unit - MCLD,	System Components	<del>1,065,000.00/</del>	60
units Feed Processing	Masbate	system components	unit	calendar
Facility.	1 .'. CDEC DA DEO	A. Corn Grits mill		days upon
	1 unit- CBES, DA RFO 5, Pili, Camarines Sur	Prime Mover		issuance of
	5, Pill, Califal files Sul			Notice to
		Power Requirement: 12HP air		Proceed
		cooled diesel engine, max Power: 85% min of the rated		(NTP)
		power		
		Design and Performance		
		Matawial Food Crade Non		
		Material: Food Grade, Non- corrosive steel		
		Noise Level:96 dB(A), maximum		
		Swinging Type Hammer Mill		
		Input Capacity: 250 kg/ hr, minimum		
		With Replaceable Milling		
		Screens		
		Product Output		
		1. Grit No. 12-14		
		2. Finest Modulus Flour		
		Attachments/ Accessories		
		One (1) spare hammer		
		Collecting Bin for discharge outlet		
		*AMTEC Tested- Must be present in		
		the bid opening during pass or fail		
		criterion.		
		*Authority to use the Certificate of Conformity (CC) and Certificate		
		of Dealership (Engine Only)		
		and a second (Engine emy)		
		B. Multi Crop Pulverizer		
		Prime Mover		
		Power: 5-6HP Engine		
		Design and Performance		
		Material: Food Grade, Non-		
		corrosive steel		
		Noise Level:95 dB(A), maximum		
		Capacity: 25-30 kg/hr (as per		
		cassava) minimum		
		Pulverizing Recovery: 95%,		
		minimum		

Application: Adaptable to drief Pritis, vegetables and grains  With provision of 90-100 steel mesh With tolorable dust emission and pulverizing recovery of 98% minimum  Attachments/ Accessories Provided with attest one (1) food-grade collecting containers Provided with set of screens *AMTEC Tested- Must be present in the bid opening during pass or fail criterion.  *Authority to use the Gertificate of Conformity (CC) and Certificate of Conformity (EC) and Certificate of Dealership (Engine Only)  C. Mixer  Prime Mover  Prime Mover  Power Requirement: 12HP air cooled diesel engine, max Power 85% min of the rated power Design and Performance  Material: Food Grade, Non	 	 
grains With provision of 90-100 steel mesh With tolerable dust emission and pulverizing recovery of 98% minimum  Attachments/ Accessories Provided with atteast one (1) food-grade collecting containers Provided with set of screens *AMTEC Tested- Must be present in the bid opening during pass or fall criterion. *Authority to use the Certificate of Conformity (CC) and Certificate of Dealership (Engine Only)  C. Mixer  Prime Mover  Prime Mover  Power Requirement: 12HP air cooled diesel engine, max Powers 85% min of the rated power  Design and Performance  Material: Food Grade, Non -corrosive steel Noise Level: 96 dB(A), maximum Horizontal or Vertical Type Mixing Device Mixing Rate: 500 kg/ hr, minimum  *AMTEC Tested-Must be present in the bid opening during pass or fall criterion.  D. Pelletizer Machine  Prime Mover  Electric Motor: 5HP Electric Motor, minimum Voltage: 220V Single Phasee  Design and Performance Input Capacity: 145 kg/hr,	Application: Adaptable to	
With provision of 90-100 steel mesh With tolerable dust emission and pulverizing recovery of 98% minimum  Attachments/ Accessories Provided with atteast one (1) food-grade collecting containers Provided with set of screens **AMTEC Tested- Must be present in the bid opening duting pass or fail criterion **Authority to use the Certificate of Conformity (CC) and Certificate of Dealership (Engine Only)  G. Mixer  Prime Mover  Power Requirement: 12HP air cooled diesel engine, max Power 85% min of the rated power  Design and Performance  Material: Food Grade, Non -corrosive steel Noise bevel:96 dB(A), maximum Horizantal or Vertical Type Mixing Device Mixing Device Mixing Device Mixing Device Mixing Device Mixing Rate: 500 kg/ hr, minimum  *AMTEC Tested- Must be present in the bid opening during pass or fail criterion.  D. Pelletizer Machine  Prime Mover    Prime Mover	dried fruits, vegetables and	
steel mesh With tolerable dust emission and pulverrizing recovery of 98% minimum  Attachments/ Accessories Provided with atleast one (1) food-grade collecting containers Provided with set of screens *AMTEC Tested-Must be present in the bid opening during pass or fail criterion.  *Authority to use the Certificate of Conformity (CQ) and Certificate of Dealership (Engine Only)  C. Mixer  Prime Mover  Power Requirement: 12HP air cooled diesel engine, max Power: 85% min of the rated power  Design and Performance  Material: Food Grade, Non -corrosive steel Noise Level:96 dB(A), maximum Horizontal or Vertical Type Mixing Device  Mixing Device  Mixing Pate: 500 kg/ hr, minimum  *AMTEC Tested-Must be present in the bid opening during pass or fail criterion.  D. Pelletizer Machine  Prime Mover  Electric Motor: SHP Electric Motor, minimum  Voltage: 220V Single Phase  Design and Performance  Input Capacity: 145 kg/hr,		
With tolerable dust emission and pulverizing recovery of 98% minimum  Attachments/ Accessories Provided with atteast one (1) food-grade collecting containers Provided with set of screens **AMTEC Tested- Must be present in the bid opening during pass or fail criterion.  **Authority to use the Certificate of Conformity (CG) and Certificate of Dealership (Engine Only)  **G. Mixer*  Prime Mover  Power Requirement: 12HP air cooled diesel engine, max Power 85% min of the rated power  Design and Performance  Material: Food Grade, Non -corrosive steel Noise Level-96 dff(A), maximum Horizontal or Vertical Type Mixing Device Mixing Device Mixing Rate: 500 kg/ hr, minimum  **AMTEC Tested- Must be present in the bid opening during pass or fail criterion.  D. Pelletizer Machine  Prime Mover  Electric Motor: 5HP Electric Motor, minimum  Voltage: 220V  Single Phase  Design and Performance  Input Capacity: 145 kg/hr,		
and pulverizing recovery of 98% minimum  Attachments/ Accessories Provided with atleast one (1) food-grade collecting containers rowided with set of screens *AMTEC Tested-Must be present in the bid opening during pass or fal criterion. *Authority to use the Certificate of Conformity (CC) and Certificate of Dealership (Engine Only)  C. Mixer  Prime Mover  Power Requirement: 12HP air cooled diesel engine, max Power, 85% min of the rated power  Design and Performance  Material: Food Grade, Non -corrosive steel Noise Level-96 dB(A), maximum Horizontal or Vertical Type Mixing Device Mixing Rate: 500 kg/ hr, minimum  *AMTEC Tested- Must be present in the bid opening during pass or fail criterion.  D. Pelletizer Machine  Prime Mover  Electric Motor: 5HP Electric Motor, minimum  Voltage: 220V  Single Phase  Design and Performance  Input Capacity: 145 kg/hr,		
Attachments/ Accessories Provided with atleast one (1) food-grade collecting containers Provided with set of Screens **AMTEC Tested-Must be present in the bid opening during pass or fail criterion. **Authority to use the Certificate of Conformity (CC) and Certificate of Dealership (Engine Only)  **C. Mixer**  Prime Mover**  Prime Mover  Power Requirement: 12HP air cooled diesel engine, max Power 85% min of the rated power  Design and Performance  Material: Food Grade, Non -corrosive steel Noise Level:96 dB(A), maximum Horizontal or Vertical Type Mixing Povice Mixing Rate: 500 kg/ hr, minimum  **AMTEC Tested-Must be present in the bid opening during pass or fall criterion.  D. Pelletizer Machine  Prime Mover  Electric Motor: SHP Electric Motor, minimum Voltage: 220V Single Phase  Design and Performance  Input Capacity: 145 kg/hr,	With tolerable dust emission	
Attachments/ Accessories Provided with atleast one (1) food-grade collecting containers Provided with set of screens *AMTEC Tested- Must be present in the bid opening during pass or fail criterion.  *Authority to use the Certificate of Conformity (CC) and Certificate of Dealership (Engine Only)  C. Mixer  Prime Mover  Power Requirement: 12HP air cooled diesel engine, max Power: 85% min of the rated power  Design and Performance  Material: Food Grade, Non -corrosive steel Noise Level:96 dB(A), maximum  Horizontal or Vertical Type Mixing Device Mixing Rate: 500 kg/ hr, minimum  *AMTEC Tested- Must he present in the bid opening during pass or fail criterion.  D. Pelletizer Machine  Prime Mover  Electric Motor: SHP Electric Motor, minimum Voltage: 220V Single Phase Design and Performance  Input Capacity: 145 kg/hr,	and pulverizing recovery of	
Provided with atleast one (1) food-grade collecting containers Provided with set of screens *AMTEC Tested-Must be present in the bid opening during pass or fail criterion.  *Authority to use the Certificate of Conformity (CC) and Certificate of Dealership (Engine Only)  C. Mixer  Prime Mover  Power Requirement: 12HP air cooled diesel engine, max Powers 85% min of the rated power Design and Performance  Material: Food Grade, Non -corrosive steel Noise Level:96 dB(A), maximum Horizontail or Vertical Type Mixing Device Mixing Rate: 500 kg/hr, minimum  *AMTEC Tested- Must be present in the bid opening during pass or fail criterion.  D. Pelletizer Machine  Prime Mover  Electric Motor: 5HP Electric Motor, minimum Voltage: 220V  Single Phase  Design and Performance  Input Capacity: 145 kg/hr,	98% minimum	
Provided with atleast one (1) food-grade cellectring containers Provided with set of screens *AMTEC Tested- Must be present in the bid opening during pass or fail criterion. *Authority to use the Certificate of Conformity (CC) and Certificate of Dealership (Engine Only)  C. Mixer  Prime Mover  Power Requirement: 12HP air cooled diesel engine, max Power 85% min of the rated power  Design and Performance  Material: Food Grade, Non-corrosive steel Noise Level:96 dB(A), maximum Horizontal or Vertical Type Mixing Device Misting Rate: 500 kg/hr, minimum  *AMTEC Tested- Must be present in the bid opening during pass or fail criterion.  D. Pelletizer Machine  Prime Mover  Electric Motor: 5HP Electric Motor, minimum Voltage: 220V  Single Phase  Design and Performance  Input Capacity: 145 kg/hr,		
(1) food-grade collecting containers Provided with set of screens *AMTEC Tested- Must be present in the bid opening during pass or fail criterion. *Authority to use the Certificate of Conformity (CC) and Certificate of Dealership (Engine Only)  C. Mixer  Prime Mover  Power Requirement: 12HP air cooled diesel engine, max Power: 85% min of the rated power  Design and Performance  Material: Food Grade, Non -corrosive steel Noise Level-96 dB(A), maximum Horizontal or Vertical Type Mixing Device  Mixing Rate: 500 kg/hr, minimum  *AMTEC Tested- Must be present in the bid opening during pass or fail criterion.  D. Pelletizer Machine  Prime Mover  Electric Motor: 5HP Electric Motor: 5HP Electric Motor, minimum  Voltage: 220V  Single Phase  Design and Performance  Input Capacity: 145 kg/hr,	Attachments/ Accessories	
containers Provided with set of screens *AMTEC Tested- Must be present in the bid opening during pass or fail criterion.  *Authority to use the Certificate of Conformity (CC) and Certificate of Dealership (Engine Only)  C. Mixer Prime Mover  Power Requirement: 12HP air cooled diesel engine, max Power: 85% min of the rated power  Design and Performance  Material: Food Grade, Non -corrosive steel Noise Level: 96 dB(A), maximum Horizontal or Vertical Type Mixing Device Mixing Rate: 500 kg/ hr, minimum  *AMTEC Tested- Must be present in the bid opening during pass or fail criterion.  D. Pelletizer Machine  Prime Mover  Electric Motor: 5HP Electric Motor, minimum Voltage: 220V  Single Phase  Design and Performance  Input Capacity: 145 kg/hr,	Provided with atleast one	
Provided with set of screens *AMTEC Tested- Must be present in the bid opening during pass or fail criterion. *Authority to use the Certificate of Conformity (CC) and Certificate of Dealership (Engine Only)  C. Mixer  Prime Mover  Power Requirement: 12HP air cooled diesel engine, max Power- 85% min of the rated power  Design and Performance  Material: Food Grade, Non -corrosive steel Noise Level-96 dB(A), maximum Horizontal or Vertical Type Mixing Device Mixing Device Mixing Rate: 500 kg/ hr, minimum  *AMTEC Tested- Must be present in the bid opening during pass or fail criterion.  D. Pelletizer Machine  Prime Mover  Electric Motor: 5HP Electric Motor: 5HP Electric Motor, minimum  Voltage: 220V  Single Phase  Design and Performance  Input Capacity: 145 kg/hr,	(1) food-grade collecting	
*AMTEC Tested- Must be present in the bid opening during pass or fall criterion.  *Authority to use the Certificate of Conformity (CC) and Certificate of Dealership (Engine Only)  *C. Mixer*  Prime Mover*  Power Requirement: 12HP air cooled diesel engine, max Power: 85% min of the rated power  Design and Performance  Material: Food Grade, Non -corrosive steel  Noise Level:96 dB(A), maximum  Horizontal or Vertical Type Mixing Device  Mixing Rate: 500 kg/ hr, minimum  *AMTEC Tested- Must be present in the bid opening during pass or fail criterion.  D. Pelletizer Machine  Prime Mover  Electric Motor: 5HP Electric Motor, minimum  Voltage: 220V  Single Phase  Design and Performance  Input Capacity: 145 kg/hr,	containers	
*AMTEC Tested- Must be present in the bid opening during pass or fall criterion.  *Authority to use the Certificate of Conformity (CC) and Certificate of Dealership (Engine Only)  C. Mixer  Prime Mover  Power Requirement: 12HP air cooled diesel engine, max Powers 85% min of the rated power  Design and Performance  Material: Food Grade, Non	Provided with set of	
present in the bid opening during pass or fail criterion.  *Authority to use the Certificate of Conformity (CC) and Certificate of Dealership (Engine Only)  C. Mixer  Prime Mover  Power Requirement: 12HP air cooled diesel engine, max Power: 85% min of the rated power  Design and Performance  Material: Food Grade, Non -corrosive steel Noise Level:96 dB(A), maximum Horizontal or Vertical Type Mixing Device  Mixing Rate: 500 kg/ hr, minimum  *AMTEC Tested- Must be present in the bid opening during pass or fail criterion.  D. Pelletizer Machine  Prime Mover  Electric Motor: 5HP Electric Motor, minimum Voltage: 220V Single Phase  Design and Performance  Input Capacity: 145 kg/hr,	screens	
in the bid opening during pass or fail criterion.  *Authority to use the Certificate of Conformity (CC) and Certificate of Dealership (Engine Only)  *C. Mixer*  Prime Mover  Power Requirement: 12HP air cooled diesel engine, max Power: 85% min of the rated power  Design and Performance  Material: Food Grade, Non -corrosive steel Noise Level:96 dB(A), maximum Horizontal or Vertical Type Mixing Device  Mixing Rate: 500 kg/ hr, minimum  *AMTEC Tested- Must be present in the bid opening during pass or fail criterion.  D. Pelletizer Machine  Prime Mover  Electric Motor: 5HP Electric Motor, minimum  Voltage: 220V  Single Phase  Design and Performance  Input Capacity: 145 kg/hr,	*AMTEC Tested- Must be	
fail criterion.  *Authority to use the Certificate of Conformity (CC) and Certificate of Dealership (Engine Only)  C. Mixer  Prime Mover  Power Requirement: 12HP air cooled diesel engine, max Power: 85% min of the rated power  Design and Performance  Material: Food Grade, Non-corrosive steel Noise Level-96 dB(A), maximum Horizontal or Vertical Type Mixing Device  Mixing Rate: 500 kg/hr, minimum  *AMTEC Tested- Must be present in the bid opening during pass or fail criterion.  D. Pelletizer Machine  Prime Mover  Electric Motor: 5HP Electric Motor, minimum Voltage: 220V  Single Phase  Design and Performance  Input Capacity: 145 kg/hr,	present	
*Authority to use the Certificate of Conformity (CC) and Certificate of Dealership (Engine Only)  C. Mixer  Prime Mover  Power Requirement: 12HP air cooled diesel engine, max Power: 85% min of the rated power  Design and Performance  Material: Food Grade, Non -corrosive steel Noise Level: 96 dB(A), maximum Horizontal or Vertical Type Mixing Device  Mixing Device  Mixing Rate: 500 kg/ hr, minimum  *AMTEC Tested- Must be present in the bid opening during pass or fail criterion.  D. Pelletizer Machine  Prime Mover  Electric Motor: 5HP Electric Motor, minimum Voltage: 220V  Single Phase  Design and Performance  Input Capacity: 145 kg/hr,	in the bid opening during pass or	
of Conformity (CC) and Certificate of Dealership (Engine Only)  C. Mixer  Prime Mover  Power Requirement: 12HP air cooled diesel engine, max Power: 85% min of the rated power  Design and Performance  Material: Food Grade, Non -corrosive steel Noise Level:96 dB(A), maximum Horizontal or Vertical Type Mixing Device Mixing Rate: 500 kg/hr, minimum *AMTEC Tested - Must be present in the bid opening during pass or fail criterion.  D. Pelletizer Machine Prime Mover  Electric Motor: 5HP Electric Motor, minimum Voltage: 220V  Single Phase  Design and Performance Input Capacity: 145 kg/hr,		
Certificate of Dealership (Engine Only)  C. Mixer  Prime Mover  Power Requirement: 12HP air cooled diesel engine, max Power: 85% min of the rated power  Design and Performance  Material: Food Grade, Non -corrosive steel Noise Level:96 dB(A), maximum Horizontal or Vertical Type Mixing Device  Mixing Rate: 500 kg/ hr, minimum *AMTEC Tested- Must be present in the bid opening during pass or fail criterion.  D. Pelletizer Machine  Prime Mover  Electric Motor: 5HP Electric Motor, minimum Voltage: 220V  Single Phase  Design and Performance Input Capacity: 145 kg/hr,		
of Dealership (Engine Only)  C. Mixer  Prime Mover  Power Requirement: 12HP air cooled diesel engine, max Power: 85% min of the rated power  Design and Performance  Material: Food Grade, Non -corrosive steel Noise Level:96 dB(A), maximum Horizontal or Vertical Type Mixing Device Mixing Rate: 500 kg/ hr, minimum *AMTEC Tested- Must be present in the bid opening during pass or fail criterion.  D. Pelletizer Machine  Prime Mover  Electric Motor: 5HP Electric Motor, minimum Voltage: 220V  Single Phase  Design and Performance Input Capacity: 145 kg/hr,		
C. Mixer Prime Mover  Prime Mover  Power Requirement: 12HP air cooled diesel engine, max Power: 85% min of the rated power  Design and Performance  Material: Food Grade, Non -corrosive steel Noise Level:96 dB(A), maximum Horizontal or Vertical Type Mixing Device Mixing Rate: 500 kg/ hr, minimum *AMTEC Tested- Must be present in the bid opening during pass or fail criterion.  D. Pelletizer Machine  Prime Mover  Electric Motor: 5HP Electric Motor, minimum Voltage: 220V  Single Phase  Design and Performance Input Capacity: 145 kg/hr,	Certificate	
Prime Mover  Power Requirement: 12HP air cooled diesel engine, max Power: 85% min of the rated power  Design and Performance  Material: Food Grade, Non -corrosive steel Noise Level:96 dB(A), maximum Horizontal or Vertical Type Mixing Device Mixing Rate: 500 kg/ hr, minimum  *AMTEC Tested- Must be present in the bid opening during pass or fail criterion.  D. Pelletizer Machine  Prime Mover  Electric Motor: 5HP Electric Motor, minimum Voltage: 220V  Single Phase  Design and Performance  Input Capacity: 145 kg/hr,	of Dealership (Engine Only)	
Prime Mover  Power Requirement: 12HP air cooled diesel engine, max Power: 85% min of the rated power  Design and Performance  Material: Food Grade, Non -corrosive steel Noise Level:96 dB(A), maximum Horizontal or Vertical Type Mixing Device Mixing Rate: 500 kg/ hr, minimum  *AMTEC Tested- Must be present in the bid opening during pass or fail criterion.  D. Pelletizer Machine  Prime Mover  Electric Motor: 5HP Electric Motor, minimum Voltage: 220V  Single Phase  Design and Performance  Input Capacity: 145 kg/hr,		
Power Requirement: 12HP air cooled diesel engine, max Power: 85% min of the rated power  Design and Performance  Material: Food Grade, Non -corrosive steel Noise Level:96 dB(A), maximum Horizontal or Vertical Type Mixing Device  Mixing Rate: 500 kg/ hr, minimum  *AMTEC Tested- Must be present in the bid opening during pass or fail criterion.  D. Pelletizer Machine  Prime Mover  Electric Motor: 5HP Electric Motor, minimum Voltage: 220V  Single Phase  Design and Performance  Input Capacity: 145 kg/hr,	C. Mixer	
Power Requirement: 12HP air cooled diesel engine, max Power: 85% min of the rated power  Design and Performance  Material: Food Grade, Non -corrosive steel Noise Level:96 dB(A), maximum Horizontal or Vertical Type Mixing Device  Mixing Rate: 500 kg/ hr, minimum  *AMTEC Tested- Must be present in the bid opening during pass or fail criterion.  D. Pelletizer Machine  Prime Mover  Electric Motor: 5HP Electric Motor, minimum Voltage: 220V  Single Phase  Design and Performance  Input Capacity: 145 kg/hr,	Duima Mayor	
air cooled diesel engine, max Power: 85% min of the rated power  Design and Performance  Material: Food Grade, Non -corrosive steel Noise Level:96 dB(A), maximum Horizontal or Vertical Type Mixing Device Mixing Rate: 500 kg/ hr, minimum *AMTEC Tested- Must be present in the bid opening during pass or fail criterion.  D. Pelletizer Machine  Prime Mover  Electric Motor: 5HP Electric Motor, minimum Voltage: 220V  Single Phase  Design and Performance  Input Capacity: 145 kg/hr,	Prime Mover	
air cooled diesel engine, max Power: 85% min of the rated power  Design and Performance  Material: Food Grade, Non -corrosive steel Noise Level:96 dB(A), maximum Horizontal or Vertical Type Mixing Device Mixing Rate: 500 kg/ hr, minimum *AMTEC Tested- Must be present in the bid opening during pass or fail criterion.  D. Pelletizer Machine  Prime Mover  Electric Motor: 5HP Electric Motor, minimum Voltage: 220V  Single Phase  Design and Performance  Input Capacity: 145 kg/hr,	Power Requirement: 12HP	
Power: 85% min of the rated power  Design and Performance  Material: Food Grade, Non -corrosive steel Noise Level:96 dB(A), maximum  Horizontal or Vertical Type Mixing Device Mixing Rate: 500 kg/ hr, minimum *AMTEC Tested- Must be present in the bid opening during pass or fail criterion.  D. Pelletizer Machine  Prime Mover  Electric Motor: 5HP Electric Motor, minimum Voltage: 220V  Single Phase  Design and Performance  Input Capacity: 145 kg/hr,		
Design and Performance  Material: Food Grade, Non -corrosive steel Noise Level:96 dB(A), maximum Horizontal or Vertical Type Mixing Device Mixing Rate: 500 kg/ hr, minimum *AMTEC Tested- Must be present in the bid opening during pass or fail criterion.  D. Pelletizer Machine  Prime Mover  Electric Motor: 5HP Electric Motor, minimum Voltage: 220V  Single Phase  Design and Performance  Input Capacity: 145 kg/hr,		
Material: Food Grade, Non -corrosive steel Noise Level:96 dB(A), maximum Horizontal or Vertical Type Mixing Device Mixing Rate: 500 kg/ hr, minimum *AMTEC Tested- Must be present in the bid opening during pass or fail criterion.  D. Pelletizer Machine  Prime Mover  Electric Motor: 5HP Electric Motor, minimum Voltage: 220V  Single Phase  Design and Performance Input Capacity: 145 kg/hr,		
Material: Food Grade, Non -corrosive steel  Noise Level:96 dB(A), maximum  Horizontal or Vertical Type Mixing Device  Mixing Rate: 500 kg/ hr, minimum  *AMTEC Tested- Must be present in the bid opening during pass or fail criterion.  D. Pelletizer Machine  Prime Mover  Electric Motor: 5HP Electric Motor, minimum  Voltage: 220V  Single Phase  Design and Performance  Input Capacity: 145 kg/hr,	Design and Performance	
-corrosive steel Noise Level:96 dB(A), maximum Horizontal or Vertical Type Mixing Device Mixing Rate: 500 kg/ hr, minimum *AMTEC Tested- Must be present in the bid opening during pass or fail criterion.  D. Pelletizer Machine  Prime Mover  Electric Motor: 5HP Electric Motor, minimum Voltage: 220V  Single Phase  Design and Performance Input Capacity: 145 kg/hr,		
Noise Level:96 dB(A), maximum Horizontal or Vertical Type Mixing Device Mixing Rate: 500 kg/ hr, minimum *AMTEC Tested- Must be present in the bid opening during pass or fail criterion.  D. Pelletizer Machine  Prime Mover  Electric Motor: 5HP Electric Motor, minimum Voltage: 220V  Single Phase  Design and Performance  Input Capacity: 145 kg/hr,		
maximum Horizontal or Vertical Type Mixing Device  Mixing Rate: 500 kg/ hr, minimum *AMTEC Tested- Must be present in the bid opening during pass or fail criterion.  D. Pelletizer Machine  Prime Mover  Electric Motor: 5HP Electric Motor, minimum Voltage: 220V  Single Phase  Design and Performance  Input Capacity: 145 kg/hr,	-	
Horizontal or Vertical Type Mixing Device  Mixing Rate: 500 kg/ hr, minimum  *AMTEC Tested- Must be present in the bid opening during pass or fail criterion.  D. Pelletizer Machine  Prime Mover  Electric Motor: 5HP Electric Motor, minimum  Voltage: 220V  Single Phase  Design and Performance  Input Capacity: 145 kg/hr,		
Mixing Device  Mixing Rate: 500 kg/ hr, minimum  *AMTEC Tested- Must be present in the bid opening during pass or fail criterion.  D. Pelletizer Machine  Prime Mover  Electric Motor: 5HP Electric Motor, minimum  Voltage: 220V  Single Phase  Design and Performance  Input Capacity: 145 kg/hr,		
Mixing Rate: 500 kg/ hr, minimum  *AMTEC Tested- Must be present in the bid opening during pass or fail criterion.  D. Pelletizer Machine  Prime Mover  Electric Motor: 5HP Electric Motor, minimum Voltage: 220V  Single Phase  Design and Performance  Input Capacity: 145 kg/hr,		
minimum  *AMTEC Tested- Must be present in the bid opening during pass or fail criterion.  D. Pelletizer Machine  Prime Mover  Electric Motor: 5HP Electric Motor, minimum  Voltage: 220V  Single Phase  Design and Performance  Input Capacity: 145 kg/hr,		
*AMTEC Tested- Must be present in the bid opening during pass or fail criterion.  *D. Pelletizer Machine  Prime Mover  Electric Motor: 5HP Electric Motor, minimum  Voltage: 220V  Single Phase  Design and Performance  Input Capacity: 145 kg/hr,		
in the bid opening during pass or fail criterion.  D. Pelletizer Machine  Prime Mover  Electric Motor: 5HP Electric Motor, minimum  Voltage: 220V  Single Phase  Design and Performance  Input Capacity: 145 kg/hr,		
fail criterion.  D. Pelletizer Machine  Prime Mover  Electric Motor: 5HP Electric Motor, minimum Voltage: 220V  Single Phase  Design and Performance  Input Capacity: 145 kg/hr,		
D. Pelletizer Machine  Prime Mover  Electric Motor: 5HP Electric Motor, minimum Voltage: 220V  Single Phase  Design and Performance  Input Capacity: 145 kg/hr,		
Prime Mover  Electric Motor: 5HP Electric Motor, minimum  Voltage: 220V  Single Phase  Design and Performance  Input Capacity: 145 kg/hr,	rail criterion.	
Prime Mover  Electric Motor: 5HP Electric Motor, minimum  Voltage: 220V  Single Phase  Design and Performance  Input Capacity: 145 kg/hr,		
Electric Motor: 5HP Electric Motor, minimum Voltage: 220V  Single Phase  Design and Performance  Input Capacity: 145 kg/hr,	D. Pelletizer Machine	
Electric Motor: 5HP Electric Motor, minimum Voltage: 220V  Single Phase  Design and Performance  Input Capacity: 145 kg/hr,		
Motor, minimum Voltage: 220V  Single Phase  Design and Performance  Input Capacity: 145 kg/hr,	Prime Mover	
Motor, minimum Voltage: 220V  Single Phase  Design and Performance  Input Capacity: 145 kg/hr,	El-stri-Matan FID El-stri-	
Voltage: 220V  Single Phase  Design and Performance  Input Capacity: 145 kg/hr,		
Single Phase  Design and Performance  Input Capacity: 145 kg/hr,		
Design and Performance  Input Capacity: 145 kg/hr,	voitage: 220V	
Design and Performance  Input Capacity: 145 kg/hr,	Single Phase	
Input Capacity: 145 kg/hr,		
	Design and Performance	
	1 10 11 4451 0	
minimum   minimum		
	minimum	

Material: Food Grade, Non-	
corrosive steel	
Type of die: flat die	
Performance and Other	
Requirements	
Pelleting Efficiency: 92%,	
minimum	
Pelleting Recovery: 95%,	
minimum	
Pellet diameter's coefficient	
of variation: 3%, maximum	
Attachments/ Accessories	
Mounted on steel base	
structure	
With adjustable atleast	
three (3) sets die dia	
*AMTEC Tested- Must be present in	
the bid opening during pass or	
fail criterion.	
E. Feed Pellet Cooler	
E. Feed Fellet Coolei	
Prime Mover	
Electric Motor; 0.75 + 2.2 kW,	
Electric Motor, 0.75 + 2.2 kW,	
Voltage: 220-230V	
Design and Performance	
Capacity: 300-500kg/hr,	
minimum	
• OSH:	
Provision of 1 pc of industrial	
safety facemask per unit	
Dravision of 1 na of safaty gag halfs	
Provision of 1 pc of safety gog bgles per unit	
per unit	
Provision of 1 pair of safety gloves	
per unit	
Requirements	
With steel plate DA Logo attached	
With System operation and	
maintenance manual both operator	
and DA	
With Product demonstration and	
operation and maintenance Training	
Delivered on site	

Bidders should have completed, within *Two (2) years* from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).

3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.

Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.

- 4. Prospective Bidders may obtain further information from *DA RFO 5, BAC Secretariat Office, San Agustin, Pili, Camarines Sur* and inspect the Bidding Documents at the address given below during *Mondays Fridays, 8:00 AM to 5:00 PM except for Holidays, Saturdays and Sundays*.
- 5. A complete set of Bidding Documents may be acquired by interested Bidders on **December 4-26, 2023 (1:00PM)** from the given address and website(s)below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB. The cost of the bidding documents, shall be on per lot basis. Should the prospective bidder participate in two (2) or more items, the cost of the bidding documents shall be based on the sum of the ABCs of items to be bid.

Description	ABC (Php) (inclusive of VAT)	COST/PRICE OF BID DOCUMENTS (CASH PAYMENT ONLY)(PHP
Supply, delivery and Installation of Two (2)	2,130,000.00	5,000.00
units Feed Processing Facility in Masbate & Camarines Sur		
	TOTAL	Php 5,000.00

The procuring Entity shall allow the bidder to present its proof of payment for the fees.

- 6. The **DA RFO 5** will hold a Pre-Bid Conference on **December 13, 2023; 10:00 AM** at 3<sup>rd</sup> Flr. Training Hall, Operations Bldg., **DA RFO-5**, San Agustin, Pili, Camarines Sur, which shall be open to prospective bidders.
- 7. Bids must be duly received by the BAC Secretariat through <u>manual submission</u> at the office address indicated below, on or before **December 26, 2023; 1:00PM**. <u>Late bids shall not be accepted.</u>
- 8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.

- 9. Bid opening shall be on **December 26, 2023; 1:30PM** onwards at the given address below 3<sup>rd</sup> Flr. Training Hall, Operations Bldg., DA RFO-5, San Agustin, Pili, Camarines Sur. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.
- 10. In case of a tie Bid, the BAC will conduct the Guidelines on the Use of Non-Discretionary/Non-Discriminatory Selection criteria as Tie-Breaking Method thru DRAW LOTS in case of two or more Bidders have been post-qualified determined as the bidder having the lowest calculated and Responsive Bidder (LCRB) (GPPB Circular No. 06-2005).
- 11. The *DA RFO 5* reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 12. For further information, please refer to:

**BAC Secretariat Office** 

Department of Agriculture, Regional Field Office No. 5

San Agustin, Pili, Camarines Sur 4418 Email Address: bacrfo5@gmail.com

For downloading of Bidding Documents: <a href="https://bicol.da.gov.ph">https://bicol.da.gov.ph</a>

December 1, 2023, San Agustin, Pili, Camarines Sur

LORENZO L. ALVINA

Chief, Integrated Laboratory Division BAC Chairperson

Section II. Instructions to Bidders

# 1. Scope of Bid

The Procuring Entity, Department of Agriculture Regional Field Office No. 5 wishes to receive Bids for Supply, delivery and Installation of Two (2) units Feed Processing Facility for the Implementation of OAP 2024 with identification number 05-GOODS-OAP-2024.

The Procurement Project (referred to herein as "Project") is composed of *One* (1) lot, the details of which are described in Section VII (Technical Specifications).

# 2. Funding Information

- 2.1. The GOP through the source of funding as indicated below *National Expenditure Program (NEP)* for CY 2024- OAP in the amount of TWO MILLION ONE HUNDRED THIRTY THOUSAND PESOS (Php 2,130,000.00)
  - a. The source of funding, the National Expenditure Program (NEP.).

# 3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

# 4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

# 5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. Foreign ownership limited to those allowed under the rules may participate in this Project. (B)

- 5.3. For the procurement of Non-Expendable Supplies: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the total ABC in the amount of ₱1,065,000.00.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

# 6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

#### 7. Subcontracts

The Procuring Entity has prescribed that Subcontracting is not allowed.

#### 8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address at **DA RFO 5**, **San Agustin**, **Pili**, **Camarines Sur** and/or through videoconferencing/webcasting} as indicated in paragraph 6 of the **IB**.

# 9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

# 10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII** (Checklist of Technical and Financial **Documents**).
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause5.3 should have been completed within **TWO (2) YEARS** prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be

authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

### 11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII** (Checklist of Technical and Financial **Documents**).
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

#### 12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
  - a. For Goods offered from within the Procuring Entity's country:
    - i. The price of the Goods quoted EXW (ex-works, ex-factory, exwarehouse, ex-showroom, or off-the-shelf, as applicable);
    - ii. The cost of all customs duties and sales and other taxes already paid or payable;
    - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
    - iv. The price of other (incidental) services, if any, listed in e.
  - b. For Goods offered from abroad:
    - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
    - ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications).**

# 13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in:
  - a. Philippine Pesos.


# 14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid until **April 24, 2024 (120 days).** Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

## 15. Sealing and Marking of Bids

Each Bidder shall submit one (1) Original copy of the first and second component of its Bid. The Procuring entity is requesting an additional three (3) hard copies of the bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.



All copies shall be marked Certified True Copy & signed by the bidder or its duly authorized representative.

**Additional instructions:** All copies must be marked with index/ear tabs or side-end tabs to identify the page components and shall be properly addressed to the **BAC Chairperson.** 

#### 16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB.** 

# 17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

#### 18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

# 19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "passed," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII** (**Technical Specifications**), although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.

- 19.4. The Project shall be awarded as One Project having several items that shall be awarded as one contract.
- 19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

# 20. Post-Qualification

20.2. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

## 21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

# Section III. Bid Data Sheet

# **Bid Data Sheet**

ITB		
Clause 5.3	For this purpose, contracts similar to the Project shall be:	
	a. Feed milling equipment	
	b. Completed within <i>Two (2) years</i> prior to the deadli of bids.	ine for the submission and receipt
7.1	No further instruction	
12	The price of the Goods shall be quoted DDP DA I CAMARINES SUR or the applicable International Community Project.	
14.1	The bid security shall be in the form of a Bid Securing Dec forms and amounts:	elaration, or any of the following
	a. The amount of not less than <b>P P42,600.0</b> cashier's/manager's check, bank draft/guarante or	•
	b. The amount of not less than ₱106,500.00, if bid	l security is in Surety Bond.
19.3	Partial bid is Not allowed.	
	Description	ABC (Php) inclusive of VAT)
	Supply, delivery and Installation of Two (2) units Feed Processing Facility	2,130,000.00
	TOTAL	Php2,130,000.00
20.2	The bidder shall submit:	_
	<ul> <li>a. Certification of Availability and location of Stocks</li> <li>b. Certificate of Authority to Supply and to Bid from to</li> <li>c. Certification as to dealership or distributorship</li> <li>d. NAMDAC Certification of Accreditation</li> <li>e. With PTO Certification</li> <li>f. Authority to use the Certificate of Conformity (Congine only)</li> <li>g. Must have a service center within the region conforms</li> <li>h. Bidders are required to submit a Manufacturer's Cendistributor and installer or Certification from local distributor</li> </ul>	C) and Certificate of Dealership ming with PAES 192:2016 rtification that they are authorized
	<ul><li>i. BIR Registration Certificate</li><li>j. Latest Income Tax Return</li></ul>	

	m. Other requirements peculiar to the procurement project under consideration
21.2	No further instruction

Santiare IV. Comment Conditions of Constant		
Section IV. General Conditions of Contrac	eral Conditions of Contract	Section IV. Gene

# 1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC).** 

# 2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

# 3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

# 4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the SCC, Section IV (Technical Specifications) shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

# 5. Warranty

- 6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

# 6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

section ( special conditions of continues	Section	V.	<b>Special</b>	<b>Conditions</b>	of	Contract
---	---------	----	----------------	-------------------	----	----------

**Special Conditions of Contract** 

CCC	
GCC Clause	
1	Delivery and Documents –
	For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:
	[For Goods supplied from within the Philippines, state:] "The delivery terms applicable to this Contract are delivered to Department of Agriculture RFO 5, San Agustin, Pili, Camarines Sur and MCLD, Masbate. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination."
	Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).
	For purposes of this Clause the Procuring Entity's Representative at the Project Site is Ms. Cris Borja, Property Officer
	Transportation –
	Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.
	Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.
	Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.

	The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.
	Intellectual Property Rights –
	The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.
2.2	The terms of payment shall be in <b>full payment</b> after completion of the delivery duly inspected by the inspector and by Focal Person or its representative.
4	The inspections that will be conducted are based on the minimum specifications required as indicated in the Technical Specifications.

# Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Lot Number	Specifications	Quantity	Total	Delivered, Weeks/ Months
1	Supply, delivery and Installation of Two (2) units Feed Processing Facility in Masbate & Cam. Sur	2	2,130,000.00	<b>60</b> calendar days upon receipt of approved Notice to Proceed (NTP)

# **Delivery Site:**

DA RFO 5, San Agustin, Pili, Camarines Sur and MCLD, Masbate

I hereby commit to comply and deliver all the above requirements in accordance with above stated schedule.

Signature over Printed Name of Authorized Representative
Date:

Section VII. Technical Specifications

**Technical Specifications** 

Lot Number	Specifications	Statement of Compliance
		[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and crossreferenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]
1	Feed Processing Facility  System Components	
	A. Corn Grits mill	
	Prime Mover	
	Power Requirement: 12HP air	
	cooled diesel engine, max Power: 85% min of the rated	
	power power	
	Design and Performance	
	Material: Food Grade, Non-	
	corrosive steel	
	Noise Level:96 dB(A), maximum	
	Swinging Type Hammer Mill	
	Input Capacity: 250 kg/ hr,	
	minimum	
	With Replaceable Milling Screens	
	Product Output	
	1. Grit No. 12-14	
	2. Finest Modulus Flour	
	Attachments/ Accessories	<del> </del>
	Attachinents/ Accessuries	

One (1) spare hammer	
Collecting Bin for discharge	
outlet *AMTEC Tested- Must be present in	
the bid opening during pass or fail	
criterion.	
Authority to use the Certificate of Conformity (CC)	and Certificate
of Dealership (Engine Only)	
B. Multi Crop Pulverizer	
Prime Mover	
Power: 5-6HP Engine	
Design and Performance	
Material: Food Grade, Non-corrosive steel	
Noise Level:95 dB(A), maximum	
Capacity: 25-30 kg/hr (as per cassava)	
minimum Pulverizing Recovery: 95%, minimum	
Application: Adaptable to dried fruits,	
vegetables and grains With provision of 90-100 steel mesh	
with provision of 90-100 steel mesh	
With tolerable dust emission and pulverizing	
recovery of 98% minimum	
Attachments/ Accessories	
Provided with atleast one	
(2) food-grade collecting containers	
Provided with set of screens	
*AMTEC Tested- Must be present in	
the bid opening during pass or fail	
criterion.	
*Authority to use the Certificate of Conformity	
(CC) and Certificate of Dealership (Enginer Only)	
C. Mixer	
Prime Mover	
Power Requirement: 12HP	
air cooled diesel engine, max	
Power: 85% min of the rated power	
Design and Performance	
Material: Food Grade, Non-corrosive steel	
Noise Level:96 dB(A), maximum	
Horizontal or Vertical Type Mixing Device	
Mixing Rate: 500 kg/ hr, minimum	
*AMTEC Tested- Must be present in	
ANTIE TESTED MUST BE PIESCHEIN	

Prime Mover	
Electric Motor: 5HP Electric Motor, minimum	
Voltage: 220V	
Single Phase	
Design and Performance	
Input Capacity: 145 kg/hr, minimum	
Material: Food Grade, Non-corrosive steel	
Type of die: flat die	
Performance and Other Requirements	
Pelleting Efficiency: 92%, minimum	
Pelleting Recovery: 95%,minimum	
Pellet diameter's coefficient of variation: 3%,	
maximum Attachments/ Accessories	
Mounted on steel base structure	
With adjustable atleast three (3) sets die dia	
with adjustable alleast till ee (3) sets tile tild	
*AMTEC Tested- Must be present in the bid opening during pass or fail criterion.	
E. Feed Pellet Cooler	
Prime Mover	
Electric Motor; 0.75 + 2.2 kW,	
Voltage: 220-230V	
Design and Performance	
Capacity: 300-500kg/hr, minimum	
OSH: Provision of 1 pc of industrial safety facemask per unit	
Provision of 1 pc of safety googles per unit	
Provision of 1 pair of safety gloves per unit	


	With System operation and maintenance manual both operator and DA  With Product demonstration and operation and maintenance Training				
э Ди		) and Cartificate of Dealership (engine only)			
a. Authority to use the Certificate of Conformity (CC) and Certificate of Dealership (engine only)					
b. With system operation and maintenance manual for both operator and DA					
c. Wit	th product demonstration and operations & main	ntenance training			
*Bidder/s may attach the above mentioned documents but not be a ground for disqualification during the bid opening.					
I hereby commit to comply and deliver all the above requirements in accordance with above technical specifications.					
Signature over Printed Name of Authorized Representative					
_					
L	Notae				
L	Oate:				
L	vale:				

# Section VIII. Checklist of Technical and Financial Documents

# **Checklist of Technical and Financial Documents**

Each Bidder shall submit one (1) Original copy of the first and second component of its Bid. The Procuring entity is requesting an additional three (3) hard copies of the bid.

Sealed Original, Copy 1, Copy 2& 3 in one (1) Single Envelope



All copies shall be marked Certified True Copy & signed by the bidder or its duly authorized representative.

**Additional instructions:** All copies must be marked with index/ear tabs or side-end tabs to identify the page components and shall be properly addressed to the **BAC Chairperson.** 

#### I. TECHNICAL COMPONENT ENVELOPE

#### Class "A" Documents

#### Legal Documents

(a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) in accordance with Section 8.5.2 of the IRR;

#### **Technical Documents**

- Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; **and**
- (g) Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents; and
- (h) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission;
  - Original copy of Notarized Bid Securing Declaration; and
- (i) Conformity with the Technical Specifications, which may include production/delivery schedule, manpower requirements, and/or after-sales/parts, if applicable; **and**

Original duly signed Omnibus Sworn Statement (OSS); and if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

#### Financial Documents

(k) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC);

 $\mathbf{or}$ 

A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

#### Class "B" Documents

(l) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence;

or

duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

#### Other documentary requirements under RA No. 9184 (as applicable)

- [9] (m) [For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
- (n) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

#### 25 FINANCIAL COMPONENT ENVELOPE

- (a) Original of duly signed and accomplished Financial Bid Form; and
- (b) Original of duly signed and accomplished Price Schedule(s).

### Section IX. BIDDING FORMS

#### **BID FORM**

Date : _	
Project Identification No. :	

To: [name and address of Procuring Entity]

Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers [insert numbers], the receipt of which is hereby duly acknowledged, we, the undersigned, offer to [supply/deliver/perform] [description of the Goods] in conformity with the said PBDs for the sum of [total Bid amount in words and figures] or the total calculated bid price, as evaluated and corrected for computational errors, and other bid modifications in accordance with the Price Schedules attached herewith and made part of this Bid. The total bid price includes the cost of all taxes, such as, but not limited to: [specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties], which are itemized herein or in the Price Schedules.

If our Bid is accepted, we undertake:

- a. to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements of the Philippine Bidding Documents (PBDs);
- b. to provide a performance security in the form, amounts, and within the times prescribed in the PBDs;
- c. to abide by the Bid Validity Period specified in the PBDs and it shall remain binding upon us at any time before the expiration of that period.

[Insert this paragraph if Foreign-Assisted Project with the Development Partner: Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below:

Name and address Amount and Purpose of							
of agentCurrencyCommission or gratuity							
(if none, state "None") ]							

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements pursuant to the PBDs.

The undersigned is authorized to submit the bid on behalf of [name of the bidder] as evidenced by the attached [state the written authority].

GPPB Resolution No. 16-2020, dated 16 September 2020

Page 19 of 39

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.
Name:
Legal capacity:
Signature:

Duly authorized to sign the Bid for and behalf of: \_\_\_\_\_

Date:

GPPB Resolution No. 16-2020, dated 16 September 2020

## Price Schedule for Goods Offered from Abroad [shall be submitted with the Bid if bidder is offering goods from Abroad]

oject ID No  6 7  otal CIF	Price Unit price vered Delivered Unpaid Duty Paid	9 Total Price
otal CIF Unit F or CIP Delivice per	Price Unit price vered Delivered Unpaid Duty Paid	
or CIP Deliver Duty U	rered Delivered Unpaid Duty Paid	Total Price
col. 4 x 5)	DU) (DDP)	delivered DDP (col 4 x 8)

# Price Schedule for Goods Offered from Within the Philippines [shall be submitted with the Bid if bidder is offering goods from within the Philippines]

\_\_\_\_\_

	Name of Bidder			Pı	of				
1	2	3	4	5	6	7	8	9	10
tem No.	Description	Country of Origin	Quantity	Unit Price EXW per item	Transportation and all other costs incidental to delivery, per item	' '	Cost of Incidental Services, if applicable, per item	Total Price per unit (col 5+6+7+8)	Total Price delivered Final Destination (co 9) x (col 4)
	Feed Processing Facility		2 units						
	TOTAL								

GPPB Resolution No. 16-2020, dated 16 September 2020

Duly authorized to sign the Bid for and behalf of:

#### **Bid Securing Declaration Form**

[shall be submitted with the Bid if bidder opts to provide this form of bid security]

REPUBLIC OF THE PHILIPPINES)	
CITY OF	_) S.S.

### BID SECURING DECLARATION Project Identification No.: [Insert number]

To: [Insert name and address of the Procuring Entity]

I/We, the undersigned, declare that:

- 1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration.
- 2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f),of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
- 3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
  - Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
  - b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and
  - c. I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this \_\_\_\_ day of [month] [vear] at [place of execution].

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]
[Insert signatory's legal capacity]
Affiant

#### [Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

# Contract Agreement Form for the Procurement of Goods (Revised) [Not required to be submitted with the Bid, but it shall be submitted within ten (10) days after receiving the Notice of Award]

C	<b>^</b>	N	IT	D	۸	C	Г	۸	2	D	F	N٨	N	т
u	·U	'n		К	А			41	J	К	ᆮ	IVI	N	

THIS AGREEMENT made the	day of	20	between [name of
PROCURING ENTITY] of the Philippines	s (hereinafter	called "the Entity	") of the one part and
[name of Supplier] of [city and country of	of Supplier] (h	hereinafter called	"the Supplier") of the
other part;			

WHEREAS, the Entity invited Bids for certain goods and ancillary services, particularly [brief description of goods and services] and has accepted a Bid by the Supplier for the supply of those goods and services in the sum of [contract price in words and figures in specified currency] (hereinafter called "the Contract Price").

#### NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

- 1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to.
- 2. The following documents as required by the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184 shall be deemed to form and be read and construed as integral part of this Agreement, *viz.*:
  - i. Philippine Bidding Documents (PBDs);
    - i. Schedule of Requirements;
    - ii. Technical Specifications;
    - iii. General and Special Conditions of Contract; and
    - iv. Supplemental or Bid Bulletins, if any
  - ii. Winning bidder's bid, including the Eligibility requirements, Technical and Financial Proposals, and all other documents or statements submitted;

Bid form, including all the documents/statements contained in the Bidder's bidding envelopes, as annexes, and all other documents submitted (e.g., Bidder's response to request for clarifications on the bid), including corrections to the bid, if any, resulting from the Procuring Entity's bid evaluation;

- iii. Performance Security;
- iv. Notice of Award of Contract; and the Bidder's conforme thereto; and
- v. Other contract documents that may be required by existing laws and/or the Procuring Entity concerned in the PBDs. Winning bidder agrees that additional contract documents or information prescribed by the GPPB that are subsequently required for submission after the contract execution, such as the Notice to Proceed, Variation Orders, and Warranty Security, shall likewise form part of the Contract.
- 3. In consideration for the sum of [total contract price in words and figures] or such other sums as may be ascertained, [Named of the bidder] agrees to [state the object of the contract] in accordance with his/her/its Bid.

4. The [Name of the procuring entity] agrees to pay the above-mentioned sum in accordance with the terms of the Bidding.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with the laws of the Republic of the Philippines on the day and year first above written.

[Insert Name and Signature]

[Insert Name and Signature]

[Insert Signatory's Legal Capacity]

[Insert Signatory's Legal Capacity]

for:

for:

[Insert Procuring Entity]

[Insert Name of Supplier]

#### **Acknowledgment**

[Format shall be based on the latest Rules on Notarial Practice]

## Omnibus Sworn Statement (Revised) [shall be submitted with the Bid]

REPUBLIC OF THE PHILIPPINE	S)
CITY/MUNICIPALITY OF	) S.S.

#### **AFFIDAVIT**

- I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:
- 1. [Select one, delete the other:]

[If a sole proprietorship:] I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

[If a partnership, corporation, cooperative, or joint venture:] I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. [Select one, delete the other:]

[If a sole proprietorship:] As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

[If a partnership, corporation, cooperative, or joint venture:] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)];

- 3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;
- 4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
- 5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;
- 6. [Select one, delete the rest:]

[If a sole proprietorship:] The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical

Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a partnership or cooperative:] None of the officers and members of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a corporation or joint venture:] None of the officers, directors, and controlling stockholders of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

- 7. [Name of Bidder] complies with existing labor laws and standards; and
- 8. [Name of Bidder] is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
  - a. Carefully examining all of the Bidding Documents;
  - b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
  - c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
  - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the *[Name of the Project]*.
- 9. [Name of Bidder] did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
- 10. In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.

IN WITNESS WHEREOF, 1	have	hereunto	set	my	hand	this	 day	of	,	20	at
, Philippines.											

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]
[Insert signatory's legal capacity]
Affiant

#### [Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

GPPB Resolution No. 16-2020, dated 16 September 2020

#### **Performance Securing Declaration (Revised)**

[if used as an alternative performance security but it is not required to be submitted with the Bid, as it shall be submitted within ten (10) days after receiving the Notice of Award]

REPUBLIC OF THE PHILIPPINES)	
CITY OF	) S.S

#### PERFORMANCE SECURING DECLARATION

Invitation to Bid: [Insert Reference Number indicated in the Bidding Documents] To: [Insert name and address of the Procuring Entity]

I/We, the undersigned, declare that:

- 1. I/We understand that, according to your conditions, to guarantee the faithful performance by the supplier/distributor/manufacturer/contractor/consultant of its obligations under the Contract, I/we shall submit a Performance Securing Declaration within a maximum period of ten (10) calendar days from the receipt of the Notice of Award prior to the signing of the Contract.
- 2. I/We accept that: I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of one (1) year for the first offense, or two (2) years **for the second offense**, upon receipt of your Blacklisting Order if I/We have violated my/our obligations under the Contract;
- 3. I/We understand that this Performance Securing Declaration shall cease to be valid upon:
  - a. issuance by the Procuring Entity of the Certificate of Final Acceptance, subject to the following conditions:
    - i. Procuring Entity has no claims filed against the contract awardee;
    - ii. It has no claims for labor and materials filed against the contractor; and
    - iii. Other terms of the contract; or
  - b. replacement by the winning bidder of the submitted PSD with a performance security in any of the prescribed forms under Section 39.2 of the 2016 revised IRR of RA No. 9184 as required by the end-user.

**IN WITNESS WHEREOF**, I/We have hereunto set my/our hand/s this \_\_\_\_\_ day of [month] [year] at [place of execution].

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]
[Insert signatory's legal capacity]

Affiant

#### [Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

GPPB Resolution No. 16-2020, dated 16 September 2020

