

DEPARTMENT OF AGRICULTURE

Regional Field Office No. 5
San Agustin, Pili, Camarines Sur 4418



Supply and Delivery of Various Laboratory Supplies under 2024 ILD

25-GOODS-ILD-2024

ABC: ₱1,316,557.75

Sixth Edition

April 5, 2024

Table of Contents

Glossary of Acronyms, Terms, and Abbreviations	3
Section I. Invitation to Bid.....	6
Section II. Instructions to Bidders.....	18
1. Scope of Bid	20
2. Funding Information.....	20
3. Bidding Requirements	20
4. Corrupt, Fraudulent, Collusive, and Coercive Practices	20
5. Eligible Bidders.....	20
6. Origin of Goods	21
7. Subcontracts	21
8. Pre-Bid Conference	21
9. Clarification and Amendment of Bidding Documents	21
10. Documents comprising the Bid: Eligibility and Technical Components	21
11. Documents comprising the Bid: Financial Component	22
12. Bid Prices	22
13. Bid and Payment Currencies	23
14. Bid Security	23
15. Sealing and Marking of Bids	23
16. Deadline for Submission of Bids	24
17. Opening and Preliminary Examination of Bids	24
18. Domestic Preference	24
19. Detailed Evaluation and Comparison of Bids	24
20. Post-Qualification	25
21. Signing of the Contract	25
Section III. Bid Data Sheet	26
Section IV. General Conditions of Contract.....	28
1. Scope of Contract	29
2. Advance Payment and Terms of Payment	29
3. Performance Security	29
4. Inspection and Tests	29
5. Warranty	30
6. Liability of the Supplier	30
Section V. Special Conditions of Contract	31
Section VI. Schedule of Requirements	32
Section VII. Technical Specifications	36
Section VIII. Checklist of Technical and Financial Documents	48

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF – Cost Insurance and Freight.

CIP – Carriage and Insurance Paid.

CPI – Consumer Price Index.

DDP – Refers to the quoted price of the Goods, which means “delivered duty paid.”

DTI – Department of Trade and Industry.

EXW – Ex works.

FCA – “Free Carrier” shipping point.

FOB – “Free on Board” shipping point.

Foreign-funded Procurement or Foreign-Assisted Project–Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as “Call-Offs,” are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC –Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term “related” or “analogous services” shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related

construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

Section I. Invitation to Bid



Masaganang Agrikultura,
Mamamlaad na Ekonomiya

Republic of the Philippines
REGIONAL FIELD OFFICE NO. 5
San Agustin, Pili, Camarines Sur

INVITATION TO BID FOR

Supply and Delivery of Various Laboratory Supplies under 2024 ILD

- The Department of Agriculture Regional Field Office No. 5 (DA RFO 5), through the *General Appropriation Act (GAA) for CY 2024 ILD Fund* intends to apply the sum of **One Million Three Hundred Sixteen Thousand Five Hundred Fifty-Seven Thousand and 75/100 (Php1,316,557.75)** being the total ABC to payments under the contract for ITB No. **25-GOODS-ILD-2024**.

Bids received in excess of the ABC shall be automatically rejected at bid opening. **Partial Bid is not allowed.**

- The *Department of Agriculture Regional Field Office No. 5* now invites bids for the following:

Item No.	QTY	UNIT	DESCRIPTION	UNIT COST	TOTAL COST	LOCATION OF THE PROJECT	DELIVERY OF THE GOODS
1	2	boxes	Adhesive bandage, wash proof	150.00	300.00	DA RFO 5, San Agustin, Pili Cam. Sur	60 calendar days upon receipt of NTP
2	2	pcs	Adhesive entrance mats, made of LDPE material, Dimension: 24"x30", white adhesive mat, starter kit 30 layer	900.00	1,800.00		
3	12	pcs	Aluminum dishes with cover, 45ml cap,dia:51mm,depth:23mm, round	1,300.00	15,600.00		
4	2	pcs	Amber reagent bottle, 500 ml capacity, round amber bottle, made of borosilicate glass, with permanent graduations and marking spots, autoclavable bottle and polypropylene screw cap	2,800.00	5,600.00		
5	2	pcs	Amber reagent glass bottle, 1000 capacity, round amber bottle, made of borosilicate glass, with permanent graduations and marking spots, autoclavable bottle and polypropylene screw cap	3,500.00	7,000.00		
6	5	packs	AUTOCLAVABLE BIOHAZARD DISPOSAL BAG, 8 1/2" x 11", 100/pack	1,500.00	7,500.00		
7	5	pcs	Autoclavable, Polypropylene, Wide mouth Rectangular Carboy with Spigot, Phtalate-free, leak-proof, with graduation in L, 9L (2Gallon), 8.5 x 5.75 x 14 in. (216 x 146 x 356 mm)	3,000.00	15,000.00		
8	1	box	Autoclave sterilization biological indicator vial steam (100/ box)	20,000.00	20,000.00		
9	10	pcs	Autoclave tape indicator 1 inch	300.00	3,000.00		
10	20	pcs	BASKET/TRAY ORGANIZERS for laboratory samples, medium, color white, thick	75.00	1,500.00		
11	12	pcs	Beaker, with spout, 150ml capacity, transparent, borosilicate glass	1,000.00	12,000.00		
12	6	pcs	Beaker, without spout, 600ml capacity, borosilicate glass tall	800.00	4,800.00		
13	1	roll	Black rubber tubing, ID: approx. 11mm; OD approx. 15mm, thickness: approx. 2mm, Resistant to chemicals, acids, and bases, durable heat resistant, 2 meters	500.00	500.00		

14	1	set	Bottle top Dispenser for Acids, 30ml capacity	20,000.00	20,000.00		
15	1	pc	Burn ointment, 30g	170.00	170.00		
16	10	pcs	CENTRIFUGE TUBE RACK, for 50ml conical tube, 36 holes, epoxy coated-steel wire	800.00	8,000.00		
17	75	pcs	Centrifuge tubes or Polyethylene container, wide mouth, 150 mL capacity	200.00	15,000.00		
18	2	pcs	Cravat bandage, 200cm x 73cm x 73cm	90.00	180.00		
19	10	pcs	Customize Laboratory gown Long sleeves, with embroidered name at left side chest pocket, 5-buttoned, collared, cotton material with 2 side pockets and 1 left chest pocket, color white. Material: Polyester/Cotton blend. Size will be measured by the bidder to the actual size of laboratory personnel	850.00	8,500.00		
20	3	pcs	Digestion racks, 12 placer (tie wire), * for 250ml straight tubes	500.00	1,500.00		
21	16	pcs	DIGITAL HYGRO-THERMOMETER, with clock, with humidity sensor, heavy duty	2,500.00	40,000.00		
22	50	packs	DISPOSABLE PPE GOWN, with knitted cuffs, blue, waterproof, non-woven, 10pcs/pack	300.00	15,000.00		
23	80	boxes	Distilled water, 3x6Li/ box	190.00	15,200.00		
24	1	pc	Drying rack for lab ware, mountable, with draining port and accessories, fits up to 52 pegs, 70cm x 55.3cm x 12.7cm	13,500.00	13,500.00		
25	2	pcs	Elastic bandage, 3" x 5 yards	70.00	140.00		
26	3	pcs	Enamel trays with cover, rectangle, 8"x12" inch	2,000.00	6,000.00		
27	3	pcs	Erlenmayer Flask; 1000 ml capacity, made of borosilicate glass, with heavy-duty rims	1,000.00	3,000.00		
28	8	pcs	Erlenmayer Flask; 250 ml capacity, made of borosilicate glass, with heavy-duty rims	1,000.00	8,000.00		
29	1	pc	Erlenmeyer flask, 6 liters cap, borosilicate glass, with heavy duty rims	4,500.00	4,500.00		
30	6	pcs	Erlenmeyer flask, with screw cap; 125ml capacity, made of borosilicate glass with phenolic screw cap	1,700.00	10,200.00		
31	6	pcs	Evaporating dish, 50ml cap, porcelain	600.00	3,600.00		
32	30	boxes	FACE MASK, 50pcs/box	100.00	3,000.00		
33	10	boxes	FACE MASK, KN95 4 PLY (100 pcsS/BOX)	400.00	4,000.00		
34	100	boxes	Facemask/ surgical mask w/ earloops, 100's	850.00	85,000.00		
35	5	packs	Filter paper No. 1, 125mm	1,600.00	8,000.00		
36	27	boxes	Filter paper, Ashless, diameter 125mm, 100 circles (# 42)	1,500.00	40,500.00		
37	300	sheets	Filter paper, ordinary	75.00	22,500.00		
38	4	boxes	Filter paper, #2	1,200.00	4,800.00		
39	6	pcs	Filtering Flask, 1000 ml capacity, made of borosilicate glass	3,000.00	18,000.00		
40	2	packs	Float Racks for 1.5ml and 2.0ml microtubes square, 16-place, 93mmxmm: pack of 4	2,700.00	5,400.00		
41	2	pcs	FORCEPS, stainless	180.00	360.00		
42	5	pcs	Gas mask set PPE mask safety blue eagle, NP305/RC206 single respirator	600.00	3,000.00		
43	5	pcs	Gauze bandage, 40" x 10 yards	50.00	250.00		
44	1	pc	Glass Desiccator, 150mm glass desiccator, with desiccator plate	6,000.00	6,000.00		
45	1	pc	Glass Desiccator, 200mm glass desiccator, with desiccator plate	12,000.00	12,000.00		

46	10	pcs	Glass Funnel, fluted filling funnel, made of borosilicate glass 60' angle, top diameter: 7.5 cm, short stem	1,600.00	16,000.00		
47	4	sets	GLASS SLIDE/COVER SLIP	200.00	800.00		
48	2	boxes	GLOVES, LATEX, SMALL, 10s (FOR UTILITY)	3,500.00	7,000.00		
49	3	boxes	GLOVES, Latex, SMALL, 10s/box	1,100.00	3,300.00		
50	2	boxes	GLOVES, NITRILE, PAIR OF 50'S EXTRA LARGE, EXPIRY 2026	1,500.00	3,000.00		
51	2	boxes	GLOVES, NITRILE, PAIR OF 50'S LARGE, EXPIRY 2026	1,500.00	3,000.00		
52	2	boxes	GLOVES, NITRILE, PAIR OF 50'S, MEDIUM, EXPIRY 2026	1,500.00	3,000.00		
53	3	boxes	GLOVES, vinyl/nitrile, MEDIUM, pair of 50's, expiry 2026, 10s/box	1,500.00	4,500.00		
54	3	boxes	GLOVES, vinyl/nitrile, SMALL, pair of 50's, expiry 2026, 10s/box	1,500.00	4,500.00		
55	6	boxes	Gooch crucible w/ perforated holes, 30ml cap., porcelain with lid and disk	1,000.00	6,000.00		
56	2	pcs	Graduated Cylinder, 1000ml pyrex	1,500.00	3,000.00		
57	2	pcs	Graduated Cylinder, 10ml pyrex	300.00	600.00		
58	2	pcs	Graduated Cylinder, 500ml pyrex	850.00	1,700.00		
59	2	pcs	Graduated pipets, 10ml	2,000.00	4,000.00		
60	1	pc	Handheld pH meter with buffer Model: PHscan20 pH Range: 0.0-14.-pH pH Accuracy: +0.05pH pH Calibration Points: Atleast 3 pH Buffer Options: NIST Standard Operating Temperature: 0~60deg C Power Requirements: 3x1.5V "G13A" Batteries Dimensions: 185 (L) x 40 (Dia.) mm Weight: 100g	18,575.00	18,575.00		
61	3	pairs	Hot hands, non-slip heat insulation glove, size: approx: 8.5cmx11"cm 6".8cm, (silicone)	800.00	2,400.00		
62	4	pcs	Hydrogen peroxide antiseptic/disinfectant, 3% solution, 500ml	65.00	260.00		
63	2	bottles	HYDROGEN PEROXIDE, 500ml	200.00	400.00		
64	2	boxes	INOCULATING LOOPS/NEEDLE, disposable, 500/box	1,200.00	2,400.00		
65	5	packs	insect pins specimen needle stainless steel #0 (length:40 mm, Diameter 0.29 mm; 100pcs per pack)	800.00	4,000.00		
66	5	packs	insect pins specimen needle stainless steel #00 (length:40 mm, Diameter 0.27 mm; 100pcs per pack)	800.00	4,000.00		
67	5	packs	insect pins specimen needle stainless steel #2 (length:40 mm, Diameter 0.38 mm; 100pcs per pack)	800.00	4,000.00		
68	5	packs	insect pins specimen needle stainless steel #3 (length:40 mm, Diameter 0.45 mm; 100pcs per pack)	800.00	4,000.00		
69	5	packs	insect pins specimen needle stainless steel #4 (length:40 mm, Diameter 0.56 mm; 100pcs per pack)	800.00	4,000.00		
70	5	packs	insect pins specimen needle stainless steel #5 (length:40 mm, Diameter 0.71 mm; 100pcs per pack)	800.00	4,000.00		

71	100	pcs	INTERFOLDED PAPER TOWEL, 2 ply, 75 pulls	80.00	8,000.00		
72	30	pcs	Interfolded Tissue Paper, 135 sheets	80.00	2,400.00		
73	6	boxes	Kim wipes. Lint free, 1ply, 4.4x8.4inc,280's	500.00	3,000.00		
74	2	pcs	Laboratory cart, stainless steel general-purpose cart with guard rails, shelf area: 24" x 15.5" (61.0 x 39.4cm), No of shelves: 3, capacity 200lb (91 kg), dimensions: 27 3/8" x 16 5/8" x 33 1/4" (69.5 x 42.2 x 84.4 cm)	22,100.00	44,200.00		
75	12	pcs	Laboratory footwear, white Slip resistant, puncture resistant, anti-static, insulative, lightweight Inside: Plush and comfortable memory foam, Footbed; outsole material: PU Upper Material: Breathable mesh insoles: EVA: size will be measured by the bidder to the actual size of labroatory personnel	850.00	10,200.00		
76	10	boxes	Laboratory Gloves, Heavy Duty, Size: Large (box)	400.00	4,000.00		
77	10	boxes	Laboratory Gloves, Heavy Duty, Size: Medium (box)	400.00	4,000.00		
78	10	boxes	Laboratory Gloves, Heavy Duty, Size: Small (box)	400.00	4,000.00		
79	12	pairs	Laboratory Gloves, Heavy Duty, Size: Large (pair)	150.00	1,800.00		
80	12	pairs	Laboratory Gloves, Heavy Duty, Size: Medium (pair)	150.00	1,800.00		
81	3	units	Laboratory Stool, adjustable	3,000.00	9,000.00		
82	3	pairs	Laboratory safety shoes, Anti-static, for chemical protection, color:white, material: Microfiber, PU, Sizes: 35(3 pairs)	1,200.00	3,600.00		
83	2	pairs	Laboratory safety shoes, Anti-static, for chemical protection, color:white, material: Microfiber, PU, Sizes: 37(3 pairs)	1,200.00	2,400.00		
84	3	pairs	Laboratory safety shoes, Anti-static, for chemical protection, color:white, material: Microfiber, PU, Sizes: 38(3 pairs)	1,200.00	3,600.00		
85	4	pairs	Laboratory safety shoes, Anti-static, for chemical protection, color:white, material: Microfiber, PU, Sizes: 39(3 pairs)	1,200.00	4,800.00		
86	3	pairs	Laboratory safety shoes, Anti-static, for chemical protection, color:white, material: Microfiber, PU, Sizes: 40(6 pairs)	1,200.00	3,600.00		
87	3	pairs	Laboratory safety shoes, Anti-static, for chemical protection, color:white, material: Microfiber, PU, Sizes: 42(2 pairs)	1,200.00	3,600.00		
88	10	pcs	LABORATORY GOWN w/ DA logo, white, 35% cotton and 65% polyester fiber, long sleeve w/cuff, 5 (small), 5 (medium, 3 (large), 2(xL)	900.00	9,000.00		
89	8	pcs	Laboratory gowns w/ DA logo, white, armani cloth	1,000.00	8,000.00		
90	100	pcs	Laboratory tissue, 3ply	23.00	2,300.00		
91	25	pcs	Laboratory tray, plastic rectangular, 10.5'x14 5"x2, without holes	80.00	2,000.00		
92	2	pcs	Microcentrifuge rack, 96 well"reversible"for 1.5 ml. to 2 ml. microtube racks & snap-on Rack covers	3,000.00	6,000.00		
93	6	pcs	Laboratory Utility tray, rectangular plastic tray without holes, L 10" x W 15 x H3" (25.4 cm x 15.2cm x 6.7cm)	280.00	1,680.00		

94	2	boxes	Latex tubing, size: 5/16 x 3/32, quality 50ft, elastic yellow latex tubing	5,000.00	10,000.00		
95	2	pcs	Medical adhesive tape, micropore, 25.4mm x 9.14mm	200.00	400.00		
96	1	pcs	Medical thermometer, digital	270.00	270.00		
97	2	packs	Microcentrifuge Tubes with Snap Cap, Polypropylene, Graduated, Sterile, colorless, capacity 1.5ml., 500 pieces in a pack	3,000.00	6,000.00		
98	2	packs	Microcentrifuge Tubes with Snap Cap, Polypropylene, Graduated, Sterile, colorless, capacity 2 ml., 500 pieces in a pack	3,000.00	6,000.00		
99	10	boxes	MICROSCOPE COVER GLASS, 24x 60mm, 100 pcs/pack, individually wrapped	150.00	1,500.00		
100	30	boxes	MICROSCOPE GLASS SLIDE, frosted end, 72pcs/box (3" x 1")	150.00	4,500.00		
101	30	boxes	MICROSCOPE GLASS SLIDE, plain, 72pcs/box	150.00	4,500.00		
102	3	pcs	MICROSCOPE SLIDE DRAIN RACK, rectangle, 100 pcs capacity, plastic	500.00	1,500.00		
103	5	packs	Moisture dish Specifications: Aluminum moisture dish Size: 51mm x 25mm (2"x1") Capacity: 52mL Reusable heavy-duty aluminum moisture pan with lid, 6pcs per pack	3,000.00	15,000.00		
104	20	boxes	MULTI-SAMPLE NEEDLE 100pcs/box, 21G X 1 1/2"	800.00	16,000.00		
105	20	boxes	MULTI-SAMPLE NEEDLE, 100pcs/box, 21G X 1"	800.00	16,000.00		
106	15	boxes	Nitrile gloves, powder free, size large	600.00	9,000.00		
107	35	boxes	Nitrile gloves, powder free, size: medium	600.00	21,000.00		
108	1	roll	Parafilm, laboratory film, 4"x 125ft	2,500.00	2,500.00		
109	2	packs	Pellet pestle for 1.5 ml. microcentrifuges tubes, 10/pack	950.00	1,900.00		
110	2	pcs	PETRI DISH TRAY, 12 petri dish capacity	4,000.00	8,000.00		
111	10	pcs	PETRI DISH, GLASS, Pair of bottom and cover pyrex	700.00	7,000.00		
112	10	pcs	PETRI DISH, large, 150 mm X 15 mm, pyrex/ borosilicate glass, autoclavable	900.00	9,000.00		
113	2	pcs	Pipette sterilizing tray, rectangular plastic tray with cover, L 18" x W6" x H 2 5/8" (45.7cm x 15.2cm x 6.7cm)	800.00	1,600.00		
114	4	boxes	Plastic Strips, sterilized, 100 pcs/box, standard size	140.00	560.00		
115	100	pcs	Polyethylene reagent bottle w/ lid 150mL capacity	250.00	25,000.00		
116	2	pcs	Povidone iodine, wound solution, 10%, 120ml	300.00	600.00		
117	3	sets	Reagent boats, set of 3 contains trays labeled conjugate substrate and red stop, for use with Elisa assays	3,500.00	10,500.00		
118	6	pcs	Reagent Digger Spatula, for scooping and measuring of powdered, flakes, or granular reagent, stainless steel: 6.5"inc, can fit reagent bottles with small opening	350.00	2,100.00		
119	2	pcs	Reagent Glass Bottle; 1000ml capacity, round bottle, made of borosilicate glass, white enamel graduation and marking spots, with polypropylene screw cap (preferably yellow/orange color)	1,500.00	3,000.00		
120	5	pcs	rectangular carboy constructed of HDPE with polypropylene screw closure, 20L	3,000.00	15,000.00		

121	2	pcs	SCRUB SUIT, cotton, navy blue, terno, (Top: with 2 front pockets; Pants: with 1 back pocket, 2 side pockets) Size: Extra Large	800.00	1,600.00		
122	2	pcs	SCRUB SUIT, cotton, navy blue, terno, (Top: with 2 front pockets; Pants: with 1 back pocket, 2 side pockets) Size: Large	800.00	1,600.00		
123	2	pcs	SCRUB SUIT, cotton, navy blue, terno, (Top: with 2 front pockets; Pants: with 1 back pocket, 2 side pockets) Size: Medium	800.00	1,600.00		
124	2	pcs	SCRUB SUIT, cotton, navy blue, terno, (Top: with 2 front pockets; Pants: with 1 back pocket, 2 side pockets) Size: Small	800.00	1,600.00		
125	2	pcs	SCRUB SUIT, cotton, red, terno, (Top: with 2 front pockets; Pants: with 1 back pocket, 2 side pockets) Size: Extra Large	800.00	1,600.00		
126	2	pcs	SCRUB SUIT, cotton, red, terno, (Top: with 2 front pockets; Pants: with 1 back pocket, 2 side pockets) Size: Large	800.00	1,600.00		
127	2	pcs	SCRUB SUIT, cotton, red, terno, (Top: with 2 front pockets; Pants: with 1 back pocket, 2 side pockets) Size: Medium	800.00	1,600.00		
128	2	pcs	SCRUB SUIT, cotton, red, terno, (Top: with 2 front pockets; Pants: with 1 back pocket, 2 side pockets) Size: Small	800.00	1,600.00		
129	15	pcs	SCRUB SUIT, (4 (3XL), 10 (Medium), 4 (Large), 4 (Small), Midnight Blue	850.00	12,750.00		
130	15	pcs	SCRUB SUIT, canadian cotton plain, terno, (Top: with 2 front pockets; Pants: with 1 back pocket, 2 side pockets, cargo type) DARK BLUE , (size S 5, M 3; L 2;)	900.00	13,500.00		
131	15	pcs	SCRUB SUIT, canadian cotton plain, terno, (Top: with 2 front pockets; Pants: with 1 back pocket, 2 side pockets, cargo type) TWO-TONED MAROON & GREY (size S 5, M 3; L2)	900.00	13,500.00		
132	15	pcs	Secondary containment, black pail bucket with metal handle, 4 gal capacity	200.00	3,000.00		
133	1	pack	stainless steel beads, 5mm., (200 pieces) suitable for use with the Tissue Lyser system	450.00	450.00		
134	5	sets	stainless steel tweezer St-10 to St-17 mutiple Anti-iodine medical tweezer straight curved forgripping small objects	250.00	1,250.00		
135	10	pcs	Straight digestion tubes, kjeldahl tubes, 250ml cap, outer diameter:42mm, length 300mm	3,000.00	30,000.00		
136	5	pcs	straight ultra fine Precision tweezer, stainless, 4 1/4" length, 3 star grade	750.00	3,750.00		
137	140	pcs	Test tubes, 13x100mm, borosilicate glass	35.00	4,900.00		
138	3	pcs	Timer, Three-channel timer	1,500.00	4,500.00		
138	3	boxes	TONGUE DEPRESSOR, non sterile, 100 pcs per pack	100.00	300.00		
140	2	pcs	Tweezers	60.00	120.00		
141	10	racks	VACUTAINER, red top, 5ml, 100 tubes/rack, expiry 2026	800.00	8,000.00		
142	10	racks	VACUTAINER, violet top, 5ml, 100 tubes/rack, expiry 2026	800.00	8,000.00		
143	2	pcs	Volumetric Flask, 2L	5,500.00	11,000.00		
144	3	pcs	Volumetric flasks, glass stoppered, 100ml	2,000.00	6,000.00		
145	3	pcs	Volumetric Pipette, 2ml volume, transparent, borosilicate glass, color-coded	1,500.00	4,500.00		

146	3	pcs	Volumetric Pipette, 30ml volume, transparent, borosilicate glass color-coded	1,700.00	5,100.00		
147	4	pcs	Wash bottles, 500ml cap.	250.00	1,000.00		
148	1	pcs	Waste Container (Carboys), 50 Li cap with drum and carboy funnel	5,000.00	5,000.00		
149	20	pcs	Watch Glass, round, borosilicate glass, 75 mm diameter, for beter covers	300.00	6,000.00		
150	2	packs	WEIGH BOATS, 100 grams capacity, plastic polyesterenenon-static , pack of 100	2,000.00	4,000.00		
151	1	pc	Weighing Scale, 2000g cap.	2,000.00	2,000.00		
152	10	pcs	Wire gauze, stainless steel wire gauze with hemmed edges, with NON asbestos ceramic center approx. 3.25" (85mm), square shape, approx 5'x5' (123mm x 123mm), 10's per pack	400.00	4,000.00		
153	4	pcs	Wound plaster, 1.25cm x 5m	200.00	800.00		
154	5	pcs	Chemical Splash Goggles, § Anti-fog lens § Adjustable elastic strap § Polycarbonate frame material § Anti-scratch lens coating § Over-the-glass frame style § Sealed eyewear § Splash protection § Polyester/cotton/nylon strap material § Headband temple style § 99.9% UV Protection § Indirect venting (e.g. S-shaped vent) DIMENSIONS § Overall Height: 11 inch (279.4 mm) § Overall Length: 2.38 inch (60.45 mm) § Overall Width: 6 inch (152.4 mm)	3,055.00	15,275.00		
155	2	pcs	General Safety Glasses, § Lens Color: Clear § Lens Coating: Anti-scratch & Anti-fog § Frame Color: Clear § Temple Color: Clear § Frame Material: Plastic § Lens Material: Polycarbonate § Frame style: Frameless DIMENSIONS • Overall Length: 10 inch Safety Eyewear Organizer, § Material: Clear Acrylic § Can be mounted vertically or horizontally on walls or sits on tables or benchtop	1,750.00	3,500.00		
156	5	pcs	Butyl Gloves, § Provides resistance to aggressive chemical including solvents and strong acids. § Flexible and comfortable § Natural, curved ergonomic shape § Easy donning and secure grip § Rough finish offers safer handling § Color: Black § Latex free § Material: Butyl § Thickness: 14 mil (0.35 mm) § EN388 Standard: EN 388:1000X, EN 388:1000 § EN ISO 374-1: Type A § EN ISO 374-1 CHEMICAL LETTER CODES: ABCIKMPST § EN ISO 374 - 5: Bacteria, Fungi only	5,120.00	25,600.00		

			§ Glove Cuff Style: Beaded § Grip Design: Rough § Lining: Unlined § Model: 189021 § Length: 14 inch (35.5 cm) § Sizes: 7 (5 pcs), 8 (3 pcs), 9 (2 pcs)				
157	6	pcs	Heat Resistant Gloves, § Self-extinguishing gloves designed for intermittent handling of dry, hot objects up to 350 °C § Flame resistant gloves self-extinguish when exposed to flame § ANSI Abrasion Rating: ANSI 3 § Construction: Seamless Knit § Color: Yellow § Cut Resistance Rating: ANSI A5 § Hand: Specific § Material: Aramid Fiber § Liner Material: Kevlar Para Aramid with Silica Fiber Core § Size: 9 § Temperature Max: 350 °C § EN388 Standard: 154XE § Glove Cuff Style: Knitwrist § Liner Material: Cotton § Yarn Gauge: 7 DIMENSIONS § Length: 330-381 mm/12.99-15 inches § Cotton liner is comfortable and absorbent § Resistant to cuts and abrasion	1,117.25	6,703.50		
158	2	boxes	Particulate Respirator (Organic Vapor) § P95 Filter Class § Nuisance Odor Relief to Organic Vapor § Have advanced electrostatic media § Oil and Non-Oil for aerosol type § Assigned protection factor of 10 § Braided comfort strap § Carbon filter material § Includes cartridge or filter § Cool flow exhalation valve § Soft material for Faceseal or Nosefoam § Gas and Vapor Protection type: Particulate § M – Noseclip § P-Series Filter § Respirator Type: Cup	3,737.00	7,474.00		
159	2	pcs	Particulate Respirator (Acid Gas) § P95 Filter Class § Acid gas reduction § Assigned protection factor of 10 § Braided comfort strap § Carbon filter material § Includes cartridge or filter § Cool flow exhalation valve § Soft material for Faceseal or Nosefoam § Gas and Vapor Protection type: Particulate § M – Noseclip § Nuisance Odor Relief to Acid Gas § P-Series Filter § Respirator Type: Cup	3,721.00	7,442.00		

			<p>§ Have advanced electrostatic media</p> <p>§ Oil and Non-Oil for aerosol type</p>				
160	5	pcs	<p>Half Facepiece Reusable Respirator, § Assigned Protection Factor: 10</p> <p>§ Compatible with: Line Compressed Air System SA Series</p> <p>§ Compatible with Welding Shield</p> <p>§ Connection Type: Bayonet</p> <p>§ Have drop-down feature</p> <p>§ Exhalation Valve</p> <p>§ Facepiece Material: Thermoplastic Elastomer (TPE)</p> <p>§ Facepiece Type: Half Facepiece Reusable</p> <p>§ Dual Airline Supplied Air Compatible</p> <p>§ Harness Type: 4 point</p> <p>§ Hazard Type: Mold, Silica</p> <p>§ Mask Size: Small (4 pcs), Medium (3 pcs), Large (3 pcs)</p> <p>§ Primary Material: Thermoplastic Elastomer (TPE)</p> <p>§ Product Series: 6000</p> <p>§ Product Type: Half Facepiece</p> <p>§ Purpose: Half Facepiece Respirators</p> <p>§ Range: Good</p> <p>§ Specifications Met: NIOSH approved with various cartridges, filters and supplied air systems</p> <p>§ Compatible with purchased filter cartridges</p>	1,096.00	5,480.00		
161	8	pairs	<p>Organic Vapor (OV)/Acid Gas (AG), P100 Filter Cartridge, § NIOSH approval for use with: Certain organic vapors, chlorine, hydrogen chloride, and sulfur dioxide, hydrogen sulfide (escape only), or hydrogen fluoride and particulates.</p> <p>§ NIOSH Color Coding System: Purple (Magenta) - Yellow</p> <p>§ Aerosol Type: Oil and Non-Oil</p> <p>§ Cartridge or Filter Type: Gas and Vapor</p> <p>§ Clip-on Welding Shield</p> <p>§ Bayonet Connection Type</p> <p>§ Have drop-down feature</p> <p>§ Particulate filter permanently attached to cartridge</p> <p>§ Filter class: P100</p> <p>§ Glass fiber paper filter material</p> <p>§ For Use With: Reusable Respirators</p> <p>§ Gas & Protection Type: Organic Vapor/Acid Gas</p> <p>§ Hazard Type: Dust, mist, fumes, gases or vapors and combination hazards, mold, organic vapor, silica</p> <p>§ NIOSH Filter Approval Rating: OV/P100</p> <p>§ Particulate Protection: Asbestos, Mold, Organic Vapor, Silica</p> <p>§ Protection Focus: organic vapors, chlorine, chlorine dioxide, hydrogen chloride, and sulfur dioxide, hydrogen sulfide (escape only), or hydrogen fluoride</p> <p>§ Product Type: Cartridge</p> <p>§ Purpose: Cartridges & Filter</p> <p>§ Facesal: Silicone</p> <p>§ Have six-point head harness</p>	1,935.00	15,480.00		

			<p>§ Have Speaking diaphragm</p> <p>§ Specification Met: P100</p> <p>§ Compatible with the purchased half facepiece reusable respirator</p> <p>DIMENSIONS</p> <p>§ Overall Height: 3.4 inch</p> <p>§ Overall Length: 4.2 inch</p>				
162	8	pairs	<p>Multi-Gas/Vapor (MG)/P100 Cartridge, § NIOSH approval for use with: Certain organic vapors, chlorine, hydrogen chloride, chlorine dioxide, sulfur dioxide, hydrogen sulfide (escape only), ammonia, methylamine, formaldehyde, or hydrogen fluoride and particulates.</p> <p>§ NIOSH Color Coding System: Purple (Magenta) - Olive</p> <p>§ Aerosol Type: Oil and Non-Oil</p> <p>§ Cartridge or Filter Type: Gas and Vapor</p> <p>§ Clip-on Welding Shield</p> <p>§ Bayonet Connection Type</p> <p>§ Have drop-down feature</p> <p>§ Particulate filter permanently attached to cartridge</p> <p>§ Filter Class: P100</p> <p>§ Glass fiber paper filter material</p> <p>§ For Use With: Reusable Respirators</p> <p>§ Gas & Protection Type: Organic vapors, chlorine, hydrogen chloride, chlorine dioxide, sulfur dioxide, hydrogen sulfide (escape only), ammonia, methylamine, formaldehyde, or hydrogen fluoride and particulates.</p> <p>§ Hazard Type: Dust, mist, fumes, gases or vapors and combination hazards, mold, organic vapor, silica</p> <p>§ NIOSH Filter Approval Rating: MG/P100</p> <p>§ Particulate Protection: Asbestos, Ammonia, Formaldehyde, Methylamine, Mold, Organic Vapor, Silica</p> <p>§ Protection Focus: organic vapors, chlorine, hydrogen chloride, chlorine dioxide, sulfur dioxide, hydrogen sulfide (escape only), ammonia, methylamine, formaldehyde, or hydrogen fluoride</p> <p>§ Product Type: Filter & Cartridge Combo</p> <p>§ Purpose: Cartridges & Filter</p> <p>§ Faceseal: Silicone</p> <p>§ Have six-point head harness</p> <p>§ Have Speaking diaphragm</p> <p>§ Specification Met: P100</p> <p>§ Compatible with the purchased half-facepiece reusable respirator</p> <p>DIMENSIONS</p> <p>§ Overall Height: 3.4 inch</p>	2,109.00	16,872.00		
163	5	pairs	<p>Respirator Storage Bag, § 10-mil thick reusable transparent bag with zipper</p> <p>DIMENSIONS</p> <p>§ 12"W x 15"H</p>	695.00	3,475.00		
164	5	pairs	<p>Laboratory Safety Shoes, § Applications: For laboratories</p> <p>§ Type of Protection: Mechanical protection, waterproof, chemical protection, anti-static</p>	5,898.25	29,491.25		

			§ Material: Microfiber, PU § Norms: S2 § Sizes: 36 (2 pairs), 37 (2 pairs), 38 (1 pair), 39 (2 pairs), 42 (2 pairs) NOTE: for Chemist II (1 pair) § Outsole: PU Monodensity § Upper: Microfiber § Toecap: Steel § Insole: Antistatic § Color: White				
165	5	pcs	Laboratory Coat, § Material: Polycotton § Color: White § Closure Type: Snaps § Cuff Style: Open § No. of Pockets: 3 (one outside left breast pocket, two outside lower pockets) § Collar Type: Standard Pointed § Sizes: Small (4 pcs), Medium (3 pcs), Large (3 pcs)	700.00	3,500.00		
166	2	pcs	Laboratory Apron, § Color: White § Material: Polyurethane § Water-repellent § Smooth, washable surface § Metal lugs at connection points § Strap length individually adjustable § Length: 110 cm § Width: 90 cm § Material Thickness: Approximately 0.30 mm	1,150.00	2,300.00		
167	40	units	Thermohygrometer Range: 20 to 90% RH Temperature Range: 0 to 50 degrees Celsius	1,950.00	78,000.00		

Bidders should have completed, within *Two (2) years* from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).

- Bidding will be conducted through open competitive bidding procedures using a non-discretionary “*pass/fail*” criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.

Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.

- Prospective Bidders may obtain further information from DA RFO 5, BAC Secretariat Office, San Agustin, Pili, Camarines Sur and inspect the Bidding Documents at the address given below during ***Mondays – Fridays, 8:00 AM to 5:00 PM except for Holidays, Saturdays and Sundays.***
- A complete set of Bidding Documents may be acquired by interested Bidders on ***April 5-29, 2024 (1:00PM)*** from the given address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of Five Thousand Pesos (Php5,000.00)

The Procuring Entity shall allow the bidder to present its proof of payment for the fees.

6. The **DA RFO 5** will hold a **Pre-Bid Conference** on **April 15, 2024; 1:30PM** at **2nd Flr. Adriano Hall, Admin Bldg., DA RFO-5, San Agustin, Pili, Camarines Sur**, which shall be open to prospective bidders.
7. Bids must be duly received by the BAC Secretariat through manual submission at the office address indicated below, on or before **April 29, 2024; 1:00PM**. Late bids shall not be accepted.
8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in ITB Clause 14.
9. Bid opening shall be on **April 29, 2024; 1:30PM** onwards at the given address below **2nd Flr. Adriano Hall, Admin Bldg., DA RFO-5, San Agustin, Pili, Camarines Sur**. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.
10. In case of a tie Bid, the BAC will conduct the Guidelines on the Use of Non-Discretionary/Non-Discriminatory Selection criteria as Tie-Breaking Method thru DRAW LOTS in case of two or more Bidders have been post-qualified determined as the bidder having the lowest calculated and Responsive Bidder (LCRB) (GPPB Circular No. 06-2005).
11. The **DA RFO 5** reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
12. For further information, please refer to:

BAC Secretariat Office
Department of Agriculture, Regional Field Office No. 5
San Agustin, Pili, Camarines Sur 4418
Email Address: bacrfo5@gmail.com

For downloading of Bidding Documents: www.dabicol.gov.ph

April 3, 2024, San Agustin, Pili, Camarines Sur

(Signed)
LORENZO L. ALVINA
Chief, Integrated Laboratory Division
BAC Chairperson

Section II. Instructions to Bidders

1. Scope of Bid

The Procuring Entity, *Department of Agriculture Regional Field Office No. 5* wishes to receive Bids for the **Supply and Delivery of Various Laboratory Supplies under 2024 ILD** with identification number **25-GOODS-ILD-2024**.

The Procurement Project (referred to herein as “Project”) is composed of *One (1) Lots*, the details of which are described in Section VII (Technical Specifications).

2. Funding Information

2.1. The GOP through the source of funding as indicated below *General Appropriation Act (GAA) for CY 2024 ILD Fund* in the amount of **One Million Three Hundred Sixteen Thousand Five Hundred Fifty-Seven Thousand and 75/100 (Php1,316,557.75)**

2.2. The source of funding is

a. NGA, the General Appropriation Act (GAA)

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex “I” of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.

- 5.2. Foreign ownership limited to those allowed under the rules may participate in this Project. (B)
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, **must be at least 25% of the ABC in the amount of ₱329,139.44**
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

The Procuring Entity has prescribed that Subcontracting is not allowed.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address at **DA RFO 5, San Agustin, Pili, Camarines Sur** and/or through videoconferencing/webcasting as indicated in paragraph 6 of the **Section I. Invitation to Bid**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within **TWO (2) YEARS** prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent

office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, ex-warehouse, ex-showroom, or off-the-shelf, as applicable);
 - ii. The cost of all customs duties and sales and other taxes already paid or payable;
 - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
 - iv. The price of other (incidental) services, if any, listed in e.
 - b. For Goods offered from abroad:
 - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.

- ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications)**.

13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in:
 - a. Philippine Pesos.

14. Bid Security


- 14.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid until **August 27, 2024**. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

15. Sealing and Marking of Bids

Each Bidder shall submit one (1) Original copy of the first and second component of its Bid. The Procuring entity is requesting an additional three (3) hard copies of the bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

Sealed Original, Copy 1, Copy 2& 3 in one (1) Single Envelope



All copies shall be marked Certified True Copy & signed by the bidder or its duly authorized representative.

Additional instructions: All copies must be marked with index/ear tabs or side-end tabs to identify the page components and shall be properly addressed to the BAC Chairperson.

16. Deadline for Submission of Bids

- 16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **Section I. Invitation to Bid**.

17. Opening and Preliminary Examination of Bids

- 17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

- 17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

- 18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII (Technical Specifications)**, although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.

- 19.4. The Project shall be awarded as **One Project having several items that shall be awarded as one contract.**
- 19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

- 20.2. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

- 21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

Bid Data Sheet

ITB Clause					
5.3	<p>For this purpose, contracts similar to the Project shall be:</p> <ul style="list-style-type: none"> a. Laboratory Supplies b. Completed within <i>Two (2) years</i> prior to the deadline for the submission and receipt of bids. 				
7.1	No further instruction				
12	The price of the Goods shall be quoted DDP DA RFO 5, SAN AGUSTIN, PILI, CAMARINES SUR or the applicable International Commercial Terms (INCOTERMS) for this Project.				
14.1	<p>The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:</p> <ul style="list-style-type: none"> a. The amount of not less than (2%) ₱26,331.16, if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or b. The amount of not less than (5%) ₱65,827.89, if bid security is in Surety Bond. 				
19.3	<p>Partial bid is NOT allowed.</p> <table border="1" style="margin-left: auto; margin-right: auto; border-collapse: collapse;"> <thead> <tr> <th style="text-align: center;">Description</th> <th style="text-align: center;">ABC (Php) (inclusive of VAT)</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">Various Laboratory Supplies</td> <td style="text-align: center;">1,316,557.75</td> </tr> </tbody> </table>	Description	ABC (Php) (inclusive of VAT)	Various Laboratory Supplies	1,316,557.75
Description	ABC (Php) (inclusive of VAT)				
Various Laboratory Supplies	1,316,557.75				
20.2	<p>The bidder shall submit the following documents:</p> <ul style="list-style-type: none"> a. Certificate of Availability of Stocks b. Certificate of Authority to Supply and to Bid from the Source c. Certification as to dealership or distributorship d. Pictures/ Brochures/ Brand of product being offered e. Latest Income Tax Return f. Latest VAT Payment g. BIR Certificate of Registration h. Performance Evaluation Report (at least very satisfactory) of Single Largest Completed Contract (SLCC) duly signed by the end-user with the approval of the Director or RTD for government contract and with the approval of the highest-ranking official for private contract i. Attachment of SLCC [Notice of Award, Contract or PO, Notice to Proceed and Inspection and Acceptance (COA Form) (if government), For Private Contract: Contract/PO and Delivery Receipt with Proof of Acceptance] j. Other requirements peculiar to the procurement project under consideration 				
21.2	<i>No further instruction</i>				

Section IV. General Conditions of Contract

1. **Scope of Contract**

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC)**.

2. **Advance Payment and Terms of Payment**

2.1. Advance payment of the contract amount is provided under Annex “D” of the revised 2016 IRR of RA No. 9184.

2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

3. **Performance Security**

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

4. **Inspection and Tests**

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the **SCC, Section IV (Technical Specifications)** shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

- 6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

Special Conditions of Contract

GCC Clause	
1	<p>Delivery and Documents –</p> <p>For purposes of the Contract, “EXW,” “FOB,” “FCA,” “CIF,” “CIP,” “DDP” and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:</p> <p>“The delivery terms applicable to this Contracts are delivered to DA RFO 5, San Agustin, Pili Cam. Sur,</p> <p>Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination.”</p> <p>Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).</p> <p>For purposes of this Clause the Procuring Entity’s Representative at the Project Site is Ms. Cristina E. Borja, Property Officer</p> <p>Incidental Services –</p> <p>The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements:</p> <ol style="list-style-type: none"> a. performance or supervision of on-site assembly and/or start-up of the supplied Goods b. furnishing of tools required for assembly and/or maintenance of the supplied Goods; c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods; d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and e. Training of the Procuring Entity’s personnel, at the Supplier’s plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods <p>The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services</p> <p>Spare Parts –</p> <ol style="list-style-type: none"> a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and b. in the event of termination of production of the spare parts:

- i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
- ii. Following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.

The spare parts and other components required are listed in **Section VI (Schedule of Requirements)** and the costs thereof are included in the contract price.

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods

Spare parts or components shall be supplied as promptly as possible

Packaging –

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4) sides as follows:

Name of the Procuring Entity

Name of the Supplier

Contract Description

Final Destination

Gross weight

Any special lifting instructions

Any special handling instructions

Any relevant HAZCHEM classifications

Transportation –

Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.

	<p>Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.</p>
	<p>Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.</p> <p>The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.</p> <p>Intellectual Property Rights –</p> <p>The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.</p>
2.2	<p>The terms of payment shall be in full payment after completion of the delivery duly inspected by the inspector and by Focal Person or its representative.</p>
4	<p>The inspections that will be conducted are based on the minimum specifications required as indicated in the Technical Specifications.</p>

Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number	Description	Quantity	Total	Delivered, Weeks/Months
	Various Laboratory Supplies	Lot 1	1,316,557.75	60 calendar days upon receipt of NTP

Place of Delivery:

DA RFO 5, ILD BUILDING, San Agustin, Pili Cam. Sur

I hereby commit to comply and deliver all the above requirements in accordance with above stated schedule.

Signature over Printed Name of Authorized Representative: _____

Date: _____

Section VII. Technical Specifications

Technical Specifications

Item No.	QTY	UNIT	Specifications	Statement of Compliance
				<p><i>[Bidders must state here either “Comply” or “Not Comply” against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of “Comply” or “Not Comply” must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer’s un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder’s statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]</i></p>
1	2	boxes	Adhesive bandage, wash proof	
2	2	pcs	Adhesive entrance mats, made of LDPE material, Dimension: 24"x30", white adhesive mat, starter kit 30 layer	
3	12	pcs	Aluminum dishes with cover, 45ml cap, dia:51mm, depth:23mm, round	
4	2	pcs	Amber reagent bottle, 500 ml capacity, round amber bottle, made of borosilicate glass, with permanent graduations and marking spots, autoclavable bottle and polypropylene screw cap	
5	2	pcs	Amber reagent glass bottle, 1000 capacity, round amber bottle, made of borosilicate glass, with permanent graduations and marking spots, autoclavable bottle and polypropylene screw cap	
6	5	packs	AUTOCLAVABLE BIOHAZARD DISPOSAL BAG, 8 1/2" x 11", 100/pack	
7	5	pcs	Autoclavable, Polypropylene, Wide mouth Rectangular Carboy with Spigot, Phtalate-free, leak-proof, with graduation in L, 9L (2Gallon), 8.5 x 5.75 x 14 in. (216 x 146 x 356 mm)	
8	1	box	Autoclave sterilization biological indicator vial steam (100/ box)	
9	10	pcs	Autoclave tape indicator 1 inch	

10	20	pcs	BASKET/TRAY ORGANIZERS for laboratory samples, medium, color white, thick	
11	12	pcs	Beaker, with spout, 150ml capacity, transparent, borosilicate glass	
12	6	pcs	Beaker, without spout, 600ml capacity, borosilicate glass tall	
13	1	roll	Black rubber tubing, ID: approx. 11mm; OD approx. 15mm, thickness: approx. 2mm, Resistant to chemicals, acids, and bases, durable heat resistant, 2 meters	
14	1	set	Bottle top Dispenser for Acids, 30ml capacity	
15	1	pc	Burn ointment, 30g	
16	10	pcs	CENTRIFUGE TUBE RACK, for 50ml conical tube, 36 holes, epoxy coated-steel wire	
17	75	pcs	Centrifuge tubes or Polyethylene container, wide mouth, 150 mL capacity	
18	2	pcs	Cravat bandage, 200cm x 73cm x 73cm	
19	10	pcs	Customize Laboratory gown Long sleeves, with embroidered name at left side chest pocket, 5-buttoned, collared, cotton material with 2 side pockets and 1 left chest pocket, color white. Material: Polyester/Cotton blend. Size will be measured by the bidder to the actual size of laboratory personnel	
20	3	pcs	Digestion racks, 12 placer (tie wire), * for 250ml straight tubes	
21	16	pcs	DIGITAL HYGRO-THERMOMETER, with clock, with humidity sensor, heavy duty	
22	50	packs	DISPOSABLE PPE GOWN, with knitted cuffs, blue, waterproof, non-woven, 10pcs/pack	
23	80	boxes	Distilled water, 3x6Li/ box	
24	1	pc	Drying rack for lab ware, mountable, with draining port and accessories, fits up to 52 pegs, 70cm x 55.3cm x 12.7cm	
25	2	pcs	Elastic bandage, 3" x 5 yards	
26	3	pcs	Enamel trays with cover, rectangle, 8"x12" inch	
27	3	pcs	Erlenmayer Flask; 1000 ml capacity, made of borosilicate glass, with heavy-duty rims	
28	8	pcs	Erlenmayer Flask; 250 ml capacity, made of borosilicate glass, with heavy-duty rims	
29	1	pc	Erlenmeyer flask, 6 liters cap, borosilicate glass, with heavy duty rims	
30	6	pcs	Erlenmeyer flask, with screw cap; 125ml capacity, made of borosilicate glass with phenolic screw cap	
31	6	pcs	Evaporating dish, 50ml cap, porcelain	
32	30	boxes	FACE MASK, 50pcs/box	
33	10	boxes	FACE MASK, KN95 4 PLY (100 pcsS/BOX)	
34	100	boxes	Facemask/ surgical mask w/ earloops, 100's	
35	5	packs	Filter paper No. 1, 125mm	
36	27	boxes	Filter paper, Ashless, diameter 125mm, 100 circles (# 42)	

37	300	sheets	Filter paper, ordinary	
38	4	boxes	Filter paper, #2	
39	6	pcs	Filtering Flask, 1000 ml capacity, made of borosilicate glass	
40	2	packs	Float Racks for 1.5ml and 2.0ml microtubes square, 16-place, 93mmxmm: pack of 4	
41	2	pcs	FORCEPS, stainless	
42	5	pcs	Gas mask set PPE mask safety blue eagle, NP305/RC206 single respirator	
43	5	pcs	Gauze bandage, 40" x 10 yards	
44	1	pc	Glass Desiccator, 150mm glass desiccator, with desiccator plate	
45	1	pc	Glass Desiccator, 200mm glass desiccator, with desiccator plate	
46	10	pcs	Glass Funnel, flutedfilling funnel, made of borosilicate glass 60' angle, top diameter: 7.5 cm, short stem	
47	4	sets	GLASS SLIDE/COVER SLIP	
48	2	boxes	GLOVES, LATEX, SMALL, 10s (FOR UTILITY)	
49	3	boxes	GLOVES, Latex, SMALL, 10s/box	
50	2	boxes	GLOVES, NITRILE,PAIR OF 50'S EXTRA LARGE, EXPIRY 2026	
51	2	boxes	GLOVES, NITRILE,PAIR OF 50'S LARGE, EXPIRY 2026	
52	2	boxes	GLOVES, NITRILE,PAIR OF 50'S, MEDIUM, EXPIRY 2026	
53	3	boxes	GLOVES, vinyl/nitrile, MEDIUM, pair of 50's, expiry 2026, 10s/box	
54	3	boxes	GLOVES, vinyl/nitrile, SMALL, pair of 50's, expiry 2026, 10s/box	
55	6	boxes	Gooch crucible w/ perforated holes, 30ml cap., porcelain with lid and disk	
56	2	pcs	Graduated Cylinder, 1000ml pyrex	
57	2	pcs	Graduated Cylinder, 10ml pyrex	
58	2	pcs	Graduated Cylinder, 500ml pyrex	
59	2	pcs	Graduated pipets, 10ml	
60	1	pc	Handheld pH meter with buffer Model: PHscan20 pH Range: 0.0-14.-pH pH Accuracy: +0.05pH pH Calibration Points: Atleast 3 pH Buffer Options: NIST Standard Operating Temperature: 0~60deg C Power Requirements: 3x1.5V "G13A" Batteries Dimensions: 185 (L) x 40 (Dia.) mm Weight: 100g	
61	3	pairs	Hot hands, non slip heat insulation glove, size: approx: 8.5cmx11"cm 6".8cm, (silicone)	
62	4	pcs	Hydrogen peroxide antiseptic/disinfectant, 3% solution, 500ml	
63	2	bottles	HYDROGEN PEROXIDE, 500ml	

64	2	boxes	INOCULATING LOOPS/NEEDLE, disposable, 500/box	
65	5	packs	insect pins specimen needle stainless steel #0 (length:40 mm, Diameter 0.29 mm; 100pcs per pack)	
66	5	packs	insect pins specimen needle stainless steel #00 (length:40 mm, Diameter 0.27 mm; 100pcs per pack)	
67	5	packs	insect pins specimen needle stainless steel #2 (length:40 mm, Diameter 0.38 mm; 100pcs per pack)	
68	5	packs	insect pins specimen needle stainless steel #3 (length:40 mm, Diameter 0.45 mm; 100pcs per pack)	
69	5	packs	insect pins specimen needle stainless steel #4 (length:40 mm, Diameter 0.56 mm; 100pcs per pack)	
70	5	packs	insect pins specimen needle stainless steel #5 (length:40 mm, Diameter 0.71 mm; 100pcs per pack)	
71	100	pcs	INTERFOLDED PAPER TOWEL, 2 ply, 75 pulls	
72	30	pcs	Interfolded Tissue Paper, 135 sheets	
73	6	boxes	Kim wipes. Lint free, 1ply, 4.4x8.4inc,280's	
74	2	pcs	Laboratory cart, stainless steel general-purpose cart with guard rails, shelf area: 24" x 15.5" (61.0 x 39.4cm), No of shelves: 3, capacity 200lb (91 kg), dimensions: 27 3/8" x 16 5/8" x 33 1/4" (69.5 x 42.2 x 84.4 cm)	
75	12	pcs	Laboratory footwear, white Slip resistant, puncture resistant, anti-static, insulative, lightweight Inside: Plush and comfortable memory foam, Footbed; outsole material: PU Upper Material: Breathable mesh insoles: EVA: size will be measured by the bidder to the actual size of labroatory personnel	
76	10	boxes	Laboratory Gloves, Heavy Duty, Size: Large (box)	
77	10	boxes	Laboratory Gloves, Heavy Duty, Size: Medium (box)	
78	10	boxes	Laboratory Gloves, Heavy Duty, Size: Small (box)	
79	12	pairs	Laboratory Gloves, Heavy Duty, Size: Large (pair)	
80	12	pairs	Laboratory Gloves, Heavy Duty, Size: Medium (pair)	
81	3	units	Laboratory Stool, adjustable	
82	3	pairs	Laboratory safety shoes, Anti-static, for chemical protection, color:white, material: Microfiber, PU, Sizes: 35(3 pairs)	
83	2	pairs	Laboratory safety shoes, Anti-static, for chemical protection, color:white, material: Microfiber, PU, Sizes: 37(3 pairs)	
84	3	pairs	Laboratory safety shoes, Anti-static, for chemical protection, color:white, material: Microfiber, PU, Sizes: 38(3 pairs)	
85	4	pairs	Laboratory safety shoes, Anti-static, for chemical protection, color:white, material: Microfiber, PU, Sizes: 39(3 pairs)	
86	3	pairs	Laboratory safety shoes, Anti-static, for chemical protection, color:white, material: Microfiber, PU, Sizes: 40(6 pairs)	

87	3	pairs	Laboratory safety shoes, Anti-static, for chemical protection, color:white, material: Microfiber, PU, Sizes: 42(2 pairs)	
88	10	pcs	LABORATORY GOWN w/ DA logo, white, 35% cotton and 65% polyester fiber, long sleeve w/cuff, 5 (small), 5 (medium, 3 (large), 2(xL)	
89	8	pcs	Laboratory gowns w/ DA logo, white, armani cloth	
90	100	pcs	Laboratory tissue, 3ply	
91	25	pcs	Laboratory tray, plastic rectangular, 10.5'x14 5"x2, without holes	
92	2	pcs	Microcentrifuge rack, 96 well"reversible"for 1.5 ml. to 2 ml. microtube racks & snap-on Rack covers	
93	6	pcs	Laboratory Utility tray, rectangular plastic tray without holes, L 10" x W 15 x H3" (25.4 cm x 15.2cm x 6.7cm)	
94	2	boxes	Latex tubing, size: 5/16 x 3/32, quality 50ft, elastic yellow latex tubing	
95	2	pcs	Medical adhesive tape, micropore, 25.4mm x 9.14mm	
96	1	pcs	Medical thermometer, digital	
97	2	packs	Microcentrifuge Tubes with Snap Cap, Polypropylene, Graduated, Sterile, colorless, capacity 1.5ml., 500 pieces in a pack	
98	2	packs	Microcentrifuge Tubes with Snap Cap, Polypropylene, Graduated, Sterile, colorless, capacity 2 ml., 500 pieces in a pack	
99	10	boxes	MICROSCOPE COVER GLASS, 24x 60mm, 100 pcs/pack, individually wrapped	
100	30	boxes	MICROSCOPE GLASS SLIDE, frosted end, 72pcs/box (3" x 1")	
101	30	boxes	MICROSCOPE GLASS SLIDE, plain, 72pcs/box	
102	3	pcs	MICROSCOPE SLIDE DRAIN RACK, rectangle, 100 pcs capacity, plastic	
103	5	packs	Moisture dish Specifications: Aluminum moisture dish Size: 51mm x 25mm (2"x1") Capacity: 52mL Reusable heavy-duty aluminum moisture pan with lid 6pcs per pack	
104	20	boxes	MULTI-SAMPLE NEEDLE 100pcs/box, 21G X 1 1/2"	
105	20	boxes	MULTI-SAMPLE NEEDLE, 100pcs/box, 21G X 1"	
106	15	boxes	Nitrile gloves, powder free, size large	
107	35	boxes	Nitrile gloves, powder free, size: medium	
108	1	roll	Parafilm, laboratory film, 4"x 125ft	
109	2	packs	Pellet pestle for 1.5 ml. microcentrifuges tubes, 10/pack	
110	2	pcs	PETRI DISH TRAY, 12 petri dish capacity	
111	10	pcs	PETRI DISH, GLASS, Pair of bottom and cover pyrex	
112	10	pcs	PETRI DISH, large, 150 mm X 15 mm,pyrex/ borosilicate glass, autoclavable	

113	2	pcs	Pipette sterilizing tray, rectangular plastic tray with cover, L 18" x W6" x H 2 5/8" (45.7cm x 15.2cm x 6.7cm)	
114	4	boxes	Plastic Strips, sterilized, 100 pcs/box, standard size	
115	100	pcs	Polyethylene reagent bottle w/ lid 150mL capacity	
116	2	pcs	Povidone iodine, wound solution, 10%, 120ml	
117	3	sets	Reagent boats, set of 3 contains trays labeled conjugate substrate and red stop, for use with Elisa assays	
118	6	pcs	Reagent Digger Spatula, for scooping and measuring of powdered, flakes, or granular reagent, stainless steel: 6.5"inc, can fit reagent bottles with small opening	
119	2	pcs	Reagent Glass Bottle; 1000ml capacity, round bottle, made of borosilicate glass, white enamel graduation and marking spots, with polypropylene screw cap (preferably yellow/orange color)	
120	5	pcs	rectangular carboy constructed of HDPE with polypropylene screw closure, 20L	
121	2	pcs	SCRUB SUIT, cotton, navy blue, terno, (Top: with 2 front pockets; Pants: with 1 back pocket, 2 side pockets) Size: Extra Large	
122	2	pcs	SCRUB SUIT, cotton, navy blue, terno, (Top: with 2 front pockets; Pants: with 1 back pocket, 2 side pockets) Size: Large	
123	2	pcs	SCRUB SUIT, cotton, navy blue, terno, (Top: with 2 front pockets; Pants: with 1 back pocket, 2 side pockets) Size: Medium	
124	2	pcs	SCRUB SUIT, cotton, navy blue, terno, (Top: with 2 front pockets; Pants: with 1 back pocket, 2 side pockets) Size: Small	
125	2	pcs	SCRUB SUIT, cotton, red, terno, (Top: with 2 front pockets; Pants: with 1 back pocket, 2 side pockets) Size: Extra Large	
126	2	pcs	SCRUB SUIT, cotton, red, terno, (Top: with 2 front pockets; Pants: with 1 back pocket, 2 side pockets) Size: Large	
127	2	pcs	SCRUB SUIT, cotton, red, terno, (Top: with 2 front pockets; Pants: with 1 back pocket, 2 side pockets) Size: Medium	
128	2	pcs	SCRUB SUIT, cotton, red, terno, (Top: with 2 front pockets; Pants: with 1 back pocket, 2 side pockets) Size: Small	
129	15	pcs	SCRUB SUIT, (4 (3XL), 10 (Medium), 4 (Large), 4 (Small), Midnight Blue	
130	15	pcs	SCRUB SUIT, canadian cotton plain, terno, (Top: with 2 front pockets; Pants: with 1 back pocket, 2 side pockets, cargo type) DARK BLUE , (size S 5, M 3; L 2;)	
131	15	pcs	SCRUB SUIT, canadian cotton plain, terno, (Top: with 2 front pockets; Pants: with 1 back pocket, 2 side pockets, cargo type) TWO-TONED MAROON & GREY (size S 5, M 3; L 2)	
132	15	pcs	Secondary containment, black pail bucket with metal handle, 4 gal capacity	
133	1	pack	stainless steel beads, 5mm., (200 pieces) suitable for use with the Tissue Lyser system	

134	5	sets	stainless steel tweezer St-10 to St-17 mutiple Anti-iodine medical tweezer straight curved forgripping small objects	
135	10	pcs	Straight digestion tubes, kjeldahl tubes, 250ml cap, outer diameter:42mm, length 300mm	
136	5	pcs	straight ultra fine Precision tweezer, stainless, 4 1/4" length, 3 star grade	
137	140	pcs	Test tubes, 13x100mm, borosilicate glass	
138	3	pcs	Timer, Three-channel timer	
138	3	boxes	TONGUE DEPRESSOR, non sterile, 100 pcs per pack	
140	2	pcs	Tweezers	
141	10	racks	VACUTAINER, red top, 5ml, 100 tubes/rack, expiry 2026	
142	10	racks	VACUTAINER, violet top, 5ml, 100 tubes/rack, expiry 2026	
143	2	pcs	Volumetric Flask, 2L	
144	3	pcs	Volumetric flasks, glass stoppered, 100ml	
145	3	pcs	Volumetric Pipette, 2ml volume, transparent, borosilicate glass, color-coded	
146	3	pcs	Volumetric Pipette, 30ml volume, transparent, borosilicate glass color-coded	
147	4	pcs	Wash bottles, 500ml cap.	
148	1	pcs	Waste Container (Carboys), 50 Li cap with drum and carboy funnel	
149	20	pcs	Watch Glass, round, borosilicate glass, 75 mm diameter, for beter covers	
150	2	packs	WEIGH BOATS, 100 grams capacity, plastic polyesterenenon-static , pack of 100	
151	1	pc	Weighing Scale, 2000g cap.	
152	10	pcs	Wire gauze, stainless steel wire gauze with hemmed edges, with NON asbestos ceramic center approx. 3.25" (85mm), square shape, approx 5'x5' (123mm x 123mm), 10's per pack	
153	4	pcs	Wound plaster, 1.25cm x 5m	
154	5	pcs	Chemical Splash Goggles, § Anti-fog lens § Adjustable elastic strap § Polycarbonate frame material § Anti-scratch lens coating § Over-the-glass frame style § Sealed eyewear § Splash protection § Polyester/cotton/nylon strap material § Headband temple style § 99.9% UV Protection § Indirect venting (e.g. S-shaped vent) DIMENSIONS § Overall Height: 11 inch (279.4 mm) § Overall Length: 2.38 inch (60.45 mm) § Overall Width: 6 inch (152.4 mm)	
155	2	pcs	General Safety Glasses, § Lens Color: Clear § Lens Coating: Anti-scratch & Anti-fog § Frame Color: Clear	

			<p>§ Temple Color: Clear § Frame Material: Plastic § Lens Material: Polycarbonate § Frame style: Frameless DIMENSIONS • Overall Length: 10 inch Safety Eyewear Organizer, § Material: Clear Acrylic § Can be mounted vertically or horizontally on walls or sits on tables or benchtop</p>	
156	5	pcs	<p>Butyl Gloves, § Provides resistance to aggressive chemical including solvents and strong acids. § Flexible and comfortable § Natural, curved ergonomic shape § Easy donning and secure grip § Rough finish offers safer handling § Color: Black § Latex free § Material: Butyl § Thickness: 14 mil (0.35 mm) § EN388 Standard: EN 388:1000X, EN 388:1000 § EN ISO 374-1: Type A § EN ISO 374-1 CHEMICAL LETTER CODES: ABCIKMPST § EN ISO 374 – 5: Bacteria, Fungi only § Glove Cuff Style: Beaded § Grip Design: Rough § Lining: Unlined § Model: 189021 § Length: 14 inch (35.5 cm) § Sizes: 7 (5 pcs), 8 (3 pcs), 9 (2 pcs)</p>	
157	6	pcs	<p>Heat Resistant Gloves, § Self-extinguishing gloves designed for intermittent handling of dry, hot objects up to 350 °C § Flame resistant gloves self-extinguish when exposed to flame § ANSI Abrasion Rating: ANSI 3 § Construction: Seamless Knit § Color: Yellow § Cut Resistance Rating: ANSI A5 § Hand: Specific § Material: Aramid Fiber § Liner Material: Kevlar Para Aramid with Silica Fiber Core § Size: 9 § Temperature Max: 350 °C § EN388 Standard: 154XE § Glove Cuff Style: Knitwrist § Liner Material: Cotton § Yarn Gauge: 7 DIMENSIONS § Length: 330-381 mm/12.99-15 inches § Cotton liner is comfortable and absorbent § Resistant to cuts and abrasion</p>	
158	2	boxes	<p>Particulate Respirator (Organic Vapor) § P95 Filter Class § Nuisance Odor Relief to Organic Vapor § Have advanced electrostatic media § Oil and Non-Oil for aerosol type § Assigned protection factor of 10</p>	

			<ul style="list-style-type: none"> § Braided comfort strap § Carbon filter material § Includes cartridge or filter § Cool flow exhalation valve § Soft material for Face seal or Nose foam § Gas and Vapor Protection type: Particulate § M – Noseclip § P-Series Filter § Respirator Type: Cup 	
159	2	pcs	<ul style="list-style-type: none"> Particulate Respirator (Acid Gas) § P95 Filter Class § Acid gas reduction § Assigned protection factor of 10 § Braided comfort strap § Carbon filter material § Includes cartridge or filter § Cool flow exhalation valve § Soft material for Face seal or Nose foam § Gas and Vapor Protection type: Particulate § M – Noseclip § Nuisance Odor Relief to Acid Gas § P-Series Filter § Respirator Type: Cup § Have advanced electrostatic media § Oil and Non-Oil for aerosol type 	
160	5	pcs	<ul style="list-style-type: none"> Half Facepiece Reusable Respirator, § Assigned Protection Factor: 10 § Compatible with: Line Compressed Air System SA Series § Compatible with Welding Shield § Connection Type: Bayonet § Have drop-down feature § Exhalation Valve § Facepiece Material: Thermoplastic Elastomer (TPE) § Facepiece Type: Half Facepiece Reusable § Dual Airline Supplied Air Compatible § Harness Type: 4 point § Hazard Type: Mold, Silica § Mask Size: Small (4 pcs), Medium (3 pcs), Large (3 pcs) § Primary Material: Thermoplastic Elastomer (TPE) § Product Series: 6000 § Product Type: Half Facepiece § Purpose: Half Facepiece Respirators § Range: Good § Specifications Met: NIOSH approved with various cartridges, filters and supplied air systems § Compatible with purchased filter cartridges 	
161	8	pairs	<ul style="list-style-type: none"> Organic Vapor (OV)/Acid Gas (AG), P100 Filter Cartridge, § NIOSH approval for use with: Certain organic vapors, chlorine, hydrogen chloride, and sulfur dioxide, hydrogen sulfide (escape only), or hydrogen fluoride and particulates. § NIOSH Color Coding System: Purple (Magenta) - Yellow § Aerosol Type: Oil and Non-Oil § Cartridge or Filter Type: Gas and Vapor § Clip-on Welding Shield 	

			<p>§ Bayonet Connection Type</p> <p>§ Have drop-down feature</p> <p>§ Particulate filter permanently attached to cartridge</p> <p>§ Filter class: P100</p> <p>§ Glass fiber paper filter material</p> <p>§ For Use With: Reusable Respirators</p> <p>§ Gas & Protection Type: Organic Vapor/Acid Gas</p> <p>§ Hazard Type: Dust, mist, fumes, gases or vapors and combination hazards, mold, organic vapor, silica</p> <p>§ NIOSH Filter Approval Rating: OV/P100</p> <p>§ Particulate Protection: Asbestos, Mold, Organic Vapor, Silica</p> <p>§ Protection Focus: organic vapors, chlorine, chlorine dioxide, hydrogen chloride, and sulfur dioxide, hydrogen sulfide (escape only), or hydrogen fluoride</p> <p>§ Product Type: Cartridge</p> <p>§ Purpose: Cartridges & Filter</p> <p>§ Faceseal: Silicone</p> <p>§ Have six-point head harness</p> <p>§ Have Speaking diaphragm</p> <p>§ Specification Met: P100</p> <p>§ Compatible with the purchased half facepiece reusable respirator</p> <p>DIMENSIONS</p> <p>§ Overall Height: 3.4 inch</p> <p>§ Overall Length: 4.2 inch</p>	
162	8	pairs	<p>Multi-Gas/Vapor (MG)/P100 Cartridge, § NIOSH approval for use with: Certain organic vapors, chlorine, hydrogen chloride, chlorine dioxide, sulfur dioxide, hydrogen sulfide (escape only), ammonia, methylamine, formaldehyde, or hydrogen fluoride and particulates.</p> <p>§ NIOSH Color Coding System: Purple (Magenta) - Olive</p> <p>§ Aerosol Type: Oil and Non-Oil</p> <p>§ Cartridge or Filter Type: Gas and Vapor</p> <p>§ Clip-on Welding Shield</p> <p>§ Bayonet Connection Type</p> <p>§ Have drop-down feature</p> <p>§ Particulate filter permanently attached to cartridge</p> <p>§ Filter Class: P100</p> <p>§ Glass fiber paper filter material</p> <p>§ For Use With: Reusable Respirators</p> <p>§ Gas & Protection Type: Organic vapors, chlorine, hydrogen chloride, chlorine dioxide, sulfur dioxide, hydrogen sulfide (escape only), ammonia, methylamine, formaldehyde, or hydrogen fluoride and particulates.</p> <p>§ Hazard Type: Dust, mist, fumes, gases or vapors and combination hazards, mold, organic vapor, silica</p> <p>§ NIOSH Filter Approval Rating: MG/P100</p> <p>§ Particulate Protection: Asbestos, Ammonia, Formaldehyde, Methylamine, Mold, Organic Vapor, Silica</p> <p>§ Protection Focus: organic vapors, chlorine, hydrogen chloride, chlorine dioxide, sulfur dioxide, hydrogen sulfide (escape only), ammonia, methylamine, formaldehyde, or hydrogen fluoride</p>	

			<p>§ Product Type: Filter & Cartridge Combo § Purpose: Cartridges & Filter § Face Seal: Silicone § Have six-point head harness § Have Speaking diaphragm § Specification Met: P100 § Compatible with the purchased half-facepiece reusable respirator DIMENSIONS § Overall Height: 3.4 inch</p>	
163	5	pairs	<p>Respirator Storage Bag, § 10-mil thick reusable transparent bag with zipper DIMENSIONS § 12"W x 15"H</p>	
164	5	pairs	<p>Laboratory Safety Shoes, § Applications: For laboratories § Type of Protection: Mechanical protection, waterproof, chemical protection, anti-static § Material: Microfiber, PU § Norms: S2 § Sizes: 36 (2 pairs), 37 (2 pairs), 38 (1 pair), 39 (2 pairs), 42 (2 pairs) NOTE: for Chemist II (1 pair) § Outsole: PU Monodensity § Upper: Microfiber § Toecap: Steel § Insole: Antistatic § Color: White</p>	
165	5	pcs	<p>Laboratory Coat, § Material: Polycotton § Color: White § Closure Type: Snaps § Cuff Style: Open § No. of Pockets: 3 (one outside left breast pocket, two outside lower pockets) § Collar Type: Standard Pointed § Sizes: Small (4 pcs), Medium (3 pcs), Large (3 pcs)</p>	
166	2	pcs	<p>Laboratory Apron, § Color: White § Material: Polyurethane § Water-repellent § Smooth, washable surface § Metal lugs at connection points § Strap length individually adjustable § Length: 110 cm § Width: 90 cm § Material Thickness: Approximately 0.30 mm</p>	
167	40	units	<p>Thermohygrometer Range: 20 to 90% RH Temperature Range: 0 to 50 degrees Celsius</p>	
			<ol style="list-style-type: none"> a. Certificate of Availability of Stocks b. Certificate of Authority to Supply and to Bid from the Source c. Certification as to dealership or distributorship d. Pictures/ Brochures/ Brand of product being offered 	

			* Bidder/s may attach the above-mentioned <u>documents</u> but NOT be a ground for disqualification during the bid opening.	
--	--	--	--	--

I hereby commit to comply and deliver all the above requirements in accordance with above technical specifications.

Signature over Printed Name of Authorized Representative _____


Date: _____

***Section VIII. Checklist of Technical and
Financial Documents***

Checklist of Technical and Financial Documents

*** Each Bidder shall submit one (1) Original copy of the first and second component of its Bid. The Procuring entity is requesting an additional three (3) hard copies of the bid.**

Sealed Original, Copy 1, Copy 2 & 3 in one (1) Single Envelope



All copies shall be marked Certified True Copy & signed by the bidder or its duly authorized representative.

Additional instructions: All copies must be marked with index/ear tabs or side-end tabs to identify the page components and shall be properly addressed to the **BAC Chairperson**.

I. TECHNICAL COMPONENT ENVELOPE

Class "A" Documents

Legal Documents

- (a) **Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) in accordance with Section 8.5.2 of the IRR;**

Technical Documents

- (b) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; **and**
- (c) Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents; **and**
- (d) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission;
or
Original copy of Notarized Bid Securing Declaration; **and**
- (e) Conformity with the Technical Specifications, which may include production/delivery schedule, manpower requirements, and/or after-sales/parts, if applicable; **and**
- (f) Original duly signed Omnibus Sworn Statement (OSS);

and if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

Financial Documents

- (g) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC);
or
A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

Class "B" Documents

- (h) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence;
or
duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

Other documentary requirements under RA No. 9184 (as applicable)

- (i) *[For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos]* Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
- (j) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

II. FINANCIAL COMPONENT ENVELOPE

- (a) Original of duly signed and accomplished Financial Bid Form; **and**
- (b) Original of duly signed and accomplished Price Schedule(s).

Section IX. BIDDING FORMS

BID FORM

Date : _____
Project Identification No. : _____

To: *[name and address of Procuring Entity]*

Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers *[insert numbers]*, the receipt of which is hereby duly acknowledged, we, the undersigned, offer to *[supply/deliver/perform]* *[description of the Goods]* in conformity with the said PBDs for the sum of *[total Bid amount in words and figures]* or the total calculated bid price, as evaluated and corrected for computational errors, and other bid modifications in accordance with the Price Schedules attached herewith and made part of this Bid. The total bid price includes the cost of all taxes, such as, but not limited to: *[specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties]*, which are itemized herein or in the Price Schedules,

If our Bid is accepted, we undertake:

- a. to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements of the Philippine Bidding Documents (PBDs);
- b. to provide a performance security in the form, amounts, and within the times prescribed in the PBDs;
- c. to abide by the Bid Validity Period specified in the PBDs and it shall remain binding upon us at any time before the expiration of that period.

[Insert this paragraph if Foreign-Assisted Project with the Development Partner:

Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below:

Name and address of agent	Amount and Commission or gratuity	Purpose of
_____	_____	_____
_____	_____	_____
_____	_____	_____

(if none, state "None")]

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements pursuant to the PBDs.

The undersigned is authorized to submit the bid on behalf of *[name of the bidder]* as evidenced by the attached *[state the written authority]*.

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

Name: _____

Legal capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____

Date: _____

GPPB Resolution No. 16-2020, dated 16 September 2020

Price Schedule for Goods Offered from Abroad
[shall be submitted with the Bid if bidder is offering goods from Abroad]

For Goods Offered from Abroad

Name of Bidder _____ Project ID No. _____ Page ___ of ___

1	2	3	4	5	6	7	8	9
Item	Description	Country of origin	Quantity	Unit price CIF port of entry (specify port) or CIP named place (specify border point or place of destination)	Total CIF or CIP price per item (col. 4 x 5)	Unit Price Delivered Duty Unpaid (DDU)	Unit price Delivered Duty Paid (DDP)	Total Price delivered DDP (col 4 x 8)

Name: _____

Legal Capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____

Price Schedule for Goods Offered from Within the Philippines
[Shall be submitted with the Bid if bidder is offering goods from within the Philippines]

For Goods Offered from Within the Philippines

Name of Bidder _____ Project ID No. _____ Page ___ of ___

1	2	3	4		5	6	7	8	9	10
Item No.	Description	Country of Origin	Quantity		Unit Price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and Other taxes payable if contract is awarded per item	Cost of Incidental Services, if applicable, per item	Total Price per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4)
1	Adhesive bandage, wash proof		2	boxes						
2	Adhesive entrance mats, made of LDPE material, Dimension: 24"x30", white adhesive mat, starter kit 30 layer		2	pcs						
3	Aluminum dishes with cover, 45ml cap, dia:51mm, depth:23mm, round		12	pcs						
4	Amber reagent bottle, 500 ml capacity, round amber bottle, made of borosilicate glass, with permanent graduations and marking spots, autoclavable bottle and polypropylene screw cap		2	pcs						
5	Amber reagent glass bottle, 1000 capacity, round amber bottle, made of borosilicate glass, with permanent graduations and marking spots, autoclavable bottle and polypropylene screw cap		2	pcs						
6	AUTOCLAVABLE BIOHAZARD DISPOSAL BAG, 8 1/2" x 11", 100/pack		5	packs						
7	Autoclavable, Polypropylene, Wide mouth Rectangular Carboy with Spigot, Phtalate-free, leak-proof, with graduation in L, 9L (2Gallon), 8.5 x 5.75 x 14 in. (216 x 146 x 356 mm)		5	pcs						
8	Autoclave sterilization biological indicator vial steam (100/ box)		1	box						

9	Autoclave tape indicator 1 inch		10	pcs						
10	BASKET/TRAY ORGANIZERS for laboratory samples, medium, color white, thick		20	pcs						
11	Beaker, with spout, 150ml capacity, transparent, borosilicate glass		12	pcs						
12	Beaker, without spout, 600ml capacity, borosilicate glass tall		6	pcs						
13	Black rubber tubing, ID: approx. 11mm; OD approx. 15mm, thickness: approx. 2mm, Resistant to chemicals, acids, and bases, durable heat resistant, 2 meters		1	roll						
14	Bottle top Dispenser for Acids, 30ml capacity		1	set						
15	Burn ointment, 30g		1	pc						
16	CENTRIFUGE TUBE RACK, for 50ml conical tube, 36 holes, epoxy coated-steel wire		10	pcs						
17	Centrifuge tubes or Polyethylene container, wide mouth, 150 mL capacity		75	pcs						
18	Cravat bandage, 200cm x 73cm x 73cm		2	pcs						
19	Customize Laboratory gown Long sleeves, with embroidered name at left side chest pocket, 5-buttoned, collared, cotton material with 2 side pockets and 1 left chest pocket, color white. Material: Polyester/Cotton blend. Size will be measured by the bidder to the actual size of laboratory personnel		10	pcs						
20	Digestion racks, 12 placer (tie wire), * for 250ml straight tubes		3	pcs						
21	DIGITAL HYGRO-THERMOMETER, with clock, with humidity sensor, heavy duty		16	pcs						
22	DISPOSABLE PPE GOWN, with knitted cuffs, blue, waterproof, non-woven, 10pcs/pack		50	packs						
23	Distilled water, 3x6Li/box		80	boxes						

24	Drying rack for lab ware, mountable, with draining port and accessories, fits up to 52 pegs, 70cm x 55.3cm x 12.7cm	1	pc							
25	Elastic bandage, 3" x 5 yards	2	pcs							
26	Enamel trays with cover, rectangle, 8"x12" inch	3	pcs							
27	Erlenmayer Flask; 1000 ml capacity, made of borosilicate glass, with heavy-duty rims	3	pcs							
28	Erlenmayer Flask; 250 ml capacity, made of borosilicate glass, with heavy-duty rims	8	pcs							
29	Erlenmeyer flask, 6 liters cap, borosilicate glass, with heavy duty rims	1	pc							
30	Erlenmeyer flask, with screw cap; 125ml capacity, made of borosilicate glass with phenolic screw cap	6	pcs							
31	Evaporating dish, 50ml cap, porcelain	6	pcs							
32	FACE MASK, 50pcs/box	30	boxes							
33	FACE MASK, KN95 4 PLY (100 pcsS/BOX)	10	boxes							
34	Facemask/ surgical mask w/ earloops, 100's	100	boxes							
35	Filter paper No. 1, 125mm	5	packs							
36	Filter paper, Ashless, diameter 125mm, 100 circles (# 42)	27	boxes							
37	Filter paper, ordinary	300	sheets							
38	Filter paper, #2	4	boxes							
39	Filtering Flask, 1000 ml capacity, made of borosilicate glass	6	pcs							
40	Float Racks for 1.5ml and 2.0ml microtubes square, 16-place, 93mmxmm: pack of 4	2	packs							
41	FORCEPS, stainless	2	pcs							
42	Gas mask set PPE mask safety blue eagle, NP305/RC206 single respirator	5	pcs							
43	Gauze bandage, 40" x 10 yards	5	pcs							
44	Glass Desiccator, 150mm glass desiccator, with desiccator plate	1	pc							
45	Glass Desiccator, 200mm glass desiccator, with desiccator plate	1	pc							

46	Glass Funnel, flutedfilling funnel, made of borosilicate glass 60' angle, top diameter: 7.5 cm, short stem		10	pcs						
47	GLASS SLIDE/COVER SLIP		4	sets						
48	GLOVES, LATEX, SMALL, 10s (FOR UTILITY)		2	boxes						
49	GLOVES, Latex, SMALL, 10s/box		3	boxes						
50	GLOVES, NITRILE,PAIR OF 50'S EXTRA LARGE, EXPIRY 2026		2	boxes						
51	GLOVES, NITRILE,PAIR OF 50'S LARGE, EXPIRY 2026		2	boxes						
52	GLOVES, NITRILE,PAIR OF 50'S, MEDIUM, EXPIRY 2026		2	boxes						
53	GLOVES, vinyl/nitrile, MEDIUM, pair of 50's, expiry 2026, 10s/box		3	boxes						
54	GLOVES, vinyl/nitrile, SMALL, pair of 50's, expiry 2026, 10s/box		3	boxes						
55	Gooch crucible w/ perforated holes, 30ml cap., porcelain with lid and disk		6	boxes						
56	Graduated Cylinder, 1000ml pyrex		2	pcs						
57	Graduated Cylinder, 10ml pyrex		2	pcs						
58	Graduated Cylinder, 500ml pyrex		2	pcs						
59	Graduated pipets, 10ml		2	pcs						
60	Handheld pH meter with buffer Model: PHscan20 pH Range: 0.0-14.-pH pH Accuracy: +0.05pH pH Calibration Points: Atleast 3 pH Buffer Options: NIST Standard Operating Temperature: 0~60deg C Power Requirements: 3x1.5V "G13A" Batteries Dimensions: 185 (L) x 40 (Dia.) mm Weight: 100g		1	pc						
61	Hot hands, non slip heat insulation glove, size: approx: 8.5cmx11"cm 6".8cm, (silicone)		3	pairs						
62	Hydrogen peroxide antiseptic/disinfectant, 3% solution, 500ml		4	pcs						

63	HYDROGEN PEROXIDE, 500ml		2	bottles						
64	INOCULATING LOOPS/NEEDLE, disposable, 500/box		2	boxes						
65	insect pins specimen needle stainless steel #0 (length:40 mm, Diameter 0.29 mm; 100pcs per pack)		5	packs						
66	insect pins specimen needle stainless steel #00 (length:40 mm, Diameter 0.27 mm; 100pcs per pack)		5	packs						
67	insect pins specimen needle stainless steel #2 (length:40 mm, Diameter 0.38 mm; 100pcs per pack)		5	packs						
68	insect pins specimen needle stainless steel #3 (length:40 mm, Diameter 0.45 mm; 100pcs per pack)		5	packs						
69	insect pins specimen needle stainless steel #4 (length:40 mm, Diameter 0.56 mm; 100pcs per pack)		5	packs						
70	insect pins specimen needle stainless steel #5 (length:40 mm, Diameter 0.71 mm; 100pcs per pack)		5	packs						
71	INTERFOLDED PAPER TOWEL, 2 ply, 75 pulls		100	pcs						
72	Interfolded Tissue Paper, 135 sheets		30	pcs						
73	Kim wipes. Lint free, 1ply, 4.4x8.4inc,280's		6	boxes						
74	Laboratory cart, stainless steel general-purpose cart with guard rails, shelf area: 24" x 15.5" (61.0 x 39.4cm), No of shelves: 3, capacity 200lb (91 kg), dimensions: 27 3/8" x 16 5/8" x 33 1/4" (69.5 x 42.2 x 84.4 cm)		2	pcs						
75	Laboratory footwear, white Slip resistant, puncture resistant, anti-static, insulative, lightweight Inside: Plush and comfortable memory foam, Footbed; outsole material: PU Upper Material: Breathable mesh insoles:		12	pcs						

	EVA: size will be measured by the bidder to the actual size of laboratory personnel									
76	Laboratory Gloves, Heavy Duty, Size: Large (box)		10	boxes						
77	Laboratory Gloves, Heavy Duty, Size: Medium (box)		10	boxes						
78	Laboratory Gloves, Heavy Duty, Size: Small (box)		10	boxes						
79	Laboratory Gloves, Heavy Duty, Size: Large (pair)		12	pairs						
80	Laboratory Gloves, Heavy Duty, Size: Medium (pair)		12	pairs						
81	Laboratory Stool, adjustable		3	units						
82	Laboratory safety shoes, Anti-static, for chemical protection, color:white, material: Microfiber, PU, Sizes: 35(3 pairs)		3	pairs						
83	Laboratory safety shoes, Anti-static, for chemical protection, color:white, material: Microfiber, PU, Sizes: 37(3 pairs)		2	pairs						
84	Laboratory safety shoes, Anti-static, for chemical protection, color:white, material: Microfiber, PU, Sizes: 38(3 pairs)		3	pairs						
85	Laboratory safety shoes, Anti-static, for chemical protection, color:white, material: Microfiber, PU, Sizes: 39(3 pairs)		4	pairs						
86	Laboratory safety shoes, Anti-static, for chemical protection, color:white, material: Microfiber, PU, Sizes: 40(6 pairs)		3	pairs						
87	Laboratory safety shoes, Anti-static, for chemical protection, color:white, material: Microfiber, PU, Sizes: 42(2 pairs)		3	pairs						
88	LABORATORY GOWN w/ DA logo, white, 35% cotton and 65% polyester fiber, long sleeve w/cuff, 5 (small), 5 (medium, 3 (large), 2(xL)		10	pcs						
89	Laboratory gowns w/ DA logo, white, armani cloth		8	pcs						
90	Laboratory tissue, 3ply		100	pcs						
91	Laboratory tray, plastic rectangular, 10.5'x14 5"x2, without holes		25	pcs						
92	Microcentrifuge rack, 96 well"reversible"for 1.5 ml.		2	pcs						

	to 2 ml. microtube racks & snap-on Rack covers									
93	Laboratory Utility tray, rectangular plastic tray without holes, L 10" x W 15 x H3" (25.4 cm x 15.2cm x 6.7cm)	6	pcs							
94	Latex tubing, size: 5/16 x 3/32, quality 50ft, elastic yellow latex tubing	2	boxes							
95	Medical adhesive tape, micropore, 25.4mm x 9.14mm	2	pcs							
96	Medical thermometer, digital	1	pcs							
97	Microcentrifuge Tubes with Snap Cap, Polypropylene, Graduated, Sterile, colorless, capacity 1.5ml., 500 pieces in a pack	2	packs							
98	Microcentrifuge Tubes with Snap Cap, Polypropylene, Graduated, Sterile, colorless, capacity 2 ml., 500 pieces in a pack	2	packs							
99	MICROSCOPE COVER GLASS, 24x 60mm, 100 pcs/pack, individually wrapped	10	boxes							
100	MICROSCOPE GLASS SLIDE, frosted end, 72pcs/box (3" x 1")	30	boxes							
101	MICROSCOPE GLASS SLIDE, plain, 72pcs/box	30	boxes							
102	MICROSCOPE SLIDE DRAIN RACK, rectangle, 100 pcs capacity, plastic	3	pcs							
103	Moisture dish Specifications: Aluminum moisture dish Size: 51mm x 25mm (2"x1") Capacity: 52mL Reusable heavy-duty aluminum moisture pan with lid 6pcs per pack	5	packs							
104	MULTI-SAMPLE NEEDLE 100pcs/box, 21G X 1 1/2"	20	boxes							
105	MULTI-SAMPLE NEEDLE, 100pcs/box, 21G X 1"	20	boxes							
106	Nitrile gloves, powder free, size large	15	boxes							
107	Nitrile gloves, powder free, size: medium	35	boxes							
108	Parafilm, laboratory film, 4"x 125ft	1	roll							

109	Pellet pestle for 1.5 ml. microcentrifuges tubes, 10/pack		2	packs						
110	PETRI DISH TRAY, 12 petri dish capacity		2	pcs						
111	PETRI DISH, GLASS, Pair of bottom and cover pyrex		10	pcs						
112	PETRI DISH, large, 150 mm X 15 mm, pyrex/ borosilicate glass, autoclavable		10	pcs						
113	Pipette sterilizing tray, rectangular plastic tray with cover, L 18" x W6" x H 2 5/8" (45.7cm x 15.2cm x 6.7cm)		2	pcs						
114	Plastic Strips, sterilized, 100 pcs/box, standard size		4	boxes						
115	Polyethylene reagent bottle w/ lid 150mL capacity		100	pcs						
116	Povidone iodine, wound solution, 10%, 120ml		2	pcs						
117	Reagent boats, set of 3 contains trays labeled conjugate substrate and red stop, for use with Elisa assays		3	sets						
118	Reagent Digger Spatula, for scooping and measuring of powdered, flakes, or granular reagent, stainless steel: 6.5"inc, can fit reagent bottles with small opening		6	pcs						
119	Reagent Glass Bottle; 1000ml capacity, round bottle, made of borosilicate glass, white enamel graduation and marking spots, with polypropylene screw cap (preferably yellow/orange color)		2	pcs						
120	rectangular carboy constructed of HDPE with polypropylene screw closure, 20L		5	pcs						
121	SCRUB SUIT, cotton, navy blue, terno, (Top: with 2 front pockets; Pants: with 1 back pocket, 2 side pockets) Size: Extra Large		2	pcs						
122	SCRUB SUIT, cotton, navy blue, terno, (Top: with 2 front pockets; Pants: with 1 back pocket, 2 side pockets) Size: Large		2	pcs						
123	SCRUB SUIT, cotton, navy blue, terno, (Top: with 2		2	pcs						

	front pockets; Pants: with 1 back pocket, 2 side pockets) Size: Medium									
124	SCRUB SUIT, cotton, navy blue, terno, (Top: with 2 front pockets; Pants: with 1 back pocket, 2 side pockets) Size: Small		2	pcs						
125	SCRUB SUIT, cotton, red, terno, (Top: with 2 front pockets; Pants: with 1 back pocket, 2 side pockets) Size: Extra Large		2	pcs						
126	SCRUB SUIT, cotton, red, terno, (Top: with 2 front pockets; Pants: with 1 back pocket, 2 side pockets) Size: Large		2	pcs						
127	SCRUB SUIT, cotton, red, terno, (Top: with 2 front pockets; Pants: with 1 back pocket, 2 side pockets) Size: Medium		2	pcs						
128	SCRUB SUIT, cotton, red, terno, (Top: with 2 front pockets; Pants: with 1 back pocket, 2 side pockets) Size: Small		2	pcs						
129	SCRUB SUIT, (4 (3XL), 10 (Medium), 4 (Large), 4 (Small), Midnight Blue		15	pcs						
130	SCRUB SUIT, canadian cotton plain, terno, (Top: with 2 front pockets; Pants: with 1 back pocket, 2 side pockets, cargo type) DARK BLUE , (size S 5, M 3; L 2;)		15	pcs						
131	SCRUB SUIT, canadian cotton plain, terno, (Top: with 2 front pockets; Pants: with 1 back pocket, 2 side pockets, cargo type) TWO-TONED MAROON & GREY (size S 5, M 3; L2)		15	pcs						
132	Secondary containment, black pail bucket with metal handle, 4 gal capacity		15	pcs						
133	stainless steel beads, 5mm., (200 pieces) suitable for use with the Tissue Lyser system		1	pack						
134	stainless steel tweezer St-10 to St-17 mutiple Anti-iodine medical tweezer straight curved forgripping small objects		5	sets						
135	Straight digestion tubes, kjeldahl tubes, 250ml cap,		10	pcs						

	outer diameter:42mm, length 300mm									
136	straight ultra fine Precision tweezer, stainless, 4 1/4" length, 3 star grade		5	pcs						
137	Test tubes, 13x100mm, borosilicate glass		140	pcs						
138	Timer, Three-channel timer		3	pcs						
138	TONGUE DEPRESSOR, non sterile, 100 pcs per pack		3	boxes						
140	Tweezers		2	pcs						
141	VACUTAINER, red top, 5ml, 100 tubes/rack, expiry 2026		10	racks						
142	VACUTAINER, violet top, 5ml, 100 tubes/rack, expiry 2026		10	racks						
143	Volumetric Flask, 2L		2	pcs						
144	Volumetric flasks, glass stoppered, 100ml		3	pcs						
145	Volumetric Pipette, 2ml volume, transparent, borosilicate glass, color- coded		3	pcs						
146	Volumetric Pipette, 30ml volume, transparent, borosilicate glass color- coded		3	pcs						
147	Wash bottles, 500ml cap.		4	pcs						
148	Waste Container (Carboys), 50 Li cap with drum and carboy funnel		1	pcs						
149	Watch Glass, round, borosilicate glass, 75 mm diameter, for beter covers		20	pcs						
150	WEIGH BOATS, 100 grams capacity, plastic polyesterenenon-static , pack of 100		2	packs						
151	Weighing Scale, 2000g cap.		1	pc						
152	Wire gauze, stainless steel wire gauze with hemmed edges, with NON asbestos ceramic center approx. 3.25" (85mm), square shape, approx 5'x5' (123mm x 123mm), 10's per pack		10	pcs						
153	Wound plaster, 1.25cm x 5m		4	pcs						
154	Chemical Splash Goggles, § Anti-fog lens § Adjustable elastic strap § Polycarbonate frame material § Anti-scratch lens coating § Over-the-glass frame		5	pcs						

	<p>style</p> <ul style="list-style-type: none"> § Sealed eyewear § Splash protection § Polyester/cotton/nylon strap material § Headband temple style § 99.9% UV Protection § Indirect venting (e.g. S-shaped vent) <p>DIMENSIONS</p> <ul style="list-style-type: none"> § Overall Height: 11 inch (279.4 mm) § Overall Length: 2.38 inch (60.45 mm) § Overall Width: 6 inch (152.4 mm) 									
155	<p>General Safety Glasses, § Lens Color: Clear</p> <ul style="list-style-type: none"> § Lens Coating: Anti-scratch & Anti-fog § Frame Color: Clear § Temple Color: Clear § Frame Material: Plastic § Lens Material: Polycarbonate § Frame style: Frameless <p>DIMENSIONS</p> <ul style="list-style-type: none"> • Overall Length: 10 inch <p>Safety Eyewear Organizer, § Material: Clear Acrylic</p> <ul style="list-style-type: none"> § Can be mounted vertically or horizontally on walls or sits on tables or benchtop 	2	pcs							
156	<p>Butyl Gloves, § Provides resistance to aggressive chemical including solvents and strong acids.</p> <ul style="list-style-type: none"> § Flexible and comfortable § Natural, curved ergonomic shape § Easy donning and secure grip § Rough finish offers safer handling § Color: Black § Latex free § Material: Butyl § Thickness: 14 mil (0.35 mm) § EN388 Standard: EN 388:1000X, EN 388:1000 § EN ISO 374-1: Type A § EN ISO 374-1 <p>CHEMICAL LETTER CODES: ABCIKMPST</p> <ul style="list-style-type: none"> § EN ISO 374 – 5: Bacteria, Fungi only § Glove Cuff Style: Beaded § Grip Design: Rough § Lining: Unlined § Model: 189021 	5	pcs							

	<p>§ Length: 14 inch (35.5 cm)</p> <p>§ Sizes: 7 (5 pcs), 8 (3 pcs), 9 (2 pcs)</p>									
157	<p>Heat Resistant Gloves, § Self-extinguishing gloves designed for intermittent handling of dry, hot objects up to 350 °C</p> <p>§ Flame resistant gloves self-extinguish when exposed to flame § ANSI Abrasion Rating: ANSI 3</p> <p>§ Construction: Seamless Knit</p> <p>§ Color: Yellow</p> <p>§ Cut Resistance Rating: ANSI A5</p> <p>§ Hand: Specific</p> <p>§ Material: Aramid Fiber</p> <p>§ Liner Material: Kevlar Para Aramid with Silica Fiber Core</p> <p>§ Size: 9</p> <p>§ Temperature Max: 350 °C</p> <p>§ EN388 Standard: 154XE</p> <p>§ Glove Cuff Style: Knitwrist</p> <p>§ Liner Material: Cotton</p> <p>§ Yarn Gauge: 7</p> <p>DIMENSIONS</p> <p>§ Length: 330-381 mm/12.99-15 inches</p> <p>§ Cotton liner is comfortable and absorbent</p> <p>§ Resistant to cuts and abrasion</p>	6	pcs							
158	<p>Particulate Respirator (Organic Vapor) § P95 Filter Class</p> <p>§ Nuisance Odor Relief to Organic Vapor</p> <p>§ Have advanced electrostatic media</p> <p>§ Oil and Non-Oil for aerosol type</p> <p>§ Assigned protection factor of 10</p> <p>§ Braided comfort strap</p> <p>§ Carbon filter material</p> <p>§ Includes cartridge or filter</p> <p>§ Cool flow exhalation valve</p> <p>§ Soft material for Faceseal or Nosefoam</p> <p>§ Gas and Vapor Protection type: Particulate</p> <p>§ M – Noseclip</p>	2	boxes							

	<p>§ P-Series Filter § Respirator Type: Cup</p>									
159	<p>Particulate Respirator (Acid Gas) § P95 Filter Class § Acid gas reduction § Assigned protection factor of 10 § Braided comfort strap § Carbon filter material § Includes cartridge or filter § Cool flow exhalation valve § Soft material for Faceseal or Nosefoam § Gas and Vapor Protection type: Particulate § M – Noseclip § Nuisance Odor Relief to Acid Gas § P-Series Filter § Respirator Type: Cup</p> <p>§ Have advanced electrostatic media § Oil and Non-Oil for aerosol type</p>		2	pcs						
160	<p>Half Facepiece Reusable Respirator, § Assigned Protection Factor: 10 § Compatible with: Line Compressed Air System SA Series § Compatible with Welding Shield § Connection Type: Bayonet § Have drop-down feature § Exhalation Valve § Facepiece Material: Thermoplastic Elastomer (TPE) § Facepiece Type: Half Facepiece Reusable § Dual Airline Supplied Air Compatible § Harness Type: 4 point § Hazard Type: Mold, Silica § Mask Size: Small (4 pcs), Medium (3 pcs), Large (3 pcs) § Primary Material: Thermoplastic Elastomer (TPE) § Product Series: 6000 § Product Type: Half Facepiece § Purpose: Half Facepiece Respirators</p>		5	pcs						

	<p>§ Range: Good</p> <p>§ Specifications Met: NIOSH approved with various cartridges, filters and supplied air systems</p> <p>§ Compatible with purchased filter cartridges</p>									
161	<p>Organic Vapor (OV)/Acid Gas (AG), P100 Filter Cartridge, § NIOSH approval for use with: Certain organic vapors, chlorine, hydrogen chloride, and sulfur dioxide, hydrogen sulfide (escape only), or hydrogen fluoride and particulates.</p> <p>§ NIOSH Color Coding System: Purple (Magenta) - Yellow</p> <p>§ Aerosol Type: Oil and Non-Oil</p> <p>§ Cartridge or Filter Type: Gas and Vapor</p> <p>§ Clip-on Welding Shield</p> <p>§ Bayonet Connection Type</p> <p>§ Have drop-down feature</p> <p>§ Particulate filter permanently attached to cartridge</p> <p>§ Filter class: P100</p> <p>§ Glass fiber paper filter material</p> <p>§ For Use With: Reusable Respirators</p> <p>§ Gas & Protection Type: Organic Vapor/Acid Gas</p> <p>§ Hazard Type: Dust, mist, fumes, gases or vapors and combination hazards, mold, organic vapor, silica</p> <p>§ NIOSH Filter Approval Rating: OV/P100</p> <p>§ Particulate Protection: Asbestos, Mold, Organic Vapor, Silica</p> <p>§ Protection Focus: organic vapors, chlorine, chlorine dioxide, hydrogen chloride, and sulfur dioxide, hydrogen sulfide (escape only), or hydrogen fluoride</p> <p>§ Product Type: Cartridge</p> <p>§ Purpose: Cartridges & Filter</p> <p>§ Faceseal: Silicone</p> <p>§ Have six-point head harness</p>	8	pairs							

	<p>§ Have Speaking diaphragm</p> <p>§ Specification Met: P100</p> <p>§ Compatible with the purchased half facepiece reusable respirator</p> <p>DIMENSIONS</p> <p>§ Overall Height: 3.4 inch</p> <p>§ Overall Length: 4.2 inch</p>									
162	<p>Multi-Gas/Vapor (MG)/P100 Cartridge, § NIOSH approval for use with: Certain organic vapors, chlorine, hydrogen chloride, chlorine dioxide, sulfur dioxide, hydrogen sulfide (escape only), ammonia, methylamine, formaldehyde, or hydrogen fluoride and particulates.</p> <p>§ NIOSH Color Coding System: Purple (Magenta) - Olive</p> <p>§ Aerosol Type: Oil and Non-Oil</p> <p>§ Cartridge or Filter Type: Gas and Vapor</p> <p>§ Clip-on Welding Shield</p> <p>§ Bayonet Connection Type</p> <p>§ Have drop-down feature</p> <p>§ Particulate filter permanently attached to cartridge</p> <p>§ Filter Class: P100</p> <p>§ Glass fiber paper filter material</p> <p>§ For Use With: Reusable Respirators</p> <p>§ Gas & Protection Type: Organic vapors, chlorine, hydrogen chloride, chlorine dioxide, sulfur dioxide, hydrogen sulfide (escape only), ammonia, methylamine, formaldehyde, or hydrogen fluoride and particulates.</p> <p>§ Hazard Type: Dust, mist, fumes, gases or vapors and combination hazards, mold, organic vapor, silica</p> <p>§ NIOSH Filter Approval Rating: MG/P100</p> <p>§ Particulate Protection: Asbestos, Ammonia, Formaldehyde, Methylamine, Mold, Organic Vapor, Silica</p>		8	pairs						

	<p>§ Protection Focus: organic vapors, chlorine, hydrogen chloride, chlorine dioxide, sulfur dioxide, hydrogen sulfide (escape only), ammonia, methylamine, formaldehyde, or hydrogen fluoride</p> <p>§ Product Type: Filter & Cartridge Combo</p> <p>§ Purpose: Cartridges & Filter</p> <p>§ Face Seal: Silicone</p> <p>§ Have six-point head harness</p> <p>§ Have Speaking diaphragm</p> <p>§ Specification Met: P100</p> <p>§ Compatible with the purchased half-facepiece reusable respirator</p> <p>DIMENSIONS</p> <p>§ Overall Height: 3.4 inch</p>									
163	<p>Respirator Storage Bag, § 10-mil thick reusable transparent bag with zipper</p> <p>DIMENSIONS</p> <p>§ 12"W x 15"H</p>		5	pairs						
164	<p>Laboratory Safety Shoes, § Applications: For laboratories</p> <p>§ Type of Protection: Mechanical protection, waterproof, chemical protection, anti-static</p> <p>§ Material: Microfiber, PU</p> <p>§ Norms: S2</p> <p>§ Sizes: 36 (2 pairs), 37 (2 pairs), 38 (1 pair), 39 (2 pairs), 42 (2 pairs) NOTE: for Chemist II (1 pair)</p> <p>§ Outsole: PU</p> <p>Monodensity</p> <p>§ Upper: Microfiber</p> <p>§ Toecap: Steel</p> <p>§ Insole: Antistatic</p> <p>§ Color: White</p>		5	pairs						
165	<p>Laboratory Coat, § Material: Polycotton</p> <p>§ Color: White</p> <p>§ Closure Type: Snaps</p> <p>§ Cuff Style: Open</p> <p>§ No. of Pockets: 3 (one outside left breast pocket, two outside lower pockets)</p> <p>§ Collar Type: Standard</p> <p>Pointed</p> <p>§ Sizes: Small (4 pcs),</p>		5	pcs						

	Medium (3 pcs), Large (3 pcs)									
166	Laboratory Apron, § Color: White § Material: Polyurethane § Water-repellent § Smooth, washable surface § Metal lugs at connection points § Strap length individually adjustable § Length: 110 cm § Width: 90 cm § Material Thickness: Approximately 0.30 mm		2	pcs						
167	Thermohygrometer Range: 20 to 90% RH Temperature Range: 0 to 50 degrees Celsius		40	units						

Name: _____

Legal Capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____

GPPB Resolution No. 16-2020, dated 16 September 2020

Bid Securing Declaration Form
[shall be submitted with the Bid if bidder opts to provide this form of bid security]

REPUBLIC OF THE PHILIPPINES)
CITY OF _____) S.S.

BID SECURING DECLARATION
Project Identification No.: *[Insert number]*

To: *[Insert name and address of the Procuring Entity]*

I/We, the undersigned, declare that:

1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration.
2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
 - a. Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
 - b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and
 - c. I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this ____ day of *[month]* *[year]* at *[place of execution]*.

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]
[Insert signatory's legal capacity]
Affiant

[Jurat]
[Format shall be based on the latest Rules on Notarial Practice]

Omnibus Sworn Statement (Revised)
[shall be submitted with the Bid]

REPUBLIC OF THE PHILIPPINES)
CITY/MUNICIPALITY OF _____) S.S.

AFFIDAVIT

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

1. *[Select one, delete the other:]*

[If a sole proprietorship:] I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

[If a partnership, corporation, cooperative, or joint venture:] I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. *[Select one, delete the other:]*

[If a sole proprietorship:] As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

[If a partnership, corporation, cooperative, or joint venture:] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable)];

3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, **by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;**

4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;

5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;

6. *[Select one, delete the rest:]*

[If a sole proprietorship:] The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical

Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a partnership or cooperative:] None of the officers and members of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a corporation or joint venture:] None of the officers, directors, and controlling stockholders of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

7. *[Name of Bidder]* complies with existing labor laws and standards; and
8. *[Name of Bidder]* is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
 - a. Carefully examining all of the Bidding Documents;
 - b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
 - c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
 - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the *[Name of the Project]*.
9. *[Name of Bidder]* did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
10. **In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.**

IN WITNESS WHEREOF, I have hereunto set my hand this ___ day of ___, 20__ at _____, Philippines.

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]

[Insert signatory's legal capacity]

Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

GPPB Resolution No. 16-2020, dated 16 September 2020

