



Republic of the Philippines **REGIONAL FIELD OFFICE NO. 5** San Agustin, Pili, Camarines Sur

NOTICE TO CONDUCT REPEAT ORDER

The Department of Agriculture Regional Office No.5 through BAC Resolution No. 4287-3221 is conducting a Repeat order for the Procurement of Supply and Delivery of Various Equipment under Rice Program 2024 that was awarded to **AIMS AGRI VENTURES, INC.** with office Address at **Zone 6 Diversion Road Tabuco, Naga City.** The Contract Agreement between The Department of Agriculture Regional Office No. 5 and **AIMS AGRI VENTURES, INC.** was executed on October 14, 2024, the Notice to Proceed (NTP) was made on October 25, 2024; The original amount of the contract was **SIXTEEN MILLION FOUR HUNDRED EIGHTY-SEVEN THOUSAND THREE HUNDRED PESOS (Php16,487,300.00).**

The Repeat Order shall be:

The Repeat Order sha	all be.				DELIVEDIA
DUCCDIDENON	O.TTV	TINITE COCE	momat coom	DELIVERY	DELIVERY
DESCRIPTION	QTY	UNIT COST	TOTAL COST	SCHEDULE	LOCATION
Walking Type Agricultural Tractor:	8 units	Php184,250.00	Php1,474,000.00	45calendar days	DA Compound,
Pull Type with Complete				upon receipt of	San Agustin, Pili,
Accessories				Notice to Proceed	Camarines Sur
				(NTP)	
Type: Pull-Type Single Axle					
Overall Dimension:					
Length: at least 2525 mm					
Width: at least 1345 mm					
Height: at least 1040 mm					
Weight: at least 105 kg					
Prime Mover: 5.22 kW (7hp) water-					
cooled Diesel Engine, minimum					
Four Stroke cycle, single horizontal					
cylinder, manual cranking level start					
Engine brand must be in the					
Philippine market for 35 years					
Attachments:					
Spiral Auger, Comb Tooth Harrow,					
Cage Wheel					
Agricultural Trailer with Brand New					
Tires					
Pneumatic Tires with Adaptor					
•					
Performance:					
Actual Field Capacity, ha/h:					
0.125minimum					
Peak Transmission Efficiency, %: 85,					
minimum					
Average depth of tillage, mm: 120					
minimum					
Average width of tillage, mm: 1365,					
minimum					
Field Efficiency, %: 80, minimum					
Noise at Operator's ear level, dB(A):					
92, maximum					
Fuel Consumption, L/h: 1.2, maximum					

*No breakdown/malfunctions during				
the five-hour continuous running test				
*Bicol Type				
AMTEC Tested, with valid AMTEC				
Test Result				
Mechanical Rice Thresher	5 units	Php89,722.22	Php448,611.10	
Type: Throw-in, Single open				
Cylinder, Axial Flow, Peg-toothed,				
Eith Sifter and Fan				
Overall Dimension:				
Length: at least 1391mm				
Width: at least 1336 mm				
Prime Mover: 6.3kW Air-cooled				
Diesel Engine (Minimum)				
Four-stroke cycle, single vertical				
cylinder, rope start				
Accessories:				
2 pieces Collecting Bin				
Performance:				
Threshing Recovery: 97% minimum				
Threshing Efficiency: 99.8%				
minimum				
Threshing Capacity, kg/h: 1000,				
minimum				
Performance Losses:				
a. Blower Loss: 1.2%, maximum				
b. Separation Loss: 1.3%, maximum				
c. Unthreshed Loss: 0.2%, maximum				
d. Scattering Loss: 0.3%, maximum Purity: 97 %, minimum				
Mechanical Damaged/Broken grain:				
0 ,				
2%, maximum Noise Level: 95dB(A), max				
*Bicol Type				
*AMTEC Tested, with valid AMTEC				
Test Result				
Mechanical Weighing Equipment	1	71,700.00	71,700.00	
with Accessories	_	, 1), 00.00	, 1,, 00.00	
Mechanical Weighing Equipment				
*Heavy Duty, with Zero Balancing				
*Single Beam-Type				
Capacity: 500kg				
With lock for transport				
Rust-Free brass ruler				
Base id made of cast iron				
Reinforced structure				
Cast iron weights and counter poise				
included				
Accessories:				
*Moisture Meter				
Measuring range: 8.3% - 30.0%				

Display: Digital LCD		
Operating Temperature: 10°C - 40°C		
Power source: Battery		
Resolution: 0.1%		
Accuracy: ±0.5%		
*Portable sack/bag closer, 220V		
Speed: 1900 RPM		
Stitch: 8mm		
Thread: 1 needle 1 stitch		

REQUIREMENTS:

- *Must have a service center within the region conforming with PAES 192:2016 on AFTERSALES services
- *With steel plate DA Logo
- *With system operation and maintenance manual
- *With Trained Technician with certificate of training the same unit being offered
- *Acceptance testing must be performed prior to delivery
- *With product demonstration and operations & maintenance training
- *Brand has been sold in the Philippine market for the last Thirty-five (35) years
- *With NAMDAC Certificate of Accreditation
- *With PTO Certification
- *With Certificate of Conformity (Engine only) with authority to use CC from distributor (SRED-CCAUN-2020-V1)
- *Certificate of Dealership for Brand being offered
- *For Occupational Safety and Health:

Provision of two (2) pairs of safety gloves per unit

Provision of two (2) pairs of earmuffs per unit

Provision of two (2) pieces of industrial safety face mask per unit

Provision of two (2) pieces of safety googles per unit

Sealed bid must be received by BAC Secretariat not later than 10:00 in the morning of December 11, 2024 at BAC Office, DA RFO-V, San Agustin, Pili, Camarines Sur. Opening of proposal will be on the same date and time. All submitted documents must be in duplicate, marked with index/ear tabs or side-end tabs to identify the page components, and addressed to the BAC Chairperson; otherwise, bids will be automatically rejected on the ground of non-compliance with the prescribed bid requirements.

The repeat order for the previous contract shall be governed by the RA 9184 and its Implementing rules and Regulations.

The Department of Agriculture, Region 5 shall in no case be held responsible or liable for any and all costs associated in the implementation of the Repeat Order of its result

LORENZO L. ALVINA

OIC, RTD for Research and Regulations Chairperson, Bids and Awards Committee

BID FORM

Doto.		
Date :		

To: [name and address of Procuring Entity]

Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers [insert numbers], the receipt of which is hereby duly acknowledged, we, the undersigned, offer to [supply/deliver/perform] [description of the Goods] in conformity with the said PBDs for the sum of [total Bid amount in words and figures] or the total calculated bid price, as evaluated and corrected for computational errors, and other bid modifications in accordance with the Price Schedules attached herewith and made part of this Bid. The total bid price includes the cost of all taxes, such as, but not limited to: [specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties], which are itemized herein or in the Price Schedules,

If our Bid is accepted, we undertake:

- a. to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements of the Philippine Bidding Documents (PBDs);
- b. to provide a performance security in the form, amounts, and within the times prescribed in the PBDs;
- c. to abide by the Bid Validity Period specified in the PBDs and it shall remain binding upon us at any time before the expiration of that period.

[Insert this paragraph if Foreign-Assisted Project with the Development Partner: Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below:

Name and address Amount and Purpose of
of agent Currency Commission or gratuity
(if none, state "None")]

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements pursuant to the PBDs.

The undersigned is authorized to submit the bid on behalf of [name of the bidder] as evidenced by the attached [state the written authority].

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

Name	:				
Legal capacity	:				
Signature	i				
Duly authorized to sign the Bid for and behalf of:					
Date	:				

For Goods Offered from Within the Philippines

Name of project:		
Name of Bidder	 	

1	2	3	4	5	6	7	8	9	10
Item	Description	Country	Quantity	Unit price	Transportation and	Sales and other	Cost of Incidental	Total Price,	Total Price
		of origin		EXW per	Insurance and all	taxes payable if	Services, if	per unit	delivered Final
				item	other costs	Contract is	applicable, per	(col 5+6+7+8)	Destination
					incidental to	awarded, per item	item		(col 9) x (col 4)
					delivery, per item				
	Walking Type Agricultural Tractor: Pull		8 units						
	Type with Complete Accessories								
1	Type: Pull-Type Single Axle Overall Dimension: Length: at least 2525 mm Width: at least 1345 mm Height: at least 1040 mm Weight: at least 105 kg Prime Mover: 5.22 kW (7hp) water-cooled Diesel Engine, minimum Four Stroke cycle, single horizontal cylinder, manual cranking level start Engine brand must be in the Philippine market for 35 years Attachments: Spiral Auger, Comb Tooth Harrow, Cage Wheel Agricultural Trailer with Brand New Tires								
	Pneumatic Tires with Adaptor								
	Performance: Actual Field Capacity, ha/h: 0.125minimum Peak Transmission Efficiency, %: 85, minimum								

					1	T
	Average depth of tillage, mm: 120 minimum					
	Average width of tillage, mm: 1365, minimum					
	Field Efficiency, %: 80, minimum Noise at Operator's ear level, dB(A): 92, maximum Fuel Consumption, L/h: 1.2, maximum *No breakdown/malfunctions during the five- hour continuous running test *Bicol Type AMTEC Tested, with valid AMTEC Test Result					
	Mechanical Rice Thresher	5	units			
2	Type: Throw-in, Single open Cylinder, Axial Flow, Peg-toothed, Eith Sifter and Fan Overall Dimension: Length: at least 1391mm Width: at least 1336 mm Prime Mover: 6.3kW Air-cooled Diesel Engine (Minimum) Four-stroke cycle, single vertical cylinder, rope start Accessories: 2 pieces Collecting Bin Performance: Threshing Recovery: 97% minimum Threshing Efficiency: 99.8% minimum Threshing Capacity, kg/h: 1000, minimum					
	Performance Losses: a. Blower Loss: 1.2%, maximum b. Separation Loss: 1.3%, maximum c. Unthreshed Loss: 0.2%, maximum d. Scattering Loss: 0.3%, maximum Purity: 97 %, minimum					

	16 1 1 15 16 16 16 16 16 16 16 16 16 16 16 16 16			T	T
1	Mechanical Damaged/Broken grain: 2%,				
	maximum				
	Noise Level: 95dB(A), max				
	*Bicol Type				
	*AMTEC Tested, with valid AMTEC Test				
	Result				
	Mechanical Weighing Equipment with	1 unit			
	Accessories				
	Mechanical Weighing Equipment				
	*Heavy Duty, with Zero Balancing				
	*Single Beam-Type				
	Capacity: 500kg				
	With lock for transport				
	Rust-Free brass ruler				
	Base id made of cast iron				
	Reinforced structure				
	Cast iron weights and counter poise included				
3	Accessories:				
	*Moisture Meter				
	Measuring range: 8.3% - 30.0%				
	Display: Digital LCD				
	Operating Temperature: 10°C - 40°C				
	Power source: Battery				
	Resolution: 0.1%				
	Accuracy: ±0.5%				
	*Portable sack/bag closer, 220V				
	Speed: 1900 RPM				
	Stitch: 8mm				
	Thread: 1 needle 1 stitch				
REQUIR	EMENTS:	<u>.</u>			

- *Must have a service center within the region conforming with PAES 192:2016 on AFTERSALES services
- *With steel plate DA Logo
- *With system operation and maintenance manual

 *With Trained Technician with certificate of training the same unit being offered

 *Acceptance testing must be performed prior to delivery

 *With product demonstration and operations & maintenance training

 *Brand has been sold in the Philippine market for the last Thirty-five (35) years

 *With NAMDAC Certificate of Accreditation

*With PTO Certification	I
*With Certificate of Conformity (Engine only) with authority to use CC from distributor (SRED-CCAUN-2020-V1)	1
*Certificate of Dealership for Brand being offered	1
*For Occupational Safety and Health:	1
Provision of two (2) pairs of safety gloves per unit	1
Provision of two (2) pairs of earmuffs per unit	1
Provision of two (2) pieces of industrial safety face mask per unit	1
Provision of two (2) pieces of safety googles per unit	I
TOTAL	

Name	:
Legal Capacity	:
Signature	:
Duly authorized to sign the Bid for and behalf of	·